

## 5/8" PANEL EXTERIOR VIEW

DESIGN PRESSURE RATING	IMPACT RATING		
±50.0PSF	LARGE AND SMALL MISSILE IMPACT		

SHEET NO.

2

3

B.O.M. AND COMPONENTS

## NOTES:

- 1. THE PRODUCT SHOWN HEREIN IS DESIGNED AND MANUFACTURED TO COMPLY WITH REQUIREMENTS OF THE FLORIDA BUILDING CODE.
- 2. WOOD FRAMING AND MASONRY OPENING TO BE DESIGNED AND ANCHORED TO PROPERLY TRANSFER ALL LOADS TO STRUCTURE. FRAMING AND MASONRY OPENING IS THE RESPONSIBILITY OF THE ARCHITECT OR ENGINEER OF RECORD.
- 3. ALLOWABLE STRESS INCREASE OF 1/3 WAS NOT USED IN THE DESIGN OF THE PRODUCT SHOWN HEREIN. WIND LOAD DURATION FACTOR Cd=1.6 WAS USED FOR WOOD ANCHOR CALCULATIONS.
- 4. FRAME MATERIAL: POLYCARBONATE.
- 5. APPROVED IMPACT PROTECTIVE SYSTEM <u>IS NOT REQUIRED</u> FOR THIS PRODUCT IN WIND BORNE DEBRIS REGIONS.
- 6. FOR ANCHORING INTO WOOD FRAMING OR 2X BUCK USE 1/4" PANEL MATE OR 1/4" TAPCON SG WITH SUFFICIENT LENGTH TO ACHIEVE A 1 1/2" MINIMUM EMBEDMENT INTO SUBSTRATE. LOCATE ANCHORS AS SHOWN IN ELEVATIONS AND INSTALLATION DETAILS.
- 7. FOR ANCHORING INTO MASONRY/CONCRETE USE 1/4" PANEL MATE OR 1/4" TAPCON SG WITH SUFFICIENT LENGTH TO ACHIEVE A 1 1/4" MINIMUM EMBEDMENT INTO SUBSTRATE WITH 2" MINIMUM EDGE DISTANCE. LOCATE ANCHORS AS SHOWN IN ELEVATIONS AND INSTALLATION DETAILS.
- 8. ALL FASTENERS TO BE CORROSION RESISTANT.
- 9. INSTALLATION ANCHORS SHALL BE INSTALLED IN ACCORDANCE WITH ANCHOR MANUFACTURER'S INSTALLATION INSTRUCTIONS AND ANCHORS SHALL NOT BE USED IN SUBSTRATES WITH STRENGTHS LESS THAN THE MINIMUM STRENGTH SPECIFIED BELOW: A. WOOD MINIMUM SPECIFIC GRAVITY OF G=0.42
  - B. CONCRETE MINIMUM COMPRESSIVE STRENGTH OF 3,192 PSI.
  - C. MASONRY STRENGTH CONFORMANCE TO ASTM C-90, GRADE N, TYPE 1 (OR GREATER).

GALLINA USA, LLC

SHEET 1 OF 3


DATE 05/14/13

SIGNED: 05/14/2013

	JANESVILLE, WI 53545		34	
TABLE OF CONTENTS	5/8" HUR	RICANE STORM PANEL RDC 60 X 96		1111
DESCRIPTION	ELEVATION AND NOTES		1111	
ELEVATION AND NOTES	DRAWN:	DWG NO.	REV	
INSTALLATION DETAILS	V.L.	08-02016	_	


SCALE NTS





BILL OF MATERIALS							
ITEM NO.:	PART NUMBER	DESCRIPTION	MANUFACTURER	MATERIAL			
1	2161	5/8" STORM PANEL		POLYCARBONATE			
2	PURCHASE	1/4" PANEL MATE MALE FASTENER	TEXTRON				
3	PURCHASE	1/4" WASHER		STEEL			
4	PURCHASE	1/4-20 WINGNUT		STEEL			
5	PURCHASE	1/4" TAPCON SG	ITW BUILDEX				

5/8" PRODUCT PROPERTIES						
TEST DESCRIPTION	<b>TEST METHOD</b>	TEST RESULTS				
SELF IGNITION TEMP.	ASTM D1929	896°F				
AVERAGE TIME OF BURNING	ASTM D635	CC-1				
STANDARD FLAME SPREAD	ASTM E84	15				
SMOKE DENSITY DEVELOPED	ASTM E84	350				
TENSILE STRENGTH (MEAN)	ASTM D638	6890 PSI	7197 PSI			
TENSILE STRENGTH (IVIEAN)		BEFORE	AFTER			



1 <u>5/8" PANEL</u> EXTERIOR WALLS 0.030" INTERIOR FLUTED WALLS THICKNESS 0.016"

REVISIONS


REV DESCRIPTION DATE APPROVED

## 

- (2) 1/4" PANEL MATE (TEXTRON)
- (5) <u>1/4" TAPCON SG (ITW BUILDEX)</u>



4 1/4"-20 WING NUT STEEL



3 1/4" WASHER STEEL 1/16" THICK

SIGNED: 05/14/2013

GALLINA USA, LLC

4335 CAPITAL CIRCLE
JANESVILLE, WI 53545

5/8" HURRICANE STORM PANEL RDC
60 X 96
B.O.M. AND COMPONENTS

DRAWN:
V.L.

DWG NO.
V.L.

08-02016

SCALE NTS

DATE 05/14/13

SHEET 3 OF 3