Rule 61G20-3.015(4)(d) F.A.C. | Report No. 2744-EER | Project No. 421-1202 | 3/16/2022 | Page 1 of 6

Product Manufacturer

Mitsubishi Chemical Composites America, Inc. 401 Volvo Parkway Chesapeake, VA 23320

Product Name, Model and/or Description

Series "Alpolic and Alpolic/FR" Composite Wall Panel
Systems
Small Missile Impact Resistant

Code: Current Edition of the Florida Building Code including the 7th Edition (2020) Florida Building Code

Compliance Method: 61G20-3.015(4)(d) – Equivalency of Standards

Product Name, Model and/or Designation: Products covered by this evaluation include the following.

 Mitsubishi Chemical Composites America, Inc. Series "Alpolic and Alpolic/FR" Composite Wall Panel Systems – Small Missile Impact Resistant

Product Testing, Materials and Certification:

- Performance Testing per TAS 202 and TAS 203:
 - Test report on Small Missile Impact Test, Cyclic Wind Pressure Test, and Uniform Static Air Pressure Test on Alpolic and Alpolic/FR Composite Wall Panel Systems, prepared by Architectural Testing Inc., Report No. 01-35789.02, dated 05/31/00, signed and sealed by Allen Reeves, P.E.
 - Test report on Small Missile Impact Test, Cyclic Wind Pressure Test, and Uniform Static Air Pressure Test on Alpolic and Alpolic/FR Composite Wall Panel Systems, prepared by Architectural Testing Inc., Report No. 01-43055.01, dated January 07, 2003, signed and sealed by Joseph A. Reed, P.E.
 - Test report on Small Missile Impact Test, Cyclic Wind Pressure Test, and Uniform Static Air Pressure Test on Alpolic and Alpolic/FR Composite Wall Panel Systems, prepared by Architectural Testing Inc., Report No. 67392.01-109-18, dated October 27, 2006, signed and sealed by Joseph A. Reed, P.E., on May 30, 2012.

Material Testing:

- Southwest Research Institute, Report No. 01-8361-038, ASTM D1929-91a for Ignition Properties, 4mm Alpolic/FR, dated 10/28/96, signed by Betty J Covey and Alex B. Wenzel.
- o United States Testing Co. Inc., Report No. 100727-3, ASTM D1929-91a for Ignition Properties, 4mm Alpolic
- o Southwest Research Institute, Report No. 01-8361-320d, ASTM E84-97 for Flame Spread Index and Smoke Developed Index, 4mm Alpolic, dated 09/18/97, signed by Anthony L. Sauceda and Alex B. Wenzel.
- o Southwest Research Institute, Report No. 01-7520-359a, ASTM E84-95 for Flame Spread Index and Smoke Developed Index, 4mm Alpolic/FR, dated 09/26/96, signed by Anthony L. Sauceda and Alex B. Wenzel.
- o ATI, Report No. 01-43055.02, ASTM E8-00 for Tensile Strength, 4mm Alpolic, dated March 04, 2003, signed and sealed by Joseph A. Reed, P.E.
- ATI, Report No. 01-35789.03, ASTM E8-96 for Tensile Strength, 4mm Alpolic and 4mm Alpolic/FR, dated July 07, 2000, signed and sealed by Allen N Reeves, P.E.
- Intertek Test Report No. E6899.01-106-31, dated 4/22/15, ASTM D635-14 Rate of Burn, 4mm Alpolic/FR.
- US Testing Co. Test Report No. 100727-1, dated 4/12/91, ASTM D635 (year not recorded) Rate of Burn, 4mm Alpolic.
- Spec. Data issued by Alcoa Mill Products, dated November 08, 2000, with chemical composition and mechanical properties of Aluminum Alloy 3105-H14

Testing performed to specification revision levels above predate the current edition of the Florida Building Code requirements.



Rule 61G20-3.015(4)(d) F.A.C. | Report No. 2744-EER | Project No. 421-1202 | 3/16/2022 | Page 2 of 6

Materials:

- Alpolic and Alpolic/FR aluminum composite metal panel 4mm thick (0.157") as manufactured by Mitsubishi Chemical Composites America, Inc., Chesapeake, VA. Core comprised of thermoplastic material. Face sheet comprised of 0.020" aluminum 3105-H14 alloy.
- o Aluminum extrusions (6063-T6).

Product Installation Instructions:

• MCCA/PTC PDG Drawing No. MPCA0002, Rev. 6, dated 4/14/17 Series "Alpolic and Alpolic/FR" Composite Wall Panel Systems – Small Missile Impact, signed and sealed by Robert. J. Amoruso, P.E. Florida No. 49752.

Engineering Analysis & Evaluation: The following evaluations, engineering and/or rational analysis/calculations have been performed.

Product Evaluation to the current edition of the Florida Building Code as documented in PTC PDG Report No. 2744-PER, prepared by Robert J. Amoruso, P.E. in accordance with Product Approval Rule 61G20-3.005(1)(d) – Product Evaluation Report by a Licensed Professional Engineer

Equivalency Evaluation:

- The Appendix 1 table shows the material testing results and ASTM revision level used in testing.
- The table below shows the TAS and ASTM revision level used in testing vs. the current edition of the Florida Building Code.

Tests Conducted	Test Report No.	ASTM Used in Testing	ASTM in Current FBC
Performance Testing for AWS and Impact/Cyclic Loading	Architectural Testing Inc., Report No. 67392.01-109-18, 01- 35789.02 and 01-43055.01	TAS 201-94 TAS 202-94 TAS 203-94	TAS 201-94 TAS 202-94 TAS 203-94
Ignition Properties	Southwest Research Institute, Report No. 01-8361-038 and United States Testing Co. Inc., Report No. 100727-3	ASTM D1929-91a	ASTM D1929-16
Flame Spread Index and Smoke Developed Index	Southwest Research Institute, Report No. 01-8361-320d	ASTM E84-97	ASTM E84-16
Flame Spread Index and Smoke Developed Index	Southwest Research Institute, Report No. 01-7520-359a	ASTM E84-95	ASTM E84-16
Tensile Strength	ATI, Report No. 01-43055.02	ASTM E8-00	n/a
Tensile Strength	ATI, Report No. 01-35789.03	ASTM E8-96	n/a
Rate of Burn	Intertek Test Report No. E6899.01-106-31	ASTM D635-14	ASTM D635-14
Rate of Burn	US Testing Co. Test Report No. 100727-1	ASTM D635 (year not recorded)	ASTM D635-14
Materials Report	Spec. Data issued by Alcoa Mill Products, dated January 16, 2013 with chemical composition and mechanical properties of Aluminum Alloy 3105-H14	Mill Certification	Mill Certification



Rule 61G20-3.015(4)(d) F.A.C. | Report No. 2744-EER | Project No. 421-1202 | 3/16/2022 | Page 3 of 6

The ASTM specifications forming the basis for material testing of the 4mm Alpolic and 4mm Alpolic/FR panels have been reviewed against the ASTM specification revision levels currently required by the code and found that no changes exist in testing that would negate the existing test results. Therefore, compliance with the current edition of the Florida Building Code is verified.

Review of the TAS 202 and 203 testing to that required in the current edition of the Florida Building Code is verified and found to be in compliance.

Certificate of Independence per Product Approval Rule 61G20-3.009

PTC Product Design Group, LLC and Robert J. Amoruso, P.E. does not have, nor will acquire, any financial interest in the company manufacturing or distributing product(s) covered by this Product Evaluation Report. PTC Product Design Group, LLC and Robert J. Amoruso, P.E. do not have, nor will acquire any financial interest in any other entity involved in the approval process or testing of the product(s) covered by this Product Evaluation Report.

Evaluated By: Robert J. Amoruso, P.E. FL P.E. License Number 49752



Rule 61G20-3.015(4)(d) F.A.C. | Report No. 2744-EER | Project No. 421-1202 | 3/16/2022 | Page 4 of 6

Appendix 1: Testing

			Material	s Testing			
Tests Conducted	Test Report No.	Test Report Date	ASTM Used in Testing	ASTM in Current FBC	Result	Code Compliance	Material
Performance Testing for AWS and Impact/Cyclic Loading	Architectural Testing Inc., Report No. A8556.01-109- 18, 01-35789.02 and 01- 43055.01	5/30/12, 5/31/00 and 1/7/03 respectively	TAS 202-94 TAS 203-94	TAS 202-94 TAS 203-94	+70/-90 psf	HVHZ Large and Small Missile Impact	4mm Alpolic 4mm Alpolic/FR
Ignition Properties 4mm Alpolic/FR	Southwest Research Institute, Report No. 01- 8361-038	10/28/1996	ASTM D1929- 91a	ASTM D1929- 12	Self-Ignition Temp = 837°F Flash Ignition Temp = 811°F	Self-Ignition Temp > 650 degrees Flash Ignition Temp not code requirement.	4mm Alpolic/FR
Ignition Properties 4mm Alpolic	United States Testing Co. Inc., Report No. 100727-3	4/30/91	ASTM D1929- 91a	ASTM D1929- 12	Self-Ignition Temp = 752°F Flash Ignition Temp = 716°F	Self-Ignition Temp > 650 degrees Flash Ignition Temp not code requirement.	4mm Alpolic
Flame Spread Index and Smoke Developed	Southwest Research Institute, Report No. 01-	9/18/1997	ASTM E84-97	ASTM E84-	Flame Spread Index = 0	Smoke Density < 450 or Flame	4mm Alpolic
Index 4mm Alpolic	8361-320d	9/10/199/	ASTIVI E04-97	13a	Smoke Developed Index = 0	Spread < 75	4mm Alpone
Flame Spread Index and Smoke Developed	Southwest Research	9/26/1996	ASTM E84-95	ASTM E84-	Flame Spread Index = 0	Smoke Density < 450 or Flame	4mm Alpolic/FR
Index 4mm Alpolic/FR	Institute, Report No. 01- 7520-359a	9/20/1990	ASTIVI E84-95	13 a	Smoke Developed Index = 10	Spread < 75	4mm Aipolic/FR
Tensile Strength 4mm Alpolic	ATI, Report No. 01- 43055.02	3/4/2003	ASTM E8-00	n/a	Fty = 5693 psi average of two tests	Not Applicable	4mm Alpolic
Tensile Strength 4mm Alpolic & 4mm Alpolic/FR	ATI, Report No. 01- 35789.03	7/7/2000	ASTM E8-96	n/a	Ftu =7452 psi	Not Applicable	4mm Alpolic



Rule 61G20-3.015(4)(d) F.A.C. | Report No. 2744-EER | Project No. 421-1202 | 3/16/2022 | Page 5 of 6

Appendix 1: Testing

			Materials	s Testing			
Tests Conducted	Test Report No.	Test Report Date	ASTM Used in Testing	ASTM in Current FBC	Result	Code Compliance	Material
Rate of Burn 4mm Alpolic/FR	Intertek Test Report No. E6899.01-106-31	4/22/15	ASTM D635- 14	ASTM D635- 14	CC1	CC1	4mm Alpolic/FR
Rate of Burn 4mm Alpolic	US Testing Co. Test Report No. 100727-1	4/12/91	ASTM D635 (year not recorded)	ASTM D635- 14	CC1	CC1	4mm Alpolic
Materials Report	Spec. Data issued by Alcoa Mill Products, dated January 16, 2013 with chemical composition and mechanical properties of Aluminum Alloy 3105-H14	1/16/2013	Mill Certification	Mill Certification	See Report in Appendix 2	Not Applicable	Aluminum Alloy 3105-H14



Rule 61G20-3.015(4)(d) F.A.C. | Report No. 2744-EER | Project No. 421-1202 | 3/16/2022 | Page 6 of 6

Appendix 2: Aluminum Alloy 3105-H14 Specification Data

ALCOA	Lancaster, Pa. 176	III F IKE 1. 17601								ſ		
MITSUBISHI CH ALPOLIC PLANT A01 VOLVO PAR CHESAPEAKE, V	EMIC KWAY A	AL FP AMERICA 23320	RICA		MITSUBISHI CHEM 401 VOLVO PKWY CHESAPEAKE, VA	MITSUBISHI CHEMICAL 401 VOLVO PKWY BLDG CHESAPEAKE, VA 23	MITSUBISHI CHEMICAL FUNCTIONAL PROD 401 VOLVO PKWY BLDG #2 CHESAPEAKE, VA 23320	ONAL PRO	0	CERT NO DATE SKID NO SKID WGT	000152973 1/16/201 330351 6,59	6 M 0 H
ORDER NO	LT7125	PO NO PART NO	RM212142 AL2041					CONVERSION NON ANODIZE	ERSION COATED -	D - 2 SIDES		
ALLOY	3105	TEMPER	H14	FORM	COIL					LL FINISH		
GAUGE	.01900	WIDTH	40.7500	LENGTH	0.0000			IN: STA	STANDARD MILL FINISH	L FINISH		
PERMATREAT	r 1021B OVER	SR PERMATREAT	REAT 1021B					NOT EME	EMBOSSED			
LOT: 549165	165 COIL:	A01	DROP: 251641									
	INGOT 2516411	SI 1 0.50	FE 0.40	CU 0.17	MN 0.45	MG 0.57	CR 0.03	NI 0.005	ZN 0.12	TI 0.03		
	HEAD UI TAIL UI HEAD YI TAIL YI HEAD EI	ULTIMATE STRENU ULTIMATE STRENG YIELD STRENGTH YIELD STRENGTH ELG IN 2 IN.,	STH STH STH O) O)	KSI KSI = .2%) = .2%) JRE 2.5	23.6 KSI 23.5 KSI %							
	CHEMICAL C CHEMISTRY MECHANICAL	(3	TTION ACCOR SSED AS % W	DING TO A //W FOR EA RDING TO	OMFOSITION ACCORDING TO ASTM E-1251-11 EXPRESSED AS % W/W FOR EACH REPORTED ELEMENT PROPERTIES ACCORDING TO ASTM B-557-10	11 ELEMENT 10						
** END OF	F CERTIFICATION	** NOITe										
We hereby certify the and tested in accord	lat, unless otherwise is lance with, and has by	indicated, the mater sen found to meet, the	ial covered by this rep he applicable require	ort has been manu ments described her	actured, inspected, ein, including any	These commodi Regulations. D	ities, technology an iversion contrary t	d software exporte o U.S. law prohib	d from the United Steel. This certificati	states in accordance with on complies with EN 102	These commodities, technology and software exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law prohibited. This certification complies with EN 10204:2004.	
note that mercury is manufacture of our the United States or	ing a part of the most s not a normal contar product. Certification a qualifying country	mnant in aluminum no of test results sha (REF DFARS 225.)	alloys and neither it. Il not be reproduced (872.1A); It was manuf	nor any of its comp except in full. This actured in the Unit	Spectrations from Early to up the exchipion and test abund the Structure to the religion to the composition. Assi, note that mercury is not a normal contaminant in aluminum alors and neither it not any of its compounds are used in the manufacture of our product. Certification of test results shall not be reproduced except in full. This material was melted in the United States or a qualifying country (REF DFARS 22.5872.1A); It was manufactured in the United States.	Authorized By:	JEFF	FF KREADY,	LAB	SUPERVISOR		



Certification of Test Results