# EVALUATION REPORT OF METAL SALES MANUFACTURING CORPORATION 'ALUMINUM MAGNA-LOC PANEL'

# FLORIDA BUILDING CODE 6TH EDITION (2017) FLORIDA PRODUCT APPROVAL FL 10999.2-R3 STRUCTURAL COMPONENTS ROOF DECK

Prepared For:
Metal Sales Manufacturing Corporation
545 South 3<sup>rd</sup> Street, Suite 200
Louisville, KY 40202
Telephone: (502) 855-4300
Fax: (502) 855-4200

Prepared By:
Bala Sockalingam, Ph.D., P.E.
Florida Professional Engineer #62240
1216 N Lansing Ave., Suite C
Tulsa, OK 74106
Telephone: (918) 492-5992
FAX: (866) 366-1543

This report consists of
Evaluation Report (3 Pages including cover)
Installation Details (2 Pages)
Load Span Table (1 Page)

Report No. C2180-2 Date: 8.25.2017



FL 10999.2-R3 C2180-2 8.25.2017 Page 2 of 3

Manufacturer: Metal Sales Manufacturing Corporation

Product Name: Aluminum Magna-Loc

Panel Description: Standing seam panel with 16" wide coverage and 2" high ribs

Materials: 0.032" or 0.040" thick 3003-H14 or 3105-H24 Alloy

Support Description: Min 22 ga., 50 ksi steel section or deck. The support or deck and their

connections must be designed by other to carry the panel loads.

Insulation: Max. 4" thick rigid board insulation in accordance with FBC 2017

Section 1508.2. Used with steel decks.

Slope: 1/4:12 or greater in accordance with FBC 2017 Section 1507.4.2.

Design Uplift Pressure: 30.0 psf @ clip spacing of 60" o.c. for 0.032" thick panel

87.5 psf @ clip spacing of 12" o.c. for 0.032" thick panel 41.0 psf @ clip spacing of 60" o.c. for 0.040" thick panel 105.0 psf @ clip spacing of 12" o.c. for 0.040" thick panel

Panel Attachment: MC 1203 clip with stainless steel clip tab. For supports equal to or

greater than 16 ga., the clips are fastened with (2) 1/4"-14 SDS. For supports equal to or less than 18 ga., the clips are fastened with (2) Trufast HD #14 roofing fasteners. For steel decks, the clips are fastened with (2) Trufast HD #14 roofing fasteners through 4" x 5" x 20 ga. bearing plate and rigid insulation into deck. Fastener shall be of sufficient length to penetrate through the deck a minimum of 3/8".

Test Standards: Roof assembly tested in accordance with ASTM E1592-05(2012)

'Test Method for Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference' and FM

4470 Section 5.5 'Resistance to Foot Traffic'.

Test Equivalency: The test procedure in FM 4470 (1992) comply with test procedure

prescribed in FM 4470 (2012).

Code Compliance: The product described herein has demonstrated compliance with FBC

2017 Section 1507.4.

Product Limitations: Design wind loads shall be determined for each project in accordance

with FBC 2017 Section 1609 or ASCE 7-10 using allowable stress design. The maximum support spacing listed herein shall not be exceeded. The design pressure for reduced clip spacing may be computed using rational analysis prepared by a Florida Professional Engineer or based on Metal Sales load span table. This evaluation

FL 10999.2-R3 C2180-2 8.25.2017 Page 3 of 3

report is not applicable in High Velocity Hurricane Zone. Fire classification is not within scope of this Evaluation Report. Refer to FBC 2017 Section 1505 and current approved roofing materials directory or ASTM E108/UL790 report from an accredited laboratory for fire ratings of this product.


Supporting Documents: ASTM E1592 Test Reports


ENCON Technology Inc.

C1718-1, Reporting Date 6/30/10


FM 4470 Test Report ENCON Technology Inc

C1587-4, Reporting Date 6/30/08





### TYPICAL PANEL INSTALLATION X-SECTION



CONSULTANTS

BALA SOCKALINGAM, PH.D., P.E.

| MANUFACTURER BALE SALES MANUFACTURING C STANDING SEAM ROOF PANEL CONSULTANTS

| MANUFACTURING SEARCH SALES MANUFACTURING C STANDING STAND ST

**CORP.** 200

CHECKED BY D.S. DATE: 3/20/15

DRAWING NO. RE 2180-2B PAGE NO.

2 of 2

## METAL SALES MANUFACTURING CORPORATION

# Aluminum Magna-Loc Panel with Standard Clip **Design Uplift Loads**

Clip spacing along length (in)	Design Uplift Loads (psf)	
	0.032" thick	0.040" thick
12	87.5	105.0
18	80.3	97.0
24	73.1	89.0
30	60.0	81.0
36	50.0	68.3
42	42.9	58.6
48	37.5	51.3
54	33.3	45.6
60	30.0	41.0

### Notes:

- 1. The bold numbers are based on testing on 0.032" and 0.04" thick aluminum (3003-H14 or 3105-H24) panels.
- 2. The panels are fastened to support with standard MC clips with stainless steel clips tabs.
- 3. For supports equal to or less than 18 ga., the clips are fastened with (2) Trufast #14 screws.
- 4. For supports equal to or greater than 16 ga., the clips are fastened with (2) 1/4"-14 SDS.
- 5. Panels must be installed as per Evaluation Report FL 10999.2 and Metal Sales current installation procedure.
- 6. Three or more spans condition.



1216 N Lansing Ave., Suite C Tulsa, Ok 74106 918 492 5992

Bala Sockalingam, Ph.D., P.E.

FL 62240