

August 28, 2024

Re: Letter of Equivalency for ASTM E1886-04/05/19 to E1886-13a and
ASTM E1996-05/06/09/20 to E1996-17

To Whom it May Concern,

Large missile impact-rated products are tested to Missile Level D (9.0 lb +/- 0.25 lb 2x4 traveling at 50 f/s) and small missile impact-rated products are tested to Missile Level A (2 gram +/- 5% steel balls travelling at 130 f/s). For these products, the impact and cyclic testing requirements specified in ASTM E1886-04, E1886-05 and E1886-19 are equivalent to those specified in ASTM E1886-13a and the requirements specified in ASTM E1996-05, E1996-06, E1996-09 and E1996-20 are equivalent to those specified in ASTM E1996-17.

Should you have any questions or require further clarification, please do not hesitate to contact our office.

Sincerely,



A. Lynn Miller, P.E.
Code Compliance Manager
Florida Registration #58705
FL Cert. of Auth. #29296

