




[BCIS Home](#)
[Log In](#)
[User Registration](#)
[Hot Topics](#)
[Submit Surcharge](#)
[Stats & Facts](#)
[Publications](#)
[FBC Staff](#)
[BCIS Site Map](#)
[Links](#)
[Search](#)



Product Approval

USER: Public User

[Product Approval Menu](#) >
 [Product or Application Search](#) >
 [Application List](#) >
 [Application History](#) >
 Application Detail



FL #	FL5753-R1
Application Type	Revision
Code Version	2007
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Amweld International
Address/Phone/Email	12005 Council Drive North Jackson, OH 44451 (330) 423-0603 Ext 3021 Kolovichm@amweld.com
Authorized Signature	mike kolovich Kolovichm@amweld.com
Technical Representative	Michael Kolovich
Address/Phone/Email	1500 Amweld Drive Garrettsville, OH 44231 Kolovichm@amweld.com
Quality Assurance Representative	Michael A Kolovich
Address/Phone/Email	1500 Amweld Drive Garrettsville, OH 44231 KolovichM@amwled.com
Category	Exterior Doors
Subcategory	Swinging Exterior Door Assemblies
Compliance Method	Certification Mark or Listing
Certification Agency	Intertek Testing Services NA Inc. - ETL/Warnock Hersey
Validated By	Intertek - ETL/Warnock Hersey

Referenced Standard and Year (of Standard)	Standard	Year
	ANSI A250.13	2003
	ASTM E 1886	2002
	ASTM E330 -02	2002
	TAS 201	1994
	TAS 202	1994
	TAS 203	1994

Equivalence of Product Standards
Certified By

Product Approval Method	Method 1 Option A
Date Submitted	05/29/2009
Date Validated	06/04/2009
Date Pending FBC Approval	06/20/2009
Date Approved	08/11/2009
Date Revised	11/08/2010

Summary of Products


FL #	Model, Number or Name	Description
5753.1	15LE doors , 400 frames- Model Stormshield	Single Door outswing +/- 70 P.S.F. design ANSI A250.13. Door upto 48"x86" Nominal Frame 52"x90" Outside Dimensions Glazing 31.75"x62" exposed
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +70/-70 Other:		Certification Agency Certificate FL5753_R1_C_CAC_FL5753_R1_C_CAC_PTID_5753_I_Stormshield_cert.pdf Quality Assurance Contract Expiration Date 06/16/2010 Installation Instructions FL5753_R1_IL_PTID_5753_I_WINDSTORM_GROUP.pdf Verified By: Intertek Testing Services NA Inc. - ETL/Warnock Hersey Created by Independent Third Party: Evaluation Reports FL5753_R1_AE_PTID_5753_T_FullGlass_test_report.pdf Created by Independent Third Party: Yes

Department of Community Affairs
Florida Building Code Online
Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436
 © 2000-2010 The State of Florida. All rights reserved.

[Privacy Statement](#) | [Copyright Statement](#) | [Accessibility Statement](#) | [Plug-in Software](#) | [Customer Service Survey](#) | [Contact Us](#)

Product Approval Accepts:





[BCIS Home](#)
[Log In](#)
[User Registration](#)
[Hot Topics](#)
[Submit Surcharge](#)
[Stats & Facts](#)
[Publications](#)
[FBC Staff](#)
[BCIS Site Map](#)
[Links](#)
[Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) >
 [Product or Application Search](#) >
 [Application List](#) >
 Application Detail

- › COMMUNITY PLANNING
- › HOUSING & COMMUNITY DEVELOPMENT
- › EMERGENCY MANAGEMENT
- › OFFICE OF THE SECRETARY

FL # FL5753-R2
Application Type Editorial Change
Code Version 2007
Application Status Approved
 *Approved by DCA. Approvals by DCA shall be reviewed and ratified by the POC and/or the Commission if necessary.
Comments Public Comment Received - Certificate does not include certification of TAS202. Therefore, indicate not for use in HVHZ.

Archived

Product Manufacturer Amweld International
Address/Phone/Email 12005 Council Drive
 North Jackson, OH 44451
 (330) 423-0603 Ext 3021
 Kolovichm@amweld.com

Authorized Signature mike kolovich
 Kolovichm@amweld.com

Technical Representative Michael Kolovich
Address/Phone/Email 1500 Amweld Drive
 Garrettsville, OH 44231
 Kolovichm@amweld.com

Quality Assurance Representative Michael A Kolovich
Address/Phone/Email 1500 Amweld Drive
 Garrettsville, OH 44231
 KolovichM@amwled.com

Category Exterior Doors
Subcategory Swinging Exterior Door Assemblies

Compliance Method Certification Mark or Listing

Certification Agency Intertek Testing Services NA Inc. - ETL/Warnock Hersey
Validated By Intertek - ETL/Warnock Hersey

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	ANSI A250.13	2003
	ASTM E 1886	2002
	ASTM E330 -02	2002
	TAS 201	1994
	TAS 202	1994
	TAS 203	1994

Equivalence of Product Standards
Certified By

Product Approval Method Method 1 Option A

Date Submitted 11/08/2010

Date Validated 11/23/2010

Date Pending FBC Approval

Date Approved 12/07/2010

Summary of Products

FL #	Model, Number or Name	Description
5753.1	15LE doors , 400 frames- Model Stormshield	Single Door outswing +/- 70 P.S.F. design ANSI A250.13. Door upto 48"x86" Nominal Frame 52"x90" Outside Dimensions Glazing 31.75"x62" exposed
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +70/-70 Other:		Certification Agency Certificate FL5753_R2_C_CAC_2010_June_29_Letter_-_Mike_Kolovich_-_Current_Status_with_Intertek_(1).pdf FL5753_R2_C_CAC_FL5753_R1_C_CAC_PTID_5753_I_Stormshield_cert.pdf Quality Assurance Contract Expiration Date 06/29/2011 Installation Instructions FL5753_R2_II_PTID_5753_I_WINDSTORM_GROUP.pdf Verified By: Intertek Testing Services NA Inc. - ETL/Warneck Hersey Created by Independent Third Party: Evaluation Reports FL5753_R2_AE_PTID_5753_T_FullGlass_test_report.pdf Created by Independent Third Party: Yes

Department of Community Affairs
Florida Building Code Online
Codes and Standards
2555 Shumard Oak Boulevard
Tallahassee, Florida 32399-2100
(850) 487-1824, Fax (850) 414-8436
© 2000-2010 The State of Florida. All rights reserved.

[Privacy Statement](#) | [Copyright Statement](#) | [Accessibility Statement](#) | [Plug-in Software](#) | [Customer Service Survey](#) | [Contact Us](#)

Product Approval Accepts:

