

## **RESIDENTIAL ENERGY CONSERVATION CODE DOCUMENT CHECKLIST**

### ***Florida Department of Business and Professional Regulation – Residential Total UA Alternative Prescriptive Method***

***Applications for compliance with the 2010 Florida Building Code, Energy Conservation via the residential Total UA Alternative prescriptive method should include:***

- Total UA Report including Table 402B (two pages)***
- Input Summary Report (usually 4 pages however the number of pages may be greater)***
- Energy Performance Level (EPL) Display Card (one page)***

***Required Prior to CO for Total UA:***

- A completed Air Distribution System Test Report (usually one page)***
- If the building air leakage has been tested, a completed Envelope Leakage Test Report (usually one page), otherwise a completed Air Barrier and Insulation Inspection Component Criteria checklist (Table 402.4.2 – one page)***

# FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Business and Professional Regulation - Residential Total UA Method

Project Name:	2010 FL Code Project Pass	Builder Name:	Green Builder
Street:	Anyplace	Permit Office:	
City, State, Zip:	Jacksonville, FL	Permit Number:	
Owner:	FSEC	Jurisdiction:	3000
Design Location:	FL, Jacksonville		

1. New construction or existing	New (From Plans)	4. Number of Bedrooms	3
2. Single family or multiple family	Single-family	5. Conditioned floor area above grade (ft2)	2000
3. Number of units, if multiple family		6. Conditioned floor area below grade (ft2)	0

Proposed UA	
Windows	195.0
Doors	18.4
Walls	92.9
Floor	0.0
Ceiling	62.3
<b>Overall UA</b>	<b>368.6</b>

Baseline UA	
Windows	195.0
Doors	26.0
Walls	90.2
Floor	0.0
Ceiling	70.0
<b>Overall UA</b>	<b>381.2</b>

### Compliance Criteria

Overall UA	368.61	PASS	
Window-to-Floor Area	15.0%	PASS	
Window SHGC	0.300	PASS	
Duct and Air Handler Location		PASS	
Roof Reflectance	0.25	PASS	
Wall Area (ft2)	1100.0		
Ceiling Area (ft2)	2000.0	PASS	
Floor Area (ft2)	2000.0	PASS	
Common Wall Mass R	N/A		There are no common mass walls in this building
Common Wall Frame R	N/A		There are no common frame walls in this building
Common Floor Low R	N/A		There are no common floors in this building
Common Ceiling Low R	N/A		There are no common ceilings in this building
Window Area (ft2)	300.0		
Door Area (ft2)	40.0		


I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY: \_\_\_\_\_  
 DATE: \_\_\_\_\_

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT: \_\_\_\_\_  
 DATE: \_\_\_\_\_

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.



BUILDING OFFICIAL: \_\_\_\_\_  
 DATE: \_\_\_\_\_

**FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION**

Florida Department of Business and Professional Regulation - Residential Total UA Method

TABLE 402B MANDATORY REQUIREMENTS			
Component	Section	Summary of Requirement(s)	Check
Air leakage	402.4	To be caulked, gasketed, weatherstripped or otherwise sealed. Recessed lighting IC-rated as meeting ASTM E 283. Windows and doors $\leq 0.30$ cfm/sq.ft. Testing or visual inspection required. Fireplaces: gasketed doors & outdoor combustion air.	
Ceilings/knee walls	405.2.1	R-19 space permitting.	
Programmable thermostat	403.1.1	Where forced-air furnace is primary system, programmable thermostat is required.	
Air distribution system	403.2	Ducts in attics or on roofs insulated to R-8; other ducts R-6. Ducts not in conditioned space tested to $Q_n=0.03$ by Class 1 BERS rater.	
Water heaters	403.4	Heat trap required for vertical pipe risers. Comply with efficiencies in Table 403.4.3.2. Provide switch or clearly marked circuit breaker (electric) or shutoff (gas). Circulating system pipes insulated to $\geq R-2$ + accessible manual OFF switch.	
Swimming pools & spas	403.9	Spas and heated pools must have vapor-retardent covers or a liquid cover or other means proven to reduce heat loss except if 70% of heat from site-recovered energy. Off/timer switch required. Gas heaters minimum thermal efficiency=78% (82% after 4/16/13). Heat pump pool heaters minimum COP=4.0	
Cooling/heating equipment	403.6	Sizing calculation performed & attached. Minimum efficiencies per Tables 503.2.3. Equipment efficiency verification required. Special occasion cooling or heating capacity requires separate system or variable capacity system. Electric heat >10kW must be divided into two or more stages.	
Lighting equipment	404.1	At least 50% of permanently installed lighting fixtures shall be high efficacy lamps.	

# Building Input Summary Report

PROJECT												
Title:	2010 FL Code Project Pass	Bedrooms:	3	Address Type:	Street Address							
Building Type:	User	Bathrooms:	0	Lot #								
Owner:	FSEC	Conditioned Area:	2000 sq.ft.	Block/SubDivision:								
# of Units:	1	Total Stories:	1	PlatBook:								
Builder Name:	Green Builder	Worst Case:	No	Street:	Anyplace							
Permit Office:	1000	Rotate Angle:	0	County:	Duval							
Jurisdiction:	3000	Cross Ventilation:	No	City, State, Zip:	Jacksonville ,							
Family Type:	Single-family	Whole House Fan:	No		FL ,							
New/Existing:	New (From Plans)	Terrain:	Suburban									
Year Construct:	2012	Shielding:	Suburban									
Comment:	Florida Code Example											
CLIMATE												
Design Location	Tmy Site	Design Temp	97.5 %	2.5 %	Int Design Temp	Winter	Summer	Heating Degree Days	Design Moisture	Daily Temp Range		
FL, Jacksonville	FL_JACKSONVILLE_INTL_ARPT	32	93		70	75	1281	49		Medium		
UTILITY RATES												
Fuel	Unit	Utility Name					Monthly Fixed Cost	\$/Unit				
Electricity	kWh	MyFloridaAverage					0	0.12				
Natural Gas	Therm	MyFloridaAverage					0	1.72				
Fuel Oil	Gallon	Florida Default					0	1.1				
Propane	Gallon	Florida Default					0	1.4				
SURROUNDINGS												
Ornt	Type	Shade Trees			Adjacent Buildings							
		Height	Width	Distance	Exist	Height	Width	Distance				
N	None	0 ft	0 ft	0 ft		0 ft	0 ft	0 ft				
NE	None	0 ft	0 ft	0 ft		0 ft	0 ft	0 ft				
E	None	0 ft	0 ft	0 ft		0 ft	0 ft	0 ft				
SE	None	0 ft	0 ft	0 ft		0 ft	0 ft	0 ft				
S	None	0 ft	0 ft	0 ft		0 ft	0 ft	0 ft				
SW	None	0 ft	0 ft	0 ft		0 ft	0 ft	0 ft				
W	None	0 ft	0 ft	0 ft		0 ft	0 ft	0 ft				
NW	None	0 ft	0 ft	0 ft		0 ft	0 ft	0 ft				
FLOORS												
#	Floor Type	Space	Perimeter	R-Value	Area	Tile	Wood	Carpet				
1	Slab-On-Grade Edge Insulation	Main	190 ft	0	2000 ft <sup>2</sup>	----	0.2	0	0.8			
ROOF												
#	Type	Materials	Roof Area	Gable Area	Roof Color	Solar Absor.	SA Tested	Emitt Tested	Emitt Tested	Deck Insul.	Pitch (deg)	
1	Gable or shed	Composition shingles	2108 ft <sup>2</sup>	332 ft <sup>2</sup>	Medium	0.75	Yes	0.9	No	0	18.4	

# Building Input Summary Report

ATTIC														
#	Type	Ventilation		Vent Ratio (1 in)	Area	RBS	IRCC							
1	Full attic	Vented		300	2000 ft²	Y	N							
CEILING														
#	Ceiling Type	Space		R-Value	Area	Framing Fraction		Truss Type						
1	Under Attic ()	Main		30	2000 ft²	0.11		Wood						
WALLS														
Wall orientation below is as entered. Actual orientation is modified by rotate angle shown in "Project" section above.														
#	Ornt	Adjacent To	Wall Type	Space	Cavity R-Value	Width Ft	In	Height Ft	In	Area	Sheathing R-Value	Framing Fraction	Solar Absor.	Below Grade%
1	N	Exterior	Frame - Wood	Main	13	50		8		400 ft²	0	0.23	0.6	0
2	E	Exterior	Frame - Wood	Main	13	40		8		320 ft²	0	0.23	0.6	0
3	S	Exterior	Frame - Wood	Main	13	50		8		400 ft²	0	0.23	0.6	0
4	W	Exterior	Frame - Wood	Main	13	20		8		160 ft²	0	0.23	0.6	0
5	W	Garage	Frame - Wood	Main	13	20		8		160 ft²	0	0.23	0.01	0
DOORS														
#	Ornt	Door Type		Space	Storms		U-Value	Width Ft	In	Height Ft	In	Area		
1	N	Wood		Main	None		0.46	6		6	8	40 ft²		
WINDOWS														
#	Ornt	Wall ID	Frame	Panes	NFRC	U-Factor	SHGC	Storm	Area	Overhang Depth	Separation	Interior Shade	Screening	
1	N	1	Vinyl	Low-E Double	Yes	0.65	0.3	N	75 ft²	0 ft 0 in	0 ft 0 in	HERS 2006	None	
2	E	2	Vinyl	Low-E Double	Yes	0.65	0.3	N	75 ft²	0 ft 0 in	0 ft 0 in	HERS 2006	None	
3	S	3	Vinyl	Low-E Double	Yes	0.65	0.3	N	75 ft²	0 ft 0 in	0 ft 0 in	HERS 2006	None	
4	W	4	Vinyl	Low-E Double	Yes	0.65	0.3	N	75 ft²	0 ft 0 in	0 ft 0 in	HERS 2006	None	
INFILTRATION														
#	Scope	Method		SLA	CFM 50	ELA	EqLA	ACH	ACH 50	Space(s)				
1	Wholehouse	Best Guess		0.000300	1573.8	86.400	162.48	0.2310	5.9017	All				
GARAGE														
#	Floor Area		Roof Area		Exposed Wall Perimeter		Avg. Wall Height		Exposed Wall Insulation					
1	384 ft²		384 ft²		64 ft		8 ft		(invalid)					
MASS														
Mass Type		Area		Thickness		Furniture Fraction		Space						
No Added Mass		0 ft²		0 ft		0.3		Main						

# Building Input Summary Report

HEATING SYSTEM														
#	System Type	Subtype		Efficiency	Capacity	Ductless	Block							
1	Natural Gas Furnace	None		AFUE: 0.78	30 kBtu/hr	False	1							
COOLING SYSTEM														
#	System Type	Subtype		Efficiency	Capacity	Air Flow	SHR	Ductless	Block					
1	PTAC and Room Unit	None		EER: 9.3	135 kBtu/hr	4050 cfm	0.75	False	1					
HOT WATER SYSTEM														
#	System Type	SubType	Location	EF	Cap	Use	SetPnt	Credits						
1	Natural Gas	None	Main	0.59	40 gal	60 gal	120 deg	None						
SOLAR HOT WATER														
Collector Type	Collector Tilt	Azimuth	Surface Area	Loss Coef.	Absorp. Prod.	Trans Corr.	Tank Volume	Tank U-Value	Tank Surf Area	Heat Exch Eff	PV Pumped	Pump Energy		
DUCTS														
DUCT #	Location	Supply R-Value	Supply Area	Return Location	Return Area	Number	Leakage Type	Air Handler	CFM 25	Percent Leakage	QN	RLF	HVAC # Heat	HVAC # Cool
1	Main	6	400 ft <sup>2</sup>	Main	0 ft <sup>2</sup>	2	Proposed Qn	Main	60.0 cfm	1.48 %	0.03	0.60	1	1
TEMPERATURES														
Programable Thermostat: N							Ceiling Fans: N							
Cooling	<input checked="" type="checkbox"/> Jan	<input checked="" type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input checked="" type="checkbox"/> Apr	<input checked="" type="checkbox"/> May	<input checked="" type="checkbox"/> Jun	<input checked="" type="checkbox"/> Jul	<input checked="" type="checkbox"/> Aug	<input checked="" type="checkbox"/> Sep	<input checked="" type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input checked="" type="checkbox"/> Dec		
Heating	<input checked="" type="checkbox"/> Jan	<input checked="" type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input checked="" type="checkbox"/> Apr	<input checked="" type="checkbox"/> May	<input checked="" type="checkbox"/> Jun	<input checked="" type="checkbox"/> Jul	<input checked="" type="checkbox"/> Aug	<input checked="" type="checkbox"/> Sep	<input checked="" type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input checked="" type="checkbox"/> Dec		
Venting	<input checked="" type="checkbox"/> Jan	<input checked="" type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input checked="" type="checkbox"/> Apr	<input checked="" type="checkbox"/> May	<input checked="" type="checkbox"/> Jun	<input checked="" type="checkbox"/> Jul	<input checked="" type="checkbox"/> Aug	<input checked="" type="checkbox"/> Sep	<input checked="" type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input checked="" type="checkbox"/> Dec		
Thermostat Schedule: HERS 2006 Reference														
Schedule Type	1		2	3	4	5	6	7	8	9	10	11	12	
Cooling (WD)	AM	78	78	78	78	78	78	78	78	78	78	78	78	
	PM	78	78	78	78	78	78	78	78	78	78	78	78	
Cooling (WEH)	AM	78	78	78	78	78	78	78	78	78	78	78	78	
	PM	78	78	78	78	78	78	78	78	78	78	78	78	
Heating (WD)	AM	68	68	68	68	68	68	68	68	68	68	68	68	
	PM	68	68	68	68	68	68	68	68	68	68	68	68	
Heating (WEH)	AM	68	68	68	68	68	68	68	68	68	68	68	68	
	PM	68	68	68	68	68	68	68	68	68	68	68	68	

# Building Input Summary Report

## APPLIANCES & LIGHTING

Appliance Schedule: HERS 2006 Reference		Hours											
Schedule Type		1	2	3	4	5	6	7	8	9	10	11	12
Ceiling Fans (Summer)	AM	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.33	0.33	0.33	0.33	0.33
% Released: 100	PM	0.33	0.33	0.33	0.33	0.33	1	0.9	0.9	0.9	0.9	0.9	0.65
Annual Use: 0 kWh/Yr		Peak Value: 0 Watts											
Clothes Washer	AM	0.105	0.081	0.047	0.047	0.081	0.128	0.256	0.57	0.849	1	0.977	0.872
% Released: 60	PM	0.779	0.698	0.605	0.57	0.581	0.57	0.57	0.57	0.57	0.488	0.43	0.198
Annual Use: 0 kWh/Yr		Peak Value: 0 Watts											
Dishwasher	AM	0.139	0.05	0.028	0.024	0.029	0.09	0.169	0.303	0.541	0.594	0.502	0.443
% Released: 60	PM	0.377	0.396	0.335	0.323	0.344	0.448	0.791	1	0.8	0.597	0.383	0.281
Annual Use: 0 kWh/Yr		Peak Value: 0 Watts											
Dryer	AM	0.2	0.1	0.05	0.05	0.05	0.075	0.2	0.375	0.5	0.8	0.95	1
% Released: 10	PM	0.875	0.85	0.8	0.625	0.625	0.6	0.575	0.55	0.625	0.7	0.65	0.375
Annual Use: 44 Therms/Yr		Peak Value: 1 kBTU/Hr											
Lighting	AM	0.16	0.15	0.16	0.18	0.23	0.45	0.4	0.26	0.19	0.16	0.12	0.11
% Released: 90	PM	0.16	0.17	0.25	0.27	0.34	0.55	0.55	0.88	1	0.86	0.51	0.28
Annual Use: 2055 kWh/Yr		Peak Value: 671 Watts											
Miscellaneous	AM	0.48	0.47	0.47	0.47	0.47	0.47	0.64	0.71	0.67	0.61	0.55	0.53
% Released: 90	PM	0.52	0.5	0.5	0.5	0.59	0.73	0.79	0.99	1	0.96	0.77	0.55
Annual Use: 2439 kWh/Yr		Peak Value: 447 Watts											
Pool Pump	AM	0	0	0	0	0	0	0	0	0	1	1	1
% Released: 0	PM	1	1	1	1	0	0	0	0	0	0	0	0
Annual Use: 0 kWh/Yr		Peak Value: 0 Watts											
Range	AM	0.057	0.057	0.057	0.057	0.057	0.114	0.171	0.286	0.343	0.343	0.343	0.4
% Released: 100	PM	0.457	0.343	0.286	0.4	0.571	1	0.857	0.429	0.286	0.229	0.171	0.114
Annual Use: 24 Therms/Yr		Peak Value: 1 kBTU/Hr											
Refrigeration	AM	0.85	0.78	0.75	0.73	0.73	0.73	0.75	0.75	0.8	0.8	0.8	0.8
% Released: 100	PM	0.88	0.85	0.85	0.83	0.88	0.95	1	0.98	0.95	0.93	0.9	0.85
Annual Use: 775 kWh/Yr		Peak Value: 106 Watts											
Well Pump	AM	0.05	0.05	0.05	0.05	0.05	0.05	0.1	0.1	0.1	0.1	0.1	0.1
% Released: 0	PM	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Annual Use: 0 kWh/Yr		Peak Value: 0 Watts											

## BLOCKS

Number	Name	Area	Volume
1	Block1	2000	16000

## SPACES

Number	Name	Area	Volume	Kitchen	Occupants	Bedrooms	Finished	Cooled	Heated
1	Main	2000	16000	Yes	4	3	Yes	Yes	Yes