



**SLC WINDOWS AND DOORS**

**687 N BISCAYNE RIVER  
MIAMI FL 33169**

**O. 786-534-7271**

**SALES@SLCIMPACTWINDOWS.COM**

**EMAIL.**

Last Modified Date: 12/20/2014 1:20:09 PM

PO#:
Job Name: 8118
Job Address: 8118 Harding ave Miami Beach FL
Quote # 3442372
Ship Date:01/20/2015
Sales Person:Javier Ortiz

<b>Customer</b> 8118 harding ave
Account #
Phone#

Line #	Item Description	Quantity
1.1	HR710A HR710A ALUM WG	Ordered: 24
	<b>Configuration:</b> D24 FLWGRY GG5/16 XO 1 <b>Location:</b>	
	Size: 74.00W x 50.625H (size code: D24) Size Type: Tip-To-Tip Frame color: White Interlayer color: Clear Glass type: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) How many locks: 2 Colonial style: No Colonial DP Calculated Neg -: 75.00 FPA #: FL242 Substrate: Concrete Label: SHGC: 0.51 COG: VT (use for Turtle Code): 0.59 What side to Mull: View from Outside	Frame type: Flange Configuration: XO - Left Moving - Right Fixed Outboard Glass color: Gray Inboard Glass color: Clear Meeting rail size: 0 Screen type: 18x16 Charcoal DP Calculated Pos +: 75.00 Certification#: 11-1114.04 Anchorage: 1/4" ELCO Tapcons Label: U-Factor: 1.08 Label: VT: 0.47 Energy Star: Does Not Qualify
2.1	HR710A HR710A ALUM WG	Ordered: 8
	<b>Configuration:</b> 24 FLWGRY GG5/16 XO 1 <b>Location:</b>	
	Size: 37.00W x 50.625H (size code: 24) Size Type: Tip-To-Tip Frame color: White Interlayer color: Clear Glass type: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type: 18x16 Charcoal DP Calculated Pos +: 75.00 Certification#: 11-1114.04 Anchorage: 1/4" ELCO Tapcons Label: U-Factor: 1.08 Label: VT: 0.47 Energy Star: Does Not Qualify	Frame type: Flange Configuration: XO - Left Moving - Right Fixed Outboard Glass color: Gray Inboard Glass color: Clear How many locks: 2 Colonial style: No Colonial DP Calculated Neg -: 75.00 FPA #: FL242 Substrate: Concrete Label: SHGC: 0.51 COG: VT (use for Turtle Code): 0.59 What side to Mull: View from Outside
3.1	SH700 WINGUARD SH SERIES 700	Ordered: 11
	<b>Configuration:</b> 19.000X25.000FL W/GRY GG5/16 D 1 <b>Location:</b>	

	Size:: 19.000W x 25.000H Configuration:: Equal Lite Sash height:: 12.632 Frame color:: White Interlayer color:: Clear Glass type:: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type:: 18x16 Charcoal How many locks:: 1 DP Calculated -: 80.00 FPA #: FL239 Label: SHGC: 0.54 COG: VT (use for Turtle Code): 0.59 Testing/Certifications to be used for permit: Miami-Dade NOA ( in HVHZ ) Substrate: Concrete	Size type:: Tip-To-Tip Egress:: Does not meet Egress Frame type:: Flange Outboard color:: Gray Inboard color:: Clear Colonial style:: No Colonial Wdw Lock Type:: Sweep Latch DP Calculated +: 64.00 Certification#: 11-1013.14 Label: U-Factor: 1.07 Label: VT: 0.50 Energy Star: Does Not Qualify Anchorage Type:: 1/4" ELCO Tapcons
--	---	--

**4.1** **HR710A** HR710A ALUM WG **Ordered: 6**

**Configuration:** 36.000X38.000FLWGRY GG5/16 **XO 1** **Location:**

	Size: 36.000W x 38.000H Size Type: Tip-To-Tip Frame color: White Interlayer color: Clear Glass type: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type: 18x16 Charcoal DP Calculated Pos +: 75.00 Certification#: 11-1114.04 Anchorage: 1/4" ELCO Tapcons Label: U-Factor: 1.08 Label: VT: 0.47 Energy Star: Does Not Qualify	Frame type: Flange Configuration: XO - Left Moving - Right Fixed Outboard Glass color: Gray Inboard Glass color: Clear How many locks: 1 Colonial style: No Colonial DP Calculated Neg -: 75.00 FPA #: FL242 Substrate: Concrete Label: SHGC: 0.51 COG: VT (use for Turtle Code): 0.59 What side to Mull: View from Outside
--	--	--

**5.1** **SH700** WINGUARD SH SERIES 700 **Ordered: 6**

**Configuration:** 20.000X38.500FL W/GRYOGG5/16 **D 1** **Location:**

	Size:: 20.000W x 38.500H Configuration:: Equal Lite Sash height:: 19.382 Frame color:: White Interlayer color:: Clear Glass type:: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type:: 18x16 Charcoal How many locks:: 1 DP Calculated -: 80.00 FPA #: FL239 Label: SHGC: 0.54 COG: VT (use for Turtle Code): 0.59 Testing/Certifications to be used for permit: Miami-Dade NOA ( in HVHZ ) Substrate: Concrete	Size type:: Tip-To-Tip Egress:: Does not meet Egress Frame type:: Flange Outboard color:: Gray Inboard color:: Obscure Colonial style:: No Colonial Wdw Lock Type:: Sweep Latch DP Calculated +: 64.00 Certification#: 11-1013.14 Label: U-Factor: 1.07 Label: VT: 0.50 Energy Star: Does Not Qualify Anchorage Type:: 1/4" ELCO Tapcons
--	---	--

**6.1** **SH700** WINGUARD SH SERIES 700 **Ordered: 2**

**Configuration:** 20.000X38.500FL W/GRY GG5/16 **D 1** **Location:**

	Size:: 20.000W x 38.500H Configuration:: Equal Lite Sash height:: 19.382 Frame color:: White Interlayer color:: Clear Glass type:: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type:: 18x16 Charcoal How many locks:: 1 DP Calculated -: 80.00 FPA #: FL239 Label: SHGC: 0.54 COG: VT (use for Turtle Code): 0.59 Testing/Certifications to be used for permit: Miami-Dade NOA ( in HVHZ ) Substrate: Concrete	Size type:: Tip-To-Tip Egress:: Does not meet Egress Frame type:: Flange Outboard color:: Gray Inboard color:: Clear Colonial style:: No Colonial Wdw Lock Type:: Sweep Latch DP Calculated +: 64.00 Certification#: 11-1013.14 Label: U-Factor: 1.07 Label: VT: 0.50 Energy Star: Does Not Qualify Anchorage Type:: 1/4" ELCO Tapcons
--	---	--

**7.1**    **HR710A** HR710A ALUM WG    **Ordered:**  
11

**Configuration:** 23    FLWGRY GG5/16    XO    1    **Location:**

	Size: 37.00W x 38.375H (size code: 23) Size Type: Tip-To-Tip Frame color: White Interlayer color: Clear Glass type: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type: 18x16 Charcoal DP Calculated Pos +: 75.00 Certification#: 11-1114.04 Anchorage: 1/4" ELCO Tapcons Label: U-Factor: 1.08 Label: VT: 0.47 Energy Star: Does Not Qualify	Frame type: Flange Configuration: XO - Left Moving - Right Fixed Outboard Glass color: Gray Inboard Glass color: Clear How many locks: 1 Colonial style: No Colonial DP Calculated Neg -: 75.00 FPA #: FL242 Substrate: Concrete Label: SHGC: 0.51 COG: VT (use for Turtle Code): 0.59 What side to Mull: View from Outside
--	---	--

**8.1**    **HR710A** HR710A ALUM WG    **Ordered:** 4

**Configuration:** D23    FLWGRY GG5/16    XO    1    **Location:**

	Size: 74.00W x 38.375H (size code: D23) Size Type: Tip-To-Tip Frame color: White Interlayer color: Clear Glass type: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type: 18x16 Charcoal DP Calculated Pos +: 75.00 Certification#: 11-1114.04 Anchorage: 1/4" ELCO Tapcons Label: U-Factor: 1.08 Label: VT: 0.47 Energy Star: Does Not Qualify	Frame type: Flange Configuration: XO - Left Moving - Right Fixed Outboard Glass color: Gray Inboard Glass color: Clear How many locks: 1 Colonial style: No Colonial DP Calculated Neg -: 75.00 FPA #: FL242 Substrate: Concrete Label: SHGC: 0.51 COG: VT (use for Turtle Code): 0.59 What side to Mull: View from Outside
--	--	--

**9.1**    **SH700** WINGUARD SH SERIES 700    **Ordered:** 2

**Configuration:** 28.000X37.000FL W/GRY GG5/16    D 1    **Location:**



	Size:: 28.000W x 37.000H Configuration:: Equal Lite Sash height:: 18.632 Frame color:: White Interlayer color:: Clear Glass type:: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type:: 18x16 Charcoal How many locks:: 1 DP Calculated -: 80.00 FPA #: FL239 Label: SHGC: 0.54 COG: VT (use for Turtle Code): 0.59 Testing/Certifications to be used for permit: Miami-Dade NOA ( in HVHZ ) Substrate: Concrete	Size type:: Tip-To-Tip Egress:: Does not meet Egress Frame type:: Flange Outboard color:: Gray Inboard color:: Clear Colonial style:: No Colonial Wdw Lock Type:: Sweep Latch DP Calculated +: 64.00 Certification#: 11-1013.14 Label: U-Factor: 1.07 Label: VT: 0.50 Energy Star: Does Not Qualify Anchorage Type:: 1/4" ELCO Tapcons
--	---	--

**10.1**    **HR710A** HR710A ALUM WG    **Ordered:**  
32

**Configuration:** 55.750X51.500FLWGRY GG5/16    **XO**    **1**    **Location:**

	Size: 55.750W x 51.500H Size Type: Tip-To-Tip Frame color: White Interlayer color: Clear Glass type: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type: 18x16 Charcoal DP Calculated Pos +: 75.00 FPA #: FL242 Anchorage: 1/4" ELCO Tapcons Label: U-Factor: 1.08 Label: VT: 0.47 Energy Star: Does Not Qualify	Frame type: Flange Configuration: XO - Left Moving - Right Fixed Outboard Glass color: Gray Inboard Glass color: Clear How many locks: 2 Colonial style: No Colonial DP Calculated Neg -: 75.00 Certification#: 11-1114.04 Substrate: Concrete Label: SHGC: 0.51 COG: VT (use for Turtle Code): 0.59 What side to Mull: View from Outside
--	--	--

**11.1**    **SH700** WINGUARD SH SERIES 700    **Ordered:**  
1

**Configuration:** 27.000X36.000FL W/GRY GG5/16    **D**    **1**    **Location:**

	Size:: 27.000W x 36.000H Configuration:: Equal Lite Sash height:: 18.132 Frame color:: White Interlayer color:: Clear Glass type:: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type:: 18x16 Charcoal How many locks:: 1 DP Calculated -: 80.00 FPA #: FL239 Label: SHGC: 0.54 COG: VT (use for Turtle Code): 0.59 Testing/Certifications to be used for permit: Miami-Dade NOA ( in HVHZ ) Substrate: Concrete	Size type:: Tip-To-Tip Egress:: Does not meet Egress Frame type:: Flange Outboard color:: Gray Inboard color:: Clear Colonial style:: No Colonial Wdw Lock Type:: Sweep Latch DP Calculated +: 64.00 Certification#: 11-1013.14 Label: U-Factor: 1.07 Label: VT: 0.50 Energy Star: Does Not Qualify Anchorage Type:: 1/4" ELCO Tapcons
--	---	--

**12.1**    **SH700** WINGUARD SH SERIES 700    **Ordered:**  
1

**Configuration:** 18.500X39.000FL W/GRY GG5/16    **D**    **1**    **Location:**

Size:: 18.500W x 39.000H Configuration:: Equal Lite Sash height:: 19.632 Frame color:: White Interlayer color:: Clear Glass type:: 5/16" Lami (1/8 Ann - .090 PVB - 1/8 Ann) Screen type:: 18x16 Charcoal How many locks:: 1 DP Calculated -: 80.00 FPA #: FL239 Label: SHGC: 0.54 COG: VT (use for Turtle Code): 0.59 Testing/Certifications to be used for permit: Miami-Dade NOA ( in HVHZ ) Substrate: Concrete	Size type:: Tip-To-Tip Egress:: Does not meet Egress Frame type:: Flange Outboard color:: Gray Inboard color:: Clear Colonial style:: No Colonial Wdw Lock Type:: Sweep Latch DP Calculated +: 64.00 Certification#: 11-1013.14 Label: U-Factor: 1.07 Label: VT: 0.50 Energy Star: Does Not Qualify Anchorage Type:: 1/4" ELCO Tapcons
---	--

<b>13.1</b>	<b>MULL MULL BARS</b>	<b>Ordered:</b> 32
-------------	-----------------------	-----------------------

<b>Configuration:</b> 50.500    WHITE    1X4X.125 TUBE M	<b>Location:</b>
For Brand: WinGuard Aluminum Custom Mull Size: 50.500	Mull Type: 1 x 4 x .125 Mull Mull Color: White

**Total Products Ordered**

HR710A: 85  
 MULL: 32  
 SH700: 23

<b>TOTAL SALE AMT:</b>	<b>\$82,644.83</b>
<b>TOTAL CUSTOMER TAX:</b>	<b>\$5,785.14</b>
<b>NET SALE AMOUNT:</b>	<b>\$88,429.97</b>

Signature \_\_\_\_\_











