

September 2, 2008

Building Code and Standards - Florida Department of Community Affairs 2555 Shumard Oak Blvd.
Tallahassee, Florida 32399-2010

**RE: Notice of Approval** 

Mr. Madani,

Following recent conversations with Mr. Azhar Khan, No-Burn SE, Inc. requests a declaratory statement to indicate whether our No-Burn products fall under the scope of Rule 9B-72.

We submit that our products are not of structural nature, have no structural properties, but provide a fire and mold protection layer to the structural components including wood, steel and drywall. The products are interior and exterior Class A intumescent products that are non-toxic, non-carcinogenic and 100% green. Exterior applications require top coat protection of a paint or sealant for element protection. The products react to fire by creating a char barrier that protects the substrate from the fire and heat. The products only need to be re-applied in the areas activated by a fire, otherwise the protection will last the life of the structure. All applications are spray applied by Certified No-Burn SE technicians and inspected by No-Burn SE certified inspectors, per the ICC requirements.

## General consideration is as follows:

- No-Burn products are recognized under ICC ESR-1838.
- 2. No-Burn products have been tested in accordance with ICC, ASTM, NFPA and UL standards.
- 3. Name of Products: No-Burn Wood Gard Mih, No-Burn Plus Mih, No-Burn Original Mih
- 4. No-Burn SE maintains its quality assurance program in accordance with ICC requirements.
- No-Burn, Inc. is the sole manufacturer of the No-Burn product line. No-Burn SE, Inc. is the Southeast representative and provides certified installations per ICC requirements.

Your assistance in the matter is appreciated.

Regards,

Chris Birchfield
VP of Business Development

FILING AND ACKNOWLEDGEMENT
FILED, on this date, with the designated
Clerk receipt of which in head-

Clerk, receipt of which is hereby acknowledged.

Atomb 8

Paula P. Ford

Commission Clerk

Date

NO-BURN SE, Inc.

407 Old Hwy 50, Suite A – Minneola, FL 34715

Toll Free: (888) 662-8760