

## Fomo Products, Inc.

A Member of the FLM Group of Companies  
management system registered to ISO 9001:2000



September 9, 2008

RE: Florida Product Approval

Building Code and Standards-Florida Department of Community Affairs  
2555 Shumard Oak Blvd.  
Tallahassee, Florida 32399-2010

DCA08-DEC-268  
FILING AND ACKNOWLEDGEMENT  
FILED, on this date, with the designated  
Clerk, receipt of which is hereby  
acknowledged.

Paula P. Ford  
Commission Clerk

Date

Dear Mr. Madani,

Following recent conversations with Mr. Azhar Khan, Fomo Products, Inc. requests a declaratory statement to indicate whether our products 1. Handi Foam Fireblock 2. Handi Foam Spray foam falls under the scope of Rule 9B-72.

We submit that our products; Handi Foam Fireblock and Handi Foam Spray Foam enhance the building envelope by fulfilling air sealing requirements and providing a means of fire blocking. Handi Foam Fireblock is used to fill cracks and voids in construction and the annular space created by the penetration of wood fireblocking by pipes and conduits. Handi Foam Spray Foam is used as thermal insulating and sealing material in cavities of wall, floor, and ceiling assemblies, and in attics and crawl space applications. Handi Foam Spray Foam adheres to almost any building material, making it an ideal solution for numerous applications. Spray Foam is often used to stop air infiltration and complete the building envelope.

General Consideration is as follows:

1. Handi Foam Fireblock is recognized under ICC ESR-1868. Handi Foam Spray Foam is currently being evaluated.
2. Handi Foam products have been tested in accordance with ICC, ASTM, and UL standards.
3. Fomo Products, Inc. maintains its quality assurance program in accordance with ICC requirements and ISO 9000-2000.
4. Fomo Products, Inc. is the sole manufacturer of the Handi Foam product line.
5. Handi Foam Spray Foam meets the requirements for ASTM E-84, ASTM E2178, ASTM D2856, ASTM D1622, ASTM 2126, ASTM 1623, ASTM E283, ASTM E96, and ASTM C518.
6. Handi Foam Fireblock meets the requirements for the modified ASTM E814 and ASTM E-84 (Caulking & Sealants).

Your assistance in the matter is appreciated.

Regards,

Sandra Gump  
Product Manager



Come see the new look of Fomo Products, Inc. at [www.fomo.com](http://www.fomo.com)

2775 Barber Road PO Box 1078 Norton, Ohio 44203 USA  
p: 1 330.753.4585 1 800.321.5585 f: 1 330.753.5199  
e: [info@fomo.com](mailto:info@fomo.com) w: [www.fomo.com](http://www.fomo.com)