Code Review 2018 Changes to International Codes I-codes - Administrative - ROOFING TAC

WARNINGCopyright Notice: This document has been reproduced solely for considering proposed
changes to the Florida Building Code with the permission of the International Code
Council, Inc., is the copyrighted property of the International Code Council, Inc., all
rights reserved, and may not be further reproduced or distributed.
WARNING





This document created by the Florida Department of Business and Professional Regulation - Building Codes and Standards Office - 850-487-1824

2018 International Building Code (I– Codes) – Administrative Provisions Roofing Technical Advisory Committee (TAC)

2018 International Building Code (I-Codes) - Administrative Provisions Roofing TAC

| IBC Code Change No | IBC Section | Change Summary b/t | 2015 I-Codes and 2018 I-Codes | Change Sumr 2017 FBC and Codes | | Staff co | mments | S | |
|---|-------------------------|--|--|---|----------------|---------------------|--------------------------|---------|------------------------------------|
| ADM27-16 Part II | IBC: 202; IEBC: 202 | Repair" for consisten codes. Cost Impact: Will not construction. No incre | ease in costs as this is an r consistency in definitions | Same as cha between 201 IBC/IEBC and IBC/IEBC | 5 | | | | |
| TAC Action Accommodate FI YES (Select Criter a. b. c. Others (Explain): | | NO: | Commission Action Accommodate Florida Specific Need: YES (Select Criteria) a. b. b. c. d. e. others (Explain): | NO: | No Actio | on Needed opping | | Cmsn. | |
| ADM94-16 | Referenced Standards | referenced standard Cost Impact: Will no | ot increase the cost of just an update of the | Same as cha between 201 Codes and 2 Codes, with exception to 3161. | 5 Î- 018 I- | conside | ered dur proces BC | s - AST | o be 2 of the code M D 3161- |

Rule 61G20-2.002 2. Technical amendments needed to accommodate the specific needs of this state include but are not limited to amendments to the Florida Building Code that provide for the following: a. Establish minimum life safety construction requirements to protect buildings and their occupants from fire, wind, flood, and storm surge using the latest technical research and engineering standards for buildings and materials products. b. Provide for flood protection provisions that are consistent with the latest flood protection requirements of the National Flood Insurance Program. c. Maintain eligibility for federal funding and discounts from the National Flood Insurance Program, the Federal Emergency Management Agency, and the United States Department of Housing and Urban Development. d. Provide for energy efficiency standards for buildings that meet or exceed the national energy standards as mandated by Title III of the Energy Conservation and Protection Act. e. Maintain coordination with the Florida Fire Prevention Code. f. Provide for the latest industry standards and design

| TAC Action | Commission Action | | TAC | Cmsn. | |
|---|---|---------------------------|-----|-------|--|
| Accommodate Florida Specific Need: YES (Select Criteria) | Accommodate Florida Specific Need: | | | | |
| a. b. c. d. e. f. | YES (Select Criteria) NO: a. b. c. d. e. f. | No Action Needed | | | |
| Others (Explain): | Others (Explain): | | | | |
| | | Overlapping provisions | | | |
| | | | | | |
| | | | | | |

Rule 61G20-2.002 2. Technical amendments needed to accommodate the specific needs of this state include but are not limited to amendments to the Florida Building Code that provide for the following: a. Establish minimum life safety construction requirements to protect buildings and their occupants from fire, wind, flood, and storm surge using the latest technical research and engineering standards for buildings and materials products. b. Provide for flood protection provisions that are consistent with the latest flood protection requirements of the National Flood Insurance Program. c. Maintain eligibility for federal funding and discounts from the National Flood Insurance Program, the Federal Emergency Management Agency, and the United States Department of Housing and Urban Development. d. Provide for energy efficiency standards for buildings that meet or exceed the national energy standards as mandated by Title III of the Energy Conservation and Protection Act. e. Maintain coordination with the Florida Fire Prevention Code. f. Provide for the latest industry standards and design

Code Change No: ADM27-16 Part II

Original Proposal

Section: IBC: 202; IEBC: 202

Proponent: David Bonowitz, representing Existing Buildings Subcommittee, National Counci of Structural Engineers Associations (dbonowitz@att.net)

THIS IS A 2 PART CODE CHANGE. PART I WILL BE HEARD BY THE ADMINISTRATIVE CODE COMMITTEE. PART II WILL BE HEARD BY THE IBC-STRUCTURAL CODE COMMITTEE. SEE THE TENTATIVE HEARING ORDER FOR THESE COMMITTEES.

2015 International Building Code

Revise as follows:

[BS] ROOF REPAIR. Reconstruction or renewal of any part of an existing roof for the purposes purpose of its maintenance correcting damage or restoring the predamage condition.

2015 International Existing Building Code

Revise as follows:

[BS] ROOF REPAIR. Reconstruction or renewal of any part of an existing roof for the purposes purpose of its maintenance correcting damage or restoring the predamage condition.

Reason: This proposal coordinates with EB 26, which was approved as submitted in Group A. EB 26 clarified the distinction between maintenance, which preserves an acceptable condition, and repair, which corrects an unacceptable one. To complete this clarification, the word "maintenance" should be removed from definitions of repairs.

This proposal revises the definition of Repair from the IBC and the IEBC.

The same concept -- coordination with EB 26 -- justifies the revision to the definition of Roof Repair. Frankly, the entire definition of Roof Repair could be omitted from the IEBC with no loss of substance because it relies entirely on the definition of Repair, and we are open to that option.

Finally, as staff notes, these defined terms appear in three other I-codes. This proposal focuses on the terms in the IEBC, whose Repair provisions are of course most comprehensive, and in the IEBC because the Structural Committee can handle both codes. It is allowed, and not unusual, for different I-codes to define the same terms differently to suit their own purposes. Nevertheless, if this proposal is approved, we will work with ICC staff to prepare coordinated changes to the other codes through the public comment.

Bibliography: Proposal EB 26-15, approved as submitted by the IEBC committee in Group A of the current cycle, 2015. http://www.iccsafe.org/codes-tech-support/codes/code-development/20152017-code-development-group-a/

Cost Impact: Will not increase the cost of construction The change is editorial, for coordination with EB 26.

Report of Committee Action Hearings

Committee Action:

Approved as Submitted

Committee Reason: These revisions to the term "roof repair" in the IBC and the IEBC are consistent with action on Group A code change, all of which clarify the distinctions between repair and maintenance. It is more correct to state that repairs are to correct damage.

Assembly Action:

None



| | Final Action Results | |
|---------|----------------------|----|
| ADM27-1 | 6 Part II | AS |

Code Change No: ADM94-16

Original Proposal

The following table provides a comprehensive list of all standards that the respective standards promulgators have indicated have been, or will be, updated from the listing in the 2015 Editions of the International Codes. According to Section 4.5.1 of ICC Council Policy #CP 28, Code Development Policy, the updating of standards referenced by the Codes shall be accomplished administratively by the Administrative code development committee. Therefore, referenced standards that are to be updated for the 2018 edition of any of the I-Codes are listed in this single code change proposal. Note that the table below indicates the change to the standard, and the code or codes in which each standard appears. The list includes standards that the promulgators have already updated or will have updated by December 1, 2017.

| American Architectural Manufacture | | | | | | | | |
|---|---|--|---|--|---|---|--|--|
| Title | Referen | ced in | Code(s): | | | | | |
| Specifications for Sunrooms | IRC | | | | | | | |
| North American Fenestration Standard/Specification for Windows, Doors, and Skylights | IBC | IRC | IECC | | | | | |
| Voluntary Specifications for Impact and Cycle Testing of Fenestrations Products | IRC | | | | | | | |
| Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products | IRC | | | | | | | |
| Voluntary Specification for Mechanically Attached Flexible Flashing | IRC | | | | | | | |
| Voluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings | IRC | | | | | | | |
| Air Conditioning Contractors of Am | erica | | | | | | | |
| Title | Referenced in Code(s): | | | | | | | |
| Residential Duct Systems | IMC | IRC | | | | | | |
| Residential Load Calculation - Eighth Edition | IECC-R | IRC | | | | | | |
| Residential Equipment Selection | IECC-R | IRC | | | | | | |
| American Concrete Institute | | | | | | | | |
| Title | Referen | ced in | Code(s): | | | | | |
| Residential Code Requirements for <u>Structural</u> Concrete Construction | IRC | | | | | | | |
| Building Code Requirements for Masonry Structures | IBC | IRC | | | | | | |
| Specifications for Masonry Structures | IBC | IRC | | | | | | |
| Architectural Fabric Structures Inst | itute Inter | nationa | al | I | | | | |
| Title | Referen | ced in | Code(s): | | | | | |
| Design and Standard Manual Fabric Structures Association Air Structures 2016 | IFC | | | | | | | |
| Association of Home Appliance Ma | nufacture | rs | | | | | | |
| Title | Referenced in Code(s): | | | | | | | |
| | Title Specifications for Sunrooms North American Fenestration Standard/Specification for Windows, Doors, and Skylights Voluntary Specifications for Impact and Cycle Testing of Fenestrations Products Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products Voluntary Specification for Mechanically Attached Flexible Flashing Voluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings Air Conditioning Contractors of Am Title Residential Duct Systems Residential Load Calculation - Eighth Edition Residential Code Requirements for <u>Structural</u> Concrete Institute Title Residential Code Requirements for Masonry Structures Specifications for Masonry Structures Architectural Fabric Structures Instit Title Architectural Fabric Structures Instit 2016 | TitleReferenceSpecifications for SunroomsIRCNorth American Fenestration Standard/Specification for Windows, Doors, and SkylightsIBCVoluntary Specifications for Impact and Cycle Testing of Fenestrations ProductsIRCVoluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration ProductsIRCVoluntary Specification for Mechanically Attached Flexible FlashingIRCVoluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in BuildingsIRCAir Conditioning Contractors of AmericaIMCResidential Duct SystemsIMCResidential Equipment SelectionIECC-RResidential Code Requirements for Structural Concrete InstituteIRCSpecifications for Masonry StructuresIBCSpecifications for Masonry StructuresIBCArchitectural Fabric Structures Institute InterTitleReference ReferenceArchitectural Fabric Structures Institute InterTitleReference IBCArchitectural Fabric Structures Institute InterTitleReference IBCArchitectural Fabric Structures Institute InterTitleReference IBCArchitectural Fabric StructuresIBCArchitectural Fabric StructuresIBCArchitectural Fabric StructuresIBCArchitectural Fabric StructuresIBCArchitectural Fabric StructuresIBCArchitectural Fabric St | Specifications for Sunrooms IRC North American Fenestration Standard/Specification for Windows, Doors, and Skylights IBC IRC Voluntary Specifications for Impact and Cycle Testing of Fenestrations Products IRC IRC Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products IRC IRC Voluntary Specification for Mechanically Attached Flexible Flashing IRC IRC Voluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings IRC IRC Air Conditioning Contractors of America IRC IRC IRC Title Referenced in the Referenced in the Residential Load Calculation - Eighth Edition IRC IRC American Concrete Institute IRC IRC IRC Title Referenced in the Referenced in the Residential Code Requirements for Structural Concrete Construction IRC Building Code Requirements for Masonry Structures IRC IRC IRC Specifications for Masonry Structures IBC IRC IRC Doorsy and Standard Manuel Fabric Structures Institute IRC IRC IRC Architectural Fabric Structures Institute IRC <td>Title Referenced in Code(s): Specifications for Sunrooms IRC IRC North American Fenestration Standard/Specification for Windows, Doors, and Skylights IBC IRC IECC Voluntary Specifications for Impact and Cycle Testing of Fenestrations Products IRC IEC IEC Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products IRC IEC Voluntary Specification for Mechanically Attached Flexible Flashing IRC IEC IEC Voluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings IRC IEC Air Conditioning Contractors of America IRC IEC IEC Residential Duct Systems IMC IRC IRC Residential Code Requirements for Structural Concrete Institute IEC<-R</td> IRC IRC American Concrete Institute IRC IRC IRC IRC Specifications for Masonry Structures IBC IRC IRC IRC Ittle Referenced in Code(s): IRC I | Title Referenced in Code(s): Specifications for Sunrooms IRC IRC North American Fenestration Standard/Specification for Windows, Doors, and Skylights IBC IRC IECC Voluntary Specifications for Impact and Cycle Testing of Fenestrations Products IRC IEC IEC Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products IRC IEC Voluntary Specification for Mechanically Attached Flexible Flashing IRC IEC IEC Voluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings IRC IEC Air Conditioning Contractors of America IRC IEC IEC Residential Duct Systems IMC IRC IRC Residential Code Requirements for Structural Concrete Institute IEC<-R | Title Referenced in Code(s): Specifications for Sunrooms IRC IRC North American Fenestration Standard/Specification for Windows, Doors, and Skylights IBC IRC IECC Voluntary Specifications for Impact and Cycle Testing of Fenestrations Products IRC IEC IEC Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products IRC IEC IEC Voluntary Specification for Mechanically Attached Flexible Flashing IRC IEC IEC IEC Voluntary Specification for Mechanically Attached Flexible Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings IRC IEC IEC Air Conditioning Contractors of America IEC IRC IEC IEC Residential Duct Systems IMC IRC IEC IEC Residential Code Requirements for <u>Structural</u> Concrete Institute IEC IRC IEC IEC Building Code Requirements for Masonry Structures IBC IRC IEC IEC | Title Referenced in Code(s): Specifications for Sunrooms IRC IRC North American Fenestration IRC IRC IRC Voluntary Specification for Windows, Doors, and Skylights IBC IRC IECC Voluntary Specification for Impact and Cycle Testing of Fenestrations Products IRC IEC IEC Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products IRC IEC IEC Voluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings IRC IEC IEC Voluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings IRC IEC IEC Residential Duct Systems IMC IRC IEC IRC Residential Load Calculation - Eighth Edition IECC-R IRC IRC IEC IEC Residential Equipment Selection IRC IRC IEC IRC American Concrete Institute IRC IRC IEC IRC Specifications for Masonry Structures IBC IRC IRC IEC Specifications for Ma | Title Referenced in Code(s): Specifications for Sunrooms IRC IRC IRC North American Fenestration IBC IRC IECC IECC Voluntary Specification for Vindows, Doors, and Skylights IBC IRC IECC IECC Voluntary Specifications for Impact and Cycle Testing of Fenestrations Products IRC IECC IECC Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products IRC IEC IEC Voluntary Specification for Liquid Applied Flashing Used to Create a Water-Resistive Seal Around Exterior Wall Openings in Buildings IRC IECC-R Air Conditioning Contractors of America IECC-R IRC IECC-R Residential Duct Systems IMC IRC IECC-R Residential Code Requirements Eighth Edition IECC-R IRC IEC Title Referenced in Code(s): IRC IEC American Concrete Institute IRC IRC IEC American Concrete Construction IRC IRC IEC Specifications for Masonry Structures IBC IRC IEC IRC Specifications | |

INTERNATIONAL CODE COUNCIL®

| AHAM-HRF-1- 2008 2016 | Energy, Performance and Capacity of Household Refrigerators, Refrigerator-Freezers and Freezers | IECC-C | | | | |
|--|--|-------------|----------|---------|--|------|
| AHRI | Air-Conditioning, Heating & Refrige | eration Ins | titute | | | |
| Standard Reference Number | Title | Referen | ced in C | ode(s): | | |
| 210/240- 08with Addenda 1 and 2-2016 | Performance Rating of Unitary Air- Conditioning and Air-Source Heat Pump Equipment | IECC_C | | | | |
| 310/380- 04<u>2014 (</u>CSA-C744-04) | Standard for Packaged Terminal Air Conditioners and Heat Pumps | IECC-C | | | | |
| 340/360- 2007 with Addendum 2 - <u>2015</u> | Performance Rating of Commercial and Industrial Unitary Air- Conditioning and Heat Pump Equipment | IECC-C | | | | |
| 390- 03 <u>(I-P)</u> 2015 | Performance Rating of Single Package Vertical Air Conditioners and Heat Pumps | IECC-C | | | | |
| 400- 01_(I-P)-2015 | Performance Rating of Liquid to Liquid Heat Exchangers with Addenda 1 and 2 | IECC-C | | | | |
| 440-08 with Addendum 1 | Performance of Room Fan-Coils | IECC-C | | | | |
| 550/590-20 11 with Addendum 1-(I-P)-2015 | Performance Rating of Water- Chilling and Heat Pump Water- Heating Packages Using the Vapor Compression Cycle | IECC-C | | | | |
| 700- 2011<u>2015</u> with Addendum 1 | Purity-Specifications for Fluorocarbon and Other Refrigerants | IMC | | | | |
| 1160 (I-P) - 09-<u>2014</u> | Performance Rating of Heat Pump Pool Heaters | IECC-C | ISPSC | | | |
| 1200- 2010- (I-P)-2013 | Performance Rating of Commercial Refrigerated Display Merchandisers and Storage Cabinets | IECC-C | | | | |
| AISC | American Institute of Steel Constru | uction | | | | |
| Standard Reference Number | Title | Referen | ced in C | ode(s): | | |
| <u>ANSI/AISC</u> 341- 10 - <u>16</u> | Seismic Provisions for Structural Steel Buildings | IBC | | | | |
| ANSI/AISC 360- 10 16 | Specification for Structural Steel Buildings | IBC | | | | |
| AISI | American Iron and Steel Institute | | | | | |
| Standard Reference Number | Title | Referen | ced in C | ode(s): | | |
| AISI S100- 12<u>16</u> | North American Specification for the Design of Cold-Formed Steel Structural Members, 2012-2016 | IBC | IRC | | | |
| AISI S220- 11<u>15</u> | North American Standard for Cold- Formed Steel Framing-Nonstructural Members, 2011-2015 | IRC | IBC | | | |
| AISI S230- 07/S3-12 (2012) <u>15</u> | Standard for Cold-Formed Steel Framing-Prescriptive Method for One- and Two-Family Dwellings, 2007, with Supplement 3, dated 2012 (Reaffirmed 2012)-2015 | IRC | IBC | | | |
| ALI | Automotive Lift Institute | | | | | |
| Standard Reference Number | Title | Referen | ced in C | ode(s): | | |
| | Standard for Automotive Lifts - | | | | | |
| ANSI/ALI ALCTV- 2011 2016 | Safety Requirements for Construction, Testing, and Validation | IBC | | | | 7 |

or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

| AMCA | Air Movement and Control Associa | tion Inter | national | | |
|---|---|------------|------------------|------|--|
| Standard Reference Number | Title | Referen | nced in Code(s): | | |
| 540- 0813 | Test Method for Louvers Impacted by Wind Borne Debris | IBC | | | |
| 550- <u>08-09</u> | Test Method for High Velocity Wind Driven Rain Resistant Louvers | IMC | | | |
| ANCE | Association of the Electric Sector | | | | |
| Standard Reference Number | Title | Referen | nced in Code(s): | | |
| - <u>NMX-J-521/2-40</u> -ANCE- 2012 2014/ <u>CAN/</u> CSA- <u>22.2 No.</u> 60335-2-40-12/ <u>UL/ 60335-2-40</u> | Standard for <u>Safety of</u> Household and Similar Electric Appliances, Part 2 <u>-</u> <u>40</u> : Particular Requirements for <u>Motor-Compressors-Heat Pumps, Air</u> <u>Conditioners and Dehumidifiers</u> | IRC | | | |
| ANSI | American National Standards Instit | ute | | | |
| Standard Reference Number | Title | Referer | nced in Code(s): | | |
| ANSI E1.21- 2006 2013 | Entertainment Technology- Temporary Structures Used for Technical Production of Outdoor Entertainment Events | IFC | | | |
| ΑΡΑ | APA-The Engineered Wood Associ | ation | | | |
| Standard Reference Number | Title | Referen | nced in Code(s): | | |
| | Structural Glued Laminated Timber | | | | |
| ANSI/AITC-A 190.1-12-2017 | Oton dord for Deferred to Defe | IBC | IRC | | |
| <u>ANSI/</u> APA PRG-320- 2011-<u>2017</u> | Standard for Performance-Rated Cross-Laminated Timber | IBC | IRC | | |
| ANSI/APA PRP 210- 08 2014 | Standard for Performance-Rated Engineered Wood Siding | IBC | IRC | | |
| ANSI/APA PRR 410- 2011 2016 | Standard for Performance-Rated Engineered Wood Rim Boards | IRC | IBC | | |
| ANSI 117- <u>4015</u> | Standard Specification for Structured Glued Laminated Timber of Softwood Species | IBC | | | |
| APA E30- 11<u>15</u> | Engineered Wood Construction Guide | IRC | | | |
| APA PDS Supplement 5- 12-16 | Design and Fabrication of All- plywood Beams (revised 2013) | IBC | | | |
| EWS_<u>APA</u>R540-12<u>13</u> | Builders Tips: Proper Storage and Handling of Glulam Beams | IBC | | | |
| EWS-<u>APA</u>S475-07-16 | Glued Laminated Beam Design Tables | IBC | | | |
| EWS - <u>APA</u> S560- 10 14 | Field Notching and Drilling of Glued Laminated Timber Beams | IBC | | | |
| EWS_<u>APA</u> T300-07-<u>16</u> | Glulam Connection Details | IBC | | | |
| EWS-APA X440-08-17 | Product Guide - Glulam | IBC | | | |
| EWS- <u>APA</u> X450-01 | Glulam in Residential Construction - Western Edition | IBC | | | |
| APSP | The Association of Pool & Spa Prof | essional | S | | |
| Standard Reference Number | Title | Referen | nced in Code(s): | | |
| ANSI/APSP/ICC-4 2012 Includes Addenda A Approved April 4, 2013 | American National Standard for Aboveground/Onground Residential Swimming Pools | ISPSC | | | |
| ANSI/APSP/ICC-14- 112014 | American National Standard for Portable Hot Tub Energy Efficiency | ISPSC | IECC- R | | |

| | American National Standard for | | | | | | | |
|---|---|-----------|------------|----------|---------|---------|---|------|
| ANSI/APSP/ICC-15a-20132011 Includes Addenda A Approved January 9, 2013 | Energy Efficiency for Residential Inground Swimming Pools and Spas | ISPSC | IECC- R | | | | | |
| | American National Standard for Suction Entrapment Avoidance in | | | | | | | |
| ANSI/APSP/ICC 7-2013 | Swimming Pools, Wading Pools, Spas, Hot Tubs, and Catch Basins | IBC | IRC | ISPSC | | | | |
| ASABE | American Society of Agricultural & | Biologica | l Engin | eers | | | | |
| Standard Reference Number | Title | Referen | ced in (| Code(s): | | | | |
| | Diaphragm Design of Metal-Clad, Wood-Frame Rectangular Buildings | | | | | | | |
| EP 484. 2JUNE1998-<u>3</u> MON2016 | | IBC | | | | | | |
| | Shallow Post and Pier Foundation Design | | | | | | | |
| EP 486.2 OCT 2012 <u>ED</u> | | IBC | | | | | | |
| EP 559.1-2 W/Corr. 1-MON2016 | Design Requirements and Bending Properties for Mechanically Laminated Wood Assemblies | IBC | | | | | | |
| ASCE | American Society of Civil Engineer | S | | | | | | |
| Standard Reference Number | Title | Referen | ced in (| Code(s): | | | | |
| | Building Code Requirements for | | | | | | | |
| ASCE 5-13-is now <u>TMS 402</u> | Masonry Structures now a TMS standard | IBC | IRC | | | | | |
| ASCE 6-13-is now TMS 602 | Specifications for Masonry | | | | | | | |
| | Structures now a TMS Standard | IBC | IRC | | | | | |
| | Minimum Design Loads <u>and</u> <u>Associated Criteria f</u> or Buildings and Other Structures with Supplement | | | | | | | |
| 7- <u>10-16</u> | No. 1 | IBC | IRC | IEBC | | | | |
| 8 <u>14 17</u> | Standard Specification for the Design of Cold-formed Stainless Steel Structural Members | IBC | | | | | | |
| 19- 09-<u>16</u> | Structural Applications of Steel Cables for Buildings | IBC | | | | | | |
| 29- 14<u>17</u> | Standard Calculation Methods for Structural Fire Protection | IBC | | | | | | |
| 32- 01-<u>17</u> | Design and Construction of Frost Protected Shallow Foundations | IBC | IRC | | | | | |
| | Seismic Evaluation and Retrofit of Existing Buildings | | | | | | | |
| 41- 13-<u>17</u> | Tanaila Mambasa Otari | IEBC | | | | | | |
| 55- 10 16 | Tensile Membrane Structures | IBC | | | | | | |
| ASHRAE | American Society of Heating, Refrig | | | | iing En | igineer | S | |
| Standard Reference Number | Title | Referen | ced in C | Code(s): | | | | |
| ANSI/ASHRAE/ACCA 183-(RA 2011 2014) | Peak Cooling and Heating Load Calculations in Buildings, Except Low-rise Residential Buildings | IECC-C | | | | | | |
| ASHRAE-20122016 | HVAC Systems and Equipment Handbook | IMC | IECC- C | | | | | |
| ASHRAE- <u>20132017</u> | ASHRAE Handbook of Fundamentals | IRC | IECC- R | IMC | | | | |
| 15- 2013-<u>2016</u> | Safety Standard for Refrigeration Systems | IMC | IFC | | | | | |
| 34- <u>2013-2016</u> | Designation and Safety Classification of Refrigerants | IRC | IMC | | | | | |
| 62.1- <u>2013-2016</u> | Ventilation for Acceptable Indoor Air Quality | IMC | IEBC | | | | | |

| | Energy Standard for Buildings Except Low-Rise Residential | IECC-C | | | | | |
|---|---|------------|--------|----------|-----|------|----------|
| 90.1- 2013<u>2016</u> | Buildings | IECC-C | | | | | L |
| 140- 20112017 | Standard Method of Test for the Evaluation of Building Energy Analysis Computer Programs | IECC-C | | | | | |
| 170- 2008 2017 | Ventilation of Health Care Facilities | IMC | | | | | |
| 193-2010 <u>(RA2014)</u> | Method of Test for Determining Air Tightness of HVAC Equipment | IRC | IECC | | | | |
| 13256-1 (2011) <u>(2017)</u> | Water- to-Air and Brine to Air Heat Pumps - Testing and Rating for Performance | IECC | | | | | |
| 13256-2 (2011) (2017) | Water-to-Water and Brine-to-Water Heat Pumps - Testing and Rating for Performance | IECC | | | | | |
| ASME | The American Society of Mechanic | al Engine | ers | | | | |
| Standard Reference Number | Title | Referen | ced in | Code(s): | | | |
| A13.1- 2007 _ <u>2015</u> | Scheme for the Identification of Piping Systems | IBC | IFC | IFGC | | | |
| A17.3- 2009 - <u>2015</u> | Safety Code for Existing Elevators and Escalators | IFC | IEBC | | | | |
| A18.1- 2008 -2014 | Safety Standard for Platform Lifts and Stairway Chairlifts | IBC | IFC | IEBC | IRC | | <u> </u> |
| A90.1- 09-<u>2015</u> | Safety Standards for Belt Manlifts | IBC | | | | | |
| A112.1.2- 2004- 2012 | Air Gaps in Plumbing Systems | IPC | IRC | ISPSC | | | L |
| A112.1.3-2000(Reaffirmed 2011) (<u>R2015)</u> | Air Gap Fittings for Use with Plumbing Fixtures, Appliances, and Appurtenances | IPC | | | | | |
| A112.3.1-2007 <u>(R2012)</u> | Stainless Steel Drainage Systems for Sanitary DWV, Storm and Vacuum Applications, Above and Below-Ground | IPC | IRC | | | | |
| A112.4.14-2004(R 2010) <u>2016</u> | Manually Operated, Quarter-Turn Shutoff Valves for Use in Plumbing Systems | IRC | IPC | | | | |
| A112.6.1M-1997 (Reaffirmed 2008)-(R2012) | Floor-Affixed Supports for Off-the- Floor Plumbing Fixtures for Public Use | IPC | IRC | | | | |
| A112.6.2-2000 (R 2010) <u>2016</u> | Framing-Affixed Supports for Off-the- Floor Water Closets with Concealed Tanks | IPC | IRC | | | | |
| A112.6.3- 2001(R2007)-<u>2016</u> | Floor and Trench Drains | IPC | IRC | | | | |
| A112.6.4-2003 (R2008) (R2012) | Floor and Trench Drains | IPC | IRC | | | | |
| A442.0.7.2040 (D2045) | Enameled and Epoxy Coated Cast Iron and PVC Plastic-Sanitary Floor Sinks | | | | | | |
| A112.6.7-2010 (<u>R2015)</u> A112.6.9-2005 (R2010)2015 | Siphonic Roof Drains | IPC IPC | | | | | |
| A112.14.1-2003 (R2008) (R2012) | Backwater Valves | IPC | | | | | |
| A112.14.3- 2000 (R2004)<u>2016</u> | Grease Interceptors | IPC | | | | | |
| A112.14.4-2001 (R2007)<u>(</u>R2012) | Grease Removal Devices | IPC | | | | | |
| A112.14.6-2010 <u>(R2015)</u> | FOG (Fats, Oils, and Greases) Disposal Systems | IPC | | | | | |

| | Performance Requirements for Backflow Protection Devices and | | | | | | | |
|--|---|------|------|------|-------|------|------------|--|
| A112.18.3M-2002 (R2008) (R2012) | Systems in Plumbing Fixture Fittings | IPC | IRC | | | | | |
| | Wall Mounted and Pedestal Mounted, Adjustable, Elevating, Tilting, and Pivoting | | | | | | | |
| | Lavatory , and Sink, and Shampoo Bowl Carrier Systems and Drain Waste Systems | | | | | | | |
| A112.19.12- 2006 2014 | | IPC | IRC | | | | | |
| A112.19.14- 2006(R2011) 2013 | Six-Liter Water Closets Equipped with a Dual Flushing Device | IPC | IRC | | | | | |
| A112.19.15- <u>20052012</u> | Vitreous China Non-Water Urinals | IPC | | | | | | |
| A112.19.19-2006 <u>(R2011)</u> | Vitreous China Non-Water Urinals | IPC | | | | | | |
| A112.36.2M-1991(R2008) <u>(R2012)</u> | Cleanouts | IPC | IRC | | | | | |
| ASME A17.1- 2013-2016 /CSA B44- <u>16</u> | Safety Code for Elevators and Escalators | IBC | IFC | IEBC | IRC | IPMC | IECC- C | |
| ASME A17.7-2007/CSA B44-07 (R2012) | Performance-Based Safety Code for Elevators and Escalators | IBC | | | | | | |
| ASME A112.4.2-2009-2015 /CSA B45.16- 15 | Water Closet Personal Hygiene Devices | IPC | IRC | | | | | |
| ASME_A112.18.2-20112015/CSA B125.1-1115 | Plumbing Waste Fittings | IPC | IRC | | | | | |
| ASME A112.18.6-2009/CSA B125.6-09 (R2014) | Flexible Water Connectors | IPC | IRC | | | | | |
| ASME A112.19.5- 2011 2016/CSA B45.15- 2011<u>2</u>016 | Flush Valves and Spuds for Water Closets, Urinals and Tanks | IPC | IRC | | | | | |
| B1.20.1- 1983(R2006)2013 | Pipe Threads, General Purpose (Inch) | IPC | IMC | IRC | | | | |
| B16.1- 2010 2015 | Cast-Gray Iron Pipe Flanges and Flanged Fittings, Classes 25, 125 and 250 | IFGC | | | | | | |
| B16.3- 2011 2016 | Malleable Iron Threaded Fittings Classes 150 and 300 | IPC | IRC | IMC | | | | |
| B16.4— <u>20112016</u> | Gray Iron Threaded Fittings Class 125 and 250 | IPC | IRC | | | | | |
| B16.5- 2009 2015 | Pipe Flanges and Flanged Fittings NPS 1/2 Through NPS 24 Metric/Inch Standard | IMC | IFGC | | | | | |
| B16.9- 2007 2012 | Factory-Made Wrought Steel Buttwelding Fittings | IPC | IRC | IMC | | | | |
| B16.11- 2011 2016 | Forged Fittings, Socket-Welding and Threaded | IPC | IMC | IRC | | | | |
| B16.12-2009 <u>(R2014)</u> | Cast Iron Threaded Drainage Fittings | IRC | IPC | | | | | |
| B16.15- 2011 2013 | Cast BronzeAlloy Threaded Fittings: Classes 125 and 250 | IRC | IMC | IPC | ISPSC | | | |
| B16.22- 2001(R2010) 2013 | Wrought Copper and Copper Alloy Solder Joint Pressure Fittings | IPC | IBC | IRC | IFC | IMC | | |
| B16.23- 2002(R2011) 2016 | Cast Copper Alloy Solder Joint Drainage Fittings: DWV | IPC | IRC | | | | | |
| B16.24- 2011<u>2</u>016 | Cast Copper Alloy Pipe Flanges and Flanged Fittings: Class 150, 300, 400, 600, 900, 1500 and 2500 | IMC | IFGC | | | | | |
| B16.26- 2011 2016 | Cast Copper Alloy Fittings for Flared Copper Tubes | IPC | IMC | IRC | | | | |

| | | | | | | | - |
|--|--|---------|---------|---------|-----|------|-------|
| B16.34- 2009 2015 | Valves Flanged, Threaded and Welding End | IPC | IRC | | | | |
| | Ductile Iron Pipe Flanges and Flanged Fittings, Classes 150 and | | | | | | |
| B16.42- 2011 2016 | 300 | IFGC | | | | | |
| | Manually Operated Metallic Gas Valves For Use in Above Ground | | | | | | |
| B16.44- 2002(R2007)2012 | Piping Systems up to 5 psi | IFGC | IRC | | | | |
| | Large Diameter Steel Flanges: NPS | | | | | | |
| | 26 through NPS 60 Metric/Inch Standard | | | | | | |
| B16.47- 2011 2016 | | IFGC | | | | | |
| | Copper and Copper Alloy Press- Connect Pressure Fittings | | | | | | |
| B16.51- 2011 2013 | Safety Standard for Conveyors and | IRC | IMC | IPC | | | |
| B20.1- 2009-2015 | Related Equipment | IBC | | | | | |
| B31.1- 2012 2016 | Power Piping | IFC | | | | | |
| B31.3- 2012 2016 | Process Piping | IBC | IFC | IFGC | | | |
| | Pipeline Transportation Systems for | | | | | | |
| P24 4 20422045 | Liquids and Slurries Hydrocarbons and Other Liquids | IFC | | | | | |
| B31.4- 2012 2015 | Refrigeration Piping and Heat | IFC | | | | | |
| B31.5- 2010 2016 | Transfer Components | IPC | IMC | | | | |
| B31.9- 2011 2014 | Building Services Piping | IFC | IMC | | | | |
| B31.12- 2008 2014 | Hydrogen Piping and Pipelines | IFGC | | | | | |
| | Welded and Seamless Wrought | | | | | | |
| B36.10M-2004 (R2015) | Steel Pipe ASME Boiler & Pressure Vessel | IFGC | IRC | | | | |
| BPVC- 2010/2011 addenda <u>2015</u> | Code (2007 Edition) | IMC | IFC | IFGC | IRC | | |
| CSD-1- 2011 2016 | Controls and Safety Devices for Automatically Fired Boilers | IRC | IMC | | | | |
| PTC 4 .1 -2008-2013 | | | | | | | |
| | Fired Steam Generators | IECC | | | | | |
| ASSE-Safety | American Society of Safety Engine | | | | | | |
| Standard Reference Number | Title | Referen | nced in | Code(s) | : | | |
| | Safety-Requirements for Personal | | | | | | |
| | Fall Arrest Systems, Subsystems and Components, Part of | | | | | | |
| ANSI/ASSE Z359.1- 2007 2016 | the ANSI/ASSE Z359 Fall Protection | IBC | IFC | IMC | | | |
| | Code | IDC | пс | INC | | | |
| ASSE | ASSE International | | | | | | |
| Standard Reference Number | Title | Referen | nced in | Code(s) | : | 1 | |
| ASSE 1002-2008-2015/ASME A112.1002- | Performance Requirements for Antisiphon Fill Valves for Water | | | | | | |
| 2015/CSA B125.12-15 | Closet Flush Tanks | IPC | IRC | | | | |
| ASSE 1004-20082016 | Performance Requirements for Commercial Dishwashing Machines | IPC | | | | | |
| <u>1001</u> 1007 2000 <u>2010</u> | Performance Requirements for | 10 | | | | | |
| ASSE 1037-2010/ASME A112.1037- 2015/CSA B125.37-15 | Pressurized Flushing Devices for Plumbing Fixtures | IPC | IRC | | | | |
| | Performance Requirements for | | | | | | 1 |
| <u>ASSE</u> 1070-20042015/ASME A112.1070- 2015/CSA B125.70-15 | Water Temperature Limiting Devices | IRC | IPC | | | | |
| 2010/00/0120.10-10 | Performance Requirements for | 11.0 | | | | | + |
| 1001 0000010 | Atmospheric Type Vacuum Breakers | 150 | | | | | |
| 1001- 2008 2016 | DIEGREIS | IPC | IRC | | | | |



| 1011- 2004<u>2016</u> | Performance Requirements for Hose Connection Vacuum Breakers | IRC | IPC | | | |
|----------------------------------|--|-----|-----|--|--|--|
| 1013- 2009 2017 | Performance Requirements for Reduced Pressure Principle Backflow Preventers and Reduced Pressure Principle Fire Protection Backflow Preventers | IPC | IRC | | | |
| 1015- 2009 2017 | Performance Requirements for Double Check Backflow Prevention Assemblies and Double Check Fire Protection Backflow Prevention Assemblies | IPC | IRC | | | |
| 1018- 2010 2017 | Performance Requirements for Trap Seal Primer Valves - Potable Water Supplied Performance Requirements for | IPC | IRC | | | |
| 1019- 2011 2016 | Vacuum Breaker Wall Hydrants, Freeze Resistant, Automatic Draining Type | IPC | IRC | | | |
| 1022- 2003 2016 | Performance Requirements for Backflow Preventer for Beverage Dispensing Equipment | IPC | | | | |
| 1023- 1979 2016 | Performance Requirements for Hot Water Dispensers - Household Storage Type - Electrical | IRC | | | | |
| 1024- 2004<u>2016</u> | Performance Requirements for Dual Check Valve Backflow Preventers, Anti-Siphon-type, Residential Applications | IRC | IPC | | | |
| 1047- 2009 2017 | Performance Requirements for Reduced Pressure Detector Fire Protection Backflow Prevention Assemblies | IPC | IRC | | | |
| 1048- 2009 2017 | Performance Requirements for Double Check Detector Fire Protection Backflow Prevention Assemblies | IRC | IPC | | | |
| 1052- 2004<u>2016</u> | Performance Requirements for Hose Connection Backflow Preventers Performance Requirements for | IRC | IPC | | | |
| 1055- 2009 2016 | Backflow Devices for Chemical Dispensing Systems | IPC | | | | |
| 1056- 2010 2013 | Performance Requirements for Spill Resistant Vacuum Breaker Performance Requirements for | IPC | IRC | | | |
| 1060- 2006 2016 | Outdoor Enclosures for Fluid Conveying Components | IPC | IRC | | | |
| 4004 20402045 | Performance Requirements for Removable and Non-Removable Push Fit Fittings | | IDC | | | |
| 1061- 2010 2015 | Performance Requirements for Temperature Actuated, Flow | IPC | IRC | | | |
| 1062- 2006 2016 | Reduction (TAFR) Valves to Individual Supply Fittings | IPC | IRC | | | |
| 1066- 1997<u>2016</u> | Performance Requirements for Individual Pressure Balancing In- Line Valves for Individual Fixture Fittings | IPC | IRC | | | |
| 2060- 2006 2016 | Performance Requirements for Outdoor Enclosures for Fluid Conveying Components | IPC | IRC | | | |

Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

13

| 5013- 2009 2015 | Performance Requirements for Testing Reduced Pressure Principle Backflow Preventers (RP) and Reduced Pressure Principle Fire Protection Backflow Preventers (RFP) | IPC | | | | | |
|--------------------------------------|--|---------|---------|---------|------|--|--|
| 5015- 2009 2015 | Performance Requirements for Testing Double Check Valve Backflow Prevention Assembly (DC) and Double Check Fire Protection Backflow Prevention Assemblies (DCF) | IPC | | | | | |
| 5020- 2009 2015 | Performance Requirements for Testing Pressure Vacuum Breaker Assemblies (PVBA) | IPC | | | | | |
| 5047- 2009<u>2</u>015 | Performance Requirements for Testing Reduced Pressure Detector Fire Protection Backflow Prevention Assemblies (RPDA) | IPC | | | | | |
| 5048- 2009<u>2</u>015 | Performance Requirements for Testing Double Check Valve Detector Assembly (DCDA) | IPC | | | | | |
| 5056- 2009 2015 | Performance Requirements for Testing Spill Resistant Vacuum Breaker (SRVB) | IPC | | | | | |
| ASTM | ASTM | | | | | | |
| Standard Reference Number | Title | Referen | nced in | Code(s) | : | | |
| A6/A6M- 11-<u>14</u> | Standard Specification for General Requirements for Rolled Structural Steel Bars, Plates, Shapes and Sheet | IBC | | | | | |
| A36/A 36M- 08 - <u>14</u> | Specification for Carbon Structural | | | | | | |
| | Steel | IBC | IRC | | | | |
| A74- 13A<u>15</u> | Specification for Cast Iron Soil Pipe and Fittings | IPC | IMC | IRC | IFGC | | |
| | Specification for Seamless Carbon Steel Pipe for High-Temperature | | | | | | |
| A106/A 106M- 11<u>14</u> | Service | IMC | IRC | IFGC | | | |
| A123/A123M- 02<u>15</u> | Specification of Zinc (Hot-Dip Galvanized) Coating on Iron and Steel Products | IBC | | | | | |
| A126- 0904(2014) | Gray Iron Castings for Valves, Flanges, and Pipe Fittings | IMC | IRC | | | | |
| A182- 13<u>15</u> | Standard Specification for Forged and Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings and Valves and Parts for High- Temperature Service | ISPSC | | | | | |
| A234/A234M- 11a<u>15</u> | Standard Specification for Piping Fittings of Wrought CarbonSteel and Alloy Steel for Moderate and High Temperature Service | IMC | | | | | |
| | Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet and Strip for | | | ISPSC | | | |
| A240/A240M- 13A<u>15a</u> | Pressure Vessels and for General Applications | IBC | IRC | 101 00 | | | |

| | Specification for Low and Intermediate Tensile Strength | | | | | | |
|--|--|-------|-----|-------|--|--|--|
| A283/A283M- 12A<u>13</u> | Carbon Steel Plates | IBC | | | | | |
| A307- 12<u>14</u> | Specification for Carbon Steel Bolts and Studs, 60,000 psi Tensile Strength | IRC | | | | | |
| A312/A312M- 13A<u>15A</u> | Specification for Seamless, and Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes | IPC | IRC | ISPSC | | | |
| A395/A395-99 (2009)(2014) | Standard Specification for Ferritic Ductile Iron Pressure-Retaining Casting for Use at Elevated Temperatures | IMC | | | | | |
| A403- 13 15 | Standard Specification for Wrought Austenitic Stainless Steel Piple Fittings | ISPSC | | | | | |
| A416/A416M- 12A<u>15</u> | Specification for Steel Strand, Uncoated Seven-Wire for Prestressed Concrete | IBC | | | | | |
| A420A/A 420M- 10A<u>14</u> | Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service | IMC | | | | | |
| A463M/A 463M- 10 15 | Specification for Steel Sheet, Aluminum-Coated, by the Hot Dip Process | IBC | IRC | | | | |
| A510 <u>/A510M</u> -13 | Specification For General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel, Alloy Steel | IRC | | | | | |
| A536-84 (2009) (2014) | Standard Specification for Ductile Iron Castings | IMC | | | | | |
| A572/A572M- 12A<u>15</u> | Specification for High-Strength Low- Alloy Columbium-Vanadium Structural Steel | IBC | | | | | |
| A588/A588M- 10<u>15</u> | Specification for High-Strength Low- Alloy Structural Steel with 50 ksi (345 Mpa) Minimum Yield Point, with Atmospheric Corrosion Resistance | IBC | | | | | |
| A615/A615M- 12 2015aE1 | Specification for Deformed and Plain Billet Carbon-Steel Bars for Concrete Reinforcement | IBC | IRC | | | | |
| A641/A641M-09A <u>(2014)</u> | Specification for Zinc-Coated (Galvanized) Carbon Steel Wire | IRC | | | | | |
| A653/A653M- 11 5 | Specification for Steel Sheet, Zinc- Coated Galvanized or Zinc-Iron Alloy-Coated Galvannealed by the Hot-Dip Process | IBC | IRC | | | | |
| A690/690M- 07(2012)<u>13a</u> | Standard Specification for High- Strength Low-Alloy Nickel, Copper Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments | IBC | | | | | |
| A706/A706M- 09b<u>15</u> | Specification for Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement | IBC | IRC | | | | |
| A722/A722M- 12 15 | Specification for Uncoated H igh- Strength Steel Bar for Prestressing Concrete | IBC | | | | | |



| | | | | | | | _ |
|--|--|-----|-------|-------|-------|--|-------|
| A733- 2003(2009)e1<u>15</u> | Specification for Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples | IPC | | | | | |
| A755/A755M- 2011<u>15</u> | Specification for Steel Sheet, Metallic-Coated by the Hot-Dip Process and Prepainted by the Coil- coating Process for Exterior Exposed Building Products | IBC | IRC | | | | |
| A767/A767M- 05<u>09</u> | Specification for Zinc-Coated (Galvanized) Steel Bars for Concrete Reinforcement | IBC | | | | | |
| A775/A775M-07 <u>B(2014)</u> | Specification for Epoxy-Coated Steel Reinforcing Bars | IBC | | | | | |
| A778- 01(2009)o1-/A778M-15 | Specification for Welded Unannealed Austenitic Stainless Steel Tubular Products | IPC | IRC | | | | |
| A792/A792M-10 <u>(2015)</u> | Specification for Steel Sheet, 55% Aluminum-Zinc Alloy-Coated by the Hot-Dip Process | IBC | IRC | | | | |
| A875/A875M-13 | Standard Specification for Steel Sheet Zinc-5%, Aluminum Alloy- Coated by the Hot-Dip Process | IBC | IRC | | | | |
| A888- 13A<u>15</u> | Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Application | IPC | IPSDC | IRC | | | |
| A924/A924M- 13<u>14</u> | Standard Specification for General Requirements for Steel Sheet, Metallic Coated by the Hot Dip Process | IBC | IRC | | | | |
| A951/A951M- 11<u>14</u> | Specification for Steel Wire Masonry Joint Reinforcement | IRC | | | | | |
| A996/A996M- 2009b<u>15</u> | Specification for Rail-Steel and Axle- Steel Deformed Bars for Concrete Reinforcement | IRC | | | | | |
| A1003/A1003M- 13A<u>15</u> | Standard Specification for Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members | IRC | | | | | |
| B32-08 <u>(2014)</u> | Specification for Solder Metal | IPC | IMC | IRC | IPSDC | | |
| B42- 10 2015A | Specification for Seamless Copper Pipe, Standard Sizes | IPC | IBC | IRC | IFC | | |
| B43- 09<u>15</u> | Specification for Seamless Red Brass Pipe, Standard Sizes | IPC | IBC | IRC | IFC | | |
| B68/ <u>B68M</u> -11 | Specification for Seamless Copper Tube, Bright Annealed (Metric) | IBC | IFC | IMC | | | |
| B75/ <u>B75M</u> -11 | Specification for Seamless Copper Tube | IPC | IPSDC | IRC | IMC | | |
| B88- 09<u>14</u> | Specification for Seamless Copper Water Tube | IPC | IBC | IPSDC | IRC | | |
| B209- 10<u>14</u> | Specification for Aluminum and Aluminum-Alloy Steel and Plate | IBC | IRC | | | | |
| B227- 10 15 | Specification for Hard-Drawn Copper-Clad Steel Wire | IRC | | | | | |
| B280- 08<u>13</u> | Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service | IMC | IFC | IBC | IFGC | | |



| | Specification for Copper Drainage Tube (DWV) | | | | | | |
|---|---|------------|------------|------------|------|------|--|
| B306- 09<u>13</u> | Specification for Cold Rolled Copper | IPC | IRC | | | | |
| B370-12 | Sheet and Strip for Building Construction | IBC | IRC | | | | |
| B584- 11 14 | Standard Specification for Copper Alloy Sand Castings for General Applications | IMC | | | | | |
| C4-04 (2009) (14) | Specification for Clay Drain Tile and Perforated Clay Drain Tile | IPC | IPSDC | IRC | | | |
| | Specification for Nonreinforced Concrete Sewer, Storm Drain, And | | IPSDC | inte | | | |
| C14- <u>1115a</u> | Culvert Pipe | IPC | | IRC | | | |
| C22/C22M-00 (2010)-2015 | Specification for Gypsum | IBC | IRC | | | | |
| C27-98 (2008)(13) | Specification for Standard Classification of Fireclay and High- Alumina Refractory Brick | IBC | IRC | | | | |
| C28/C28M-10 <u>(2015)</u> | Specification for Gypsum Plasters | IBC | IRC | | | | |
| C31/C31M- 12 15 | Practice for Making and Curing Concrete Test Specimens in the Field | IBC | | | | | |
| C34- <u>1213</u> | Clay Load-Bearing Wall Tile | IBC | IRC | | | | |
| | Specification for Inorganic Aggregates for Use in Gypsum | | | | | | |
| C35/C35M- 1995(2009) (2014) | Plaster | IBC | IRC | | | | |
| C55- 2011 2014A | Specification for Concrete Building Brick | IBC | IRC | | | | |
| C56- 12 13 | Specification for Structural Clay Non-Lead-Bearing Tile | IRC | | | | | |
| C59/C59M-00(2011) 2015 | Specification for Gypsum Casting Plaster and Molding Plaster | IBC | IRC | | | | |
| C61/C61M-00 (2011) 2015 | Specification for Gypsum Keene's Cement | IBC | IRC | | | | |
| C62-13 <u>A</u> | Specification for Building Brick (Solid Masonry Units Made From Clay or Shale) | IBC | IRC | | | | |
| 067 1214 | Test Methods of Sampling and Testing Brick and Structural Clay Tile | | | | | | |
| C67- 13 14 | Specification for Calcium Silicate | IBC | | | | | |
| C73- 10<u>14</u> | Face Brick (Sand-Lime Brick) Specification for Reinforced | IBC | IRC | | | | |
| C76- 13A<u>15A</u> | Concrete Culvert, Storm Drain, and Sewer Pipe | IPC | IPSDC | IRC | | | |
| 000 4044 | Specification for Loadbearing Concrete Masonry Units | 100 | | IECC- C | | | |
| C90- <u>1314</u> C91/C91M-12 | Specification for Masonry Cement | IBC IBC | IRC IRC | U | IEBC | | |
| C91 <u>/C91M</u> -12 C94/C94M- 13 15A | Specification for Ready-Mixed Concrete | IBC | IRC | | | | |
| 034/034101-4010A | Standard Test Method for | | IRU | | | | |
| C109/C109M- 12 2015e1 | Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or [50- MM] Cube Specimens) | IRC | | | | | |
| C126- 13 15 | Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units | IRC | | | | | |
| C129- 11 14A | Specification for Nonload-bearing Concrete Masonry Units | IRC | | | | | |



17

| C516-08 <u>(2014)E1</u> | Fill Thermal Insulation | IBC | | | | | |
|---|--|------------|-------|-----|------|--|--|
| C514-04 (2009)o1-<u>(</u>2014) | Specification for Nails for the Application of Gypsum Board Specification for Vermiculite Loose | IBC | IRC | | | | |
| C508-00/C508M-00 (2009)E1<u>(2015)</u> | Specification for Asbestos-Cement Underdrain Pipe | IPC | IRC | | | | |
| C503 <u>/C503M-20</u> 10 | Specification for Marble Dimension Stone (Exterior) | IRC | | | | | |
| C475/C475M- 12 15 | Specification for Joint Compound and Joint Tape for Finishing Gypsum Wallboard | IBC | IRC | | | | |
| C474- 13 15 | Test Methods for Joint Treatment Materials for Gypsum Board Construction | IBC | | | | | |
| C473- 12<u>15</u> | Test Methods for Physical Testing of Gypsum Panel Products | IBC | | | | | |
| C472-99 (2009) <u>(2014)</u> | Specification for Standard Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete | IBC | | | | | |
| C425-04 (2009)(2013) | Specification for Compression Joints for Vitrified Clay Pipe and Fittings | IPC | IPSDC | IRC | | | |
| C331/C331- 2010 2014 C406/C406M- 2010<u>15</u> | Specification for Lightweight Aggregates for Concrete Masonry Units Specification for Roofing Slate | IBC IBC | IRC | | | | |
| C330/C330M- 2009 14 | Specification for Lightweight Aggregates for Structural Concrete | IBC | | | | | |
| C296/C296M-00 (2009)e1<u>2015</u> C317/C317M-00(2010)(2015) | Specification for Asbestos-Cement Pressure Pipe Specification for Gypsum Concrete | IPC IBC | IRC | | | | |
| C216- 13<u>15</u> C270-12a<u>14A</u> | Shale) Specification for Mortar for Unit Masonry | IBC | IRC | | | | |
| | Specification for Facing Brick (Solid Masonry Units Made from Clay or | | | | | | |
| C206- 13<u>14</u> C212-1014 | Specification for Structural Clay Facing Tile | IBC | IRC | | | | |
| C172/C172M- 10 14A | Practice for Sampling Freshly Mixed Concrete Specification for Finished Hydrated | IBC | | | | | |
| C143/C143M- 12<u>15</u> C150<u>/C150M</u>-1<u>215</u> | Test Method for Slump of Hydraulic Cement Concrete Specification for Portland Cement | IRC IBC | IRC | | | | |
| C141/C141M- 09<u>14</u> | Hydraulic Lime for Structural Purposes | IRC | | | | | |
| C140/ <u>C140M</u> - 13 15 | Test Method Sampling and Testing Concrete Masonry Units and Related Units Standard Specification for Hydrated | IBC | IRC | | | | |

| | | | | | | | |
|---------------------------------------|--|------|-------|-----|--|------|--|
| C518- 04<u>15</u> | Test Method for Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus | IECC | | | | | |
| C547- 12 15 | Specification for Mineral Fiber Pipe Insulation | | | | | | |
| | | IBC | | | | | |
| C552- 12b 15 | Standard Specification for Cellular Glass Thermal Insulation | IBC | IRC | | | | |
| C564- 12<u>14</u> | Specification for Rubber Gaskets for Cast Iron Soil Pipe and Fittings | IPC | IPSDC | IRC | | | |
| C568/ <u>C568M-20</u> 10 | Specification for Limestone Dimension Stone | IRC | | | | | |
| C578- 12B<u>15</u> | Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation | IBC | IRC | | | | |
| C587-04 (2009) (2014) | Specification for Gypsum Veneer Plaster | IBC | IRC | | | | |
| C595/C595M- 13 14E1 | Specification for Blended Hydraulic Cements | IBC | IRC | | | | |
| C629-10/ <u>C629M</u> -10 | Specification for Slate Dimension Stone | IRC | | | | | |
| C631-09 <u>(2014)</u> | Specification for Bonding Compounds for Interior Gypsum Plastering | IBC | IRC | | | | |
| C635/C635M-13 <u>A</u> | Specification for the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-In Panel Ceilings | IBC | | | | | |
| C636/C636M- 08 13 | Practice for Installation of Metal Ceiling Suspension Systems for Acoustical Tile and Lay-In Panels | IBC | | | | | |
| C645- 13 14 | Specification for Nonstructural Steel Framing Members Specification for Hollow Brick | IBC | IRC | | | | |
| C652- 13<u>15</u> | (Hollow Masonry Units Made from Clay or Shale) Specification for Concrete Made by | IBC | IRC | | | | |
| C685/C685M- 11 _ <u>14</u> | Volumetric Batching and Continuous Mixing | IRC | | | | | |
| C726-12 | Standard Specification for Mineral FiberWool Roof Insulation Board | IBC | | | | | |
| C726-12 | Standard Specification for Mineral Fiber Wool Roof Insulation Board | IBC | | | | | |
| C728- 05(2013)-<u>15</u> | Standard Specification for Perlite Thermal Insulation Board | IBC | IRC | | | | |
| C744-44 <u>14</u> | Specification for Prefaced Concrete and Calcium Silicate Masonry Units | IBC | IRC | | | | |

| | | | | | | | - |
|---|---|--|--|--|---|--|--|
| Specification for Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products | IBC | | | | | | |
| Specification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course | IBC | IRC | | | | | |
| Specification for Application and Finishing of Gypsum Board | IBC | | | | | | |
| Specification for Installation of | | | | | | | |
| Interior Lathing and Furring | IBC | | | | | | |
| Specification for Application of Interior Gypsum Plaster | IBC | | | | | | |
| Specification for Application of Gypsum Base to Receive Gypsum Veneer Plaster | IBC | IRC | | | | | |
| Specification for Metal Lath | | | | | | | |
| Or a sife action for Deales and Dru | IBC | IRC | | | | | |
| Combined Materials for Surface Bonding Mortar | IBC | IRC | | | | | |
| Specification for Aggregate for Job- Mixed Portland Cement-Based Plasters | IBC | IRC | | | | | |
| Standard Specification for Elastomeric Joint Sealants | IBC | IRC | | | | | |
| Specification for Application of Portland Cement-Based Plaster | IBC | IRC | | | | | |
| Specification for Welded Wire Lath | IBC | IRC | | | | | |
| Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 inch (0.84 mm) to 0.112 inch (2.84 mm) in Thickness | IBC | IRC | | | | | |
| Standard Specification for Load- bearing Transverse and Axial Steel Studs, Runners Tracks, and Bracing or Bridging, for Screw Application of Gypsum Panel Products and Metal Plaster Bases | IBC | IRC | | | | | |
| Specification for Installation of Cast- in-Place Reinforced Gypsum | | | | | | | |
| | IBC | | | | | | |
| Specification for High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Integral Wearing Surface | IBC | IRC | | | | | |
| | Screw-Attached Gypsum Panel ProductsSpecification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing CourseSpecification for Application and Finishing of Gypsum BoardSpecification for Installation of Interior Lathing and FurringSpecification for Application of Interior Gypsum PlasterSpecification for Application of Gypsum Base to Receive Gypsum Veneer PlasterSpecification for Metal LathSpecification for Aggregate for Job- Mixed Portland Cement-Based PlastersStandard Specification for Aggregate for Job- Mixed Portland Cement-Based PlastersSpecification for Aggregate for Job- Mixed Portland Cement-Based PlasterSpecification for Aggregate for Job- Mixed Portland Cement-Based PlasterSpecification for Aggregate for Job- Mixed Portland Cement-Based PlasterSpecification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 inch (0.84 mm) to 0.112 inch (2.84 mm) in ThicknessStandard Specification for Load- bearing Transverse and Axial Steel Studs, Runners Tracks, and Bracing or Bridging, for Screw Application of Gypsum Panel Products and Metal Plaster BasesSpecification for Installation of Cast- in-Place Reinforced Gypsum ConcreteSpecification for High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing | Framing Members to Receive Screw-Attached Gypsum Panel ProductsIBCSpecification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing CourseIBCSpecification for Application and Finishing of Gypsum BoardIBCSpecification for Installation of Interior Lathing and FurringIBCSpecification for Application of Interior Cathing and FurringIBCSpecification for Application of Interior Gypsum PlasterIBCSpecification for Application of Gypsum Base to Receive Gypsum Veneer PlasterIBCSpecification for Metal LathIBCSpecification for Apgregate for Job- Mixed Portland Cement-Based PlastersIBCStandard Specification for Elastomeric Joint SealantsIBCSpecification for Steel Drill Screws for the Application of Cypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 inch (0.84 mm) to 0.112 inch (2.84 mm) in ThicknessIBCSpecification for Installation of Cypsum Panel Products or Metal Products and Metal Plaster BasesIBCStandard Specification for Load- bearing Transverse and Axial Steel Studs, Runners Tracks, and Bracing or Bridging, for Screw Application of Gypsum Panel Products and Metal Plaster BasesIBCSpecification for High-Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Integral WearingIBC | Framing Members to Receive Screw-Attached Gypsum Panel ProductsIBCSpecification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing CourseIBCIRCSpecification for Application and Finishing of Gypsum BoardIBCIRCSpecification for Installation of Interior Lathing and FurringIBCIRCSpecification for Application of Interior Gypsum PlasterIBCIRCSpecification for Application of Gypsum Base to Receive Gypsum Veneer PlasterIBCIRCSpecification for Metal Lath PlasterIBCIRCSpecification for Apgregate for Job- Mixed Portland Cement-Based PlastersIBCIRCSpecification for Application of FustersIBCIRCSpecification for Application of PlastersIBCIRCSpecification for Aggregate for Job- Mixed Portland Cement-Based PlastersIBCIRCSpecification for Application of Portland Cement-Based PlasterIBCIRCSpecification for Steel Drill Screws for the Application of Cypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 inch (0.84 mm) in 0.112 inch (2.84 mm) in ThicknessIBCIRCStandard Specification for Load- bearing Transverse and Axial Steel Studs, Runners Tracks, and Breel products or Metal PlasterIBCIRCSpecification for Installation of Cast- in-Place Reinforced Gypsum ConcreteIBCIRCSpecification for Installation of Cast- in-Place Reinforced Gypsum Caster BasesIBCIRCSpecificatio | Framing Members to Receive IBC Specification for High Solids IBC Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate IBC Wearing Course IBC Specification for Application and Finishing of Gypsum Board IBC Specification for Application of Interior Lathing and Furning IBC Specification for Application of Interior Gypsum Plaster IBC Specification for Application of Specification for Application of Interior Gypsum Base to Receive Gypsum Veneer Plaster IBC Specification for Application of Metal Lath IBC IRC Specification for Aggregate for Job-Mixed Portiand Cement-Based Plasters IBC IRC Specification for Application of Plasters IBC IRC Specification for Aggregate for Job-Mixed Portiand Cement-Based IBC IRC Specification for Application of Plasters IBC IRC Specification for Application of Portland Cement-Based Plaster IBC IRC Specification for Application of Portland Cement-Based Plaster IBC IRC Specification for Steel Drill Screws for the Application of Gypsum Panel Products on Metal Plaster Bases to Steel Studs from 0.033 inch (0.84 mm) in Thickness IBC < | Framing Members to Receive Screw-Attached Gypsum Panel Products IBC Specification for High Solids Content. Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course IBC IRC Specification for Application and Finishing of Gypsum Board IBC IRC IEC Specification for Installation of Interior Cathing and Furring IBC IEC IEC Specification for Application of Interior Gypsum Plaster IBC IRC IEC Specification for Application of Interior Gypsum Plaster IBC IRC IEC Specification for Application of Interior Gypsum Plaster IBC IRC IEC Specification for Application of Interior Gypsum Plaster IBC IRC IEC Specification for Metal Lath IBC IRC IEC IEC Specification for Aggregate for Job- Mixed Portland Cement-Based IBC IRC IEC IEC Specification for Apglication of Portland Cement-Based Plaster IBC IRC IEC IEC Specification for Apglication of Portland Cement-Based Plaster IBC IRC IEC IEC Specification for Steel Drill Screws Steel Studs from 00331 nch (0.84 | Framing Members to Receive Screw-Attached Gypsum Panel Products IBC Specification for High Solids Content. Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course IBC IRC Specification for Application and Finishing of Gypsum Board IBC IBC IBC Specification for Installation of Interior Lathing and Furring IBC IBC IBC Specification for Application of Interior Cypsum Plaster IBC IBC IBC Specification for Application of Interior Gypsum Plaster IBC IBC IBC Specification for Application of Interior Gypsum Plaster IBC IRC IBC Specification for Metal Lath IBC IRC IBC IRC Specification for Aggregate for Job- Mixed Portland Cement-Based Plasters IBC IRC IEC IRC Specification for Application of Portland Cement-Based Plaster IBC IRC IEC IEC Specification for Application of Portland Cement-Based Plaster IBC IRC IEC IEC | Screw-Attached Gypsum Panel Products IBC IBC Specification for High Solids Content. Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course IBC IRC Specification for Application and Finishing of Gypsum Board IBC IRC Specification for Application of Interior Lathing and Furring IBC IBC Specification for Application of Interior Gypsum Plaster IBC IBC Specification for Application of Interior Gypsum Plaster IBC IRC Specification for Application of Materials for Surface Bonding Mortar IBC IRC Specification for Application of Interior Gypsum Plaster IBC IRC Specification for Application of Paster IBC IRC Specification for Aggregate for Job- Mixed Portiand Cement-Based Plasters IBC IRC Specification for Aggregate for Job- Mixed Portiand Cement-Based Plaster IBC IRC Specification for Application of Portland Cement-Based Plaster IBC IRC Specification for Application of Portland Cement-Based Plaster IBC IRC Specification for Steel Drill Strews for the Application of Cypsum Panel Products or Metal Plaster Bases Plaster IBC IRC Specification for Installation of Cast- in-Place R |

| | | | | | 1 | | - |
|--------------------------------------|---|-----|-------|-----|-------|--|---|
| C1002- 07<u>14</u> | Specification for Steel <u>Self Piercing</u> <u>Tapping</u> Dril Screws for the Application of Gypsum Panel Products or Metal Plaster Bases <u>to</u> <u>Wood Studs or Steel Studs</u> | IBC | IRC | | | | |
| C1007-11a <u>(2015)</u> | Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories | IBC | | | | | |
| C1029- 13 15 | Specification for Spray-Applied Rigid Cellular Polyurethane Thermal Insulation | IBC | IRC | | | | |
| C1032- 06(2011) <u>14</u> | Specification for Woven Wire Plaster Base | IBC | IRC | | | | |
| C1047- 10A<u>2014a</u> | Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base | IBC | IRC | | | | |
| C1063- 12D<u>15a</u> | Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster | IBC | IRC | | | | |
| C1088- 13<u>14</u> | Specification for Thin Veneer Brick Units Made From Clay or Shale | IBC | IRC | | | | |
| C1107/C1107- 13 14A | Standard Specification for Packaged Dry, Hydraulic-Cement Grout (Nonshrink) | IRC | | | | | |
| C1116/C1116M-10A <u>(2015)</u> | Standard Specification for Fiber - Reinforced Concrete and Shotcrete | IRC | | | | | |
| C1173-10 E1 (2014) | Specification for Flexible Transition Couplings for Underground Piping Systems | IPC | IPSDC | IRC | | | |
| C1177/C1177M- 08<u>13</u> | Specification for Glass Mat Gypsum Substrate for Use as Sheathing | IBC | IRC | | | | |
| C1178/C1178M- 11<u>13</u> | Specification for Coated Mat Water- Resistant Gypsum Backing Panel | IBC | IRC | | | | |
| C1186-08(2012) | Specification for Flat Nonasbestos Fiber Cement Sheets | IBC | IRC | | | | |
| C1261- 10<u>13</u> | Specification for Firebox Brick for Residential Fireplaces | IBC | IRC | | | | |
| C1277- 12 15 | Specification for Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings | IPC | IPSDC | IRC | | | |
| C1280-13 <u>A</u> | Specification for Application of Exterior Gypsum Panel Products for Use as Sheathing | IBC | | | | | |
| C1288- 99(2010) <u>14</u> | Standard Specification for Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets | IBC | IRC | | | | |
| C1289— 13E1<u>15</u> | Standard Specification for Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board | IBC | IRC | | | | |
| C1313/C1313M- 12- 2013 | Standard Specification for Sheet Radiant Barriers for Building Construction Applications | IBC | | | | | |
| C1325- 08b<u>14</u> | Standard Specification for Non- Asbestos Fiber-Mat Reinforced Cement Backer Units | IBC | IRC | | | | |

Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

21

| C1328/C1328M-12 | Specification for Plastic (Stucco Cement) | IBC | IRC | | | | |
|--|--|--------|-------|-----|--|--|--|
| C1371- 04a(2010)e1<u>15</u> | Standard Test Method For Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers | IECC | | | | | |
| C1396/C1396M- 13- 2014A | Specification for Gypsum Ceiling Board | IBC | | | | | |
| C1405- 12 15 | Standard Specification for Glazed Brick (Single Fired, Solid -Brick Units) | IRC | | | | | |
| C1440-08 <u>(2013</u>) | Specification for Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems | IPC | IPSDC | IRC | | | |
| C1460- 08 2012 | Specification for Shielded Transition Couplings for Use with Dissimilar DWV Pipe and Fittings Above Ground | IPC | IPSDC | IRC | | | |
| C1461-08(<u>2013)</u> | Specification for Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV) Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use | IPC | IPSDC | IRC | | | |
| C1540- 11 15 | Specfiication for Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings | IPC | IRC | | | | |
| C1549-09(2014) | Standard Test Method for Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer | IECC-C | | | | | |
| C1563- <u>2008(20</u> 13) | Standard Test Method for Gaskets for Use in Connection with Hub and Spigot Cast Iron Soil Pipe and Fittings for Sanitary Drain, Waste, Vent and Storm Piping | IPC | | | | | |
| C1629/C1692M— 11<u>15</u> | Standard Classification for Abuse- Resistant Nondecorated Interior Gypsum Panel Products and Fiber- Reinforced Cement Panels | IBC | | | | | |
| C1634- 11 15 | Standard Specification for Concrete Facing Brick | IRC | | | | | |
| C1658/C1658- 12 13 | Standard Specification for Glass Mat Gypsum Panels | IBC | IRC | | | | |
| C1668- 12<u>13a</u> | Standard Specification for Externally Applied Reflective Insulation systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems | IRC | | | | | |
| D41- 05/D41M-2011 | Specification for Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing | IBC | IRC | | | | |
| D43 <u>/D43M-20</u> 00(20 06- 12)E1 | Specification for Coal Tar Primer Used in Roofing, Damproofing, and Waterproofing | IBC | IRC | | | | |
| D56-05(2010) | Test Method for Flash Point by Tag Closed <u>Cup</u> Tester | IBC | IFC | IMC | | | |



| | Test Method for Distillation of Petroleum Products at Atmospheric | | | | | | |
|---|---|--------|-------|-----|-------|--|--|
| D86- 2012<u>15</u> | Pressure | IBC | IFC | | | | |
| | Test Method for Flash and Fire | | | | | | |
| D92-2012B | Points by Cleveland Open Cup Tester | IFC | | | | | |
| D92-2012B | Test Method for Flash Point by | IFC | | | | | |
| D93- 12 15 | Pensky-Martens Closed Cup Tester | IBC | IFC | IMC | | | |
| | Specification for Asphalt Used in | | | | | | |
| D312- 00(2006)<u>/</u>D312M-15 | Roofing | IBC | IRC | | | | |
| D323- 08 2015A | Test Method for Vapor Pressure of Petroleum Products (Reid Method) | IFC | | | | | |
| | Test Method for Particle-Size | | | | | | |
| D422-63(2007) <u>E2</u> | Analysis of Soils | IBC | IRC | | | | |
| | Standard Classification for Sizes of Aggregate for Road and Bridge | | | | | | |
| D448- 08 2012 | Construction | IBC | | | | | |
| | Specification for Asphalt Used in | | | | | | |
| | Dampproofing and Waterproofing | | | | | | |
| D449/D449M-03(20 08 14)E1 | Or a sification for Oral Tan Ditah | IRC | | | | | |
| | Specification for Coal-Tar Pitch Used in Roofing, Dampproofing, and | | | | | | |
| D450 <u>D450M</u> -07 <u>(2013)E1</u> | Waterproofing | IBC | IRC | | | | |
| | Test Method for Rate of Burning | | | | | | |
| | and/or Extent and Time of Burning of Self-Supporting-Plastics in a | | | | | | |
| D635- 10<u>14</u> | Horizontal Position | IBC | | | | | |
| | Standard Test Method for Haze and | | | | | | |
| | Luminous Transmittance of | IECC-C | | | | | |
| D1003- 1101<u>13</u> | Transparent Plastics | | | | | | |
| | Test Method <u>s</u> for <u>Deep</u> <u>Foundations</u> Piles Under Static Axil | | | | | | |
| D1143/D1143M-07 e1_(2013) | Compressive Load | IBC | | | | | |
| | Specification for Emulsified Asphalt | | | | | | |
| | Used as a Protective Coating for | | | | | | |
| D1227- 95(2007)-<u>13</u> | Roofing | IBC | IRC | | | | |
| | Standard Test Method for Residual | | | | | | |
| D1253- 08<u>14</u> | Chlorine in Water | IPC | | | | | |
| | | | | | | | |
| | Test Method for Laboratory Compaction Characteristics of Soil | | | | | | |
| | Using Modified Effort (56,000 ft- | | | | | | |
| D1557- <u>20</u> 12 <u>E1</u> | lb/ft3(2,700kN-m/m3)) | IBC | | | | | |
| _ | Non-rigid Vinyl Chloride Plastic Film | | | | | | |
| D1593- 09<u>13</u> | and Sheeting | ISPSC | | | | | |
| D1622/D1622M- 08- 14 | Standard Test Method for Apparent Density of Rigid Cellular Plastics | IRC | | | | | |
| 01022 <u>101022111-00-14</u> | Test Method for Environmental | | | | | | |
| | Stress-Cracking of Ethylene | | | | | | |
| D1693- 2013<u>15</u> | Plastics | IRC | IMC | | | | |
| | Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe, | | | | | | |
| D1785- 12 15 | Schedules 40, 80 and 120 | IPC | IMC | IRC | ISPSC | | |
| | Specification for Rubber Rings for | | | | | | |
| | Asbestos-Fiber-Reinforced Cement | | IPSDC | | | | |
| D1869- 95 (2010)-<u>15</u> | Pipe | IPC | | IRC | | | |
| | Standard Test Method for | | | | | | |
| | Determining Ignition Temperature of | | | | | | |



23

| D1970/D1970M- 13 2015A | Specification for Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roof Underlayment for Ice Dam Protection | IBC | IRC | | | | |
|--|---|-----|-------|-------|-------|--|--|
| D2126- 09<u>15</u> | Standard Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging | IRC | | | | | |
| D2178 <u>/D2178M</u> - 04-<u>15</u> | Specification for Asphalt Glass Felt Used in Roofing and Waterproofing | IBC | IRC | | | | |
| D2241- 0915 | Specification for Poly (Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR-Series) | IPC | IRC | IMC | ISPSC | | |
| D2464- 06<u>15</u> | Specification for Threaded Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80 | IPC | IRC | ISPSC | IMC | | |
| D2466- 06<u>15</u> | Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40 | IPC | IRC | IMC | ISPSC | | |
| D2467- 06<u>15</u> | Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80 | IPC | IRC | IMC | ISPSC | | |
| D2513-201 34 E1 | Specification for Polyethylene (PE) Thermoplastic-Gas Pressure Pipe, Tubing, and Fittings | IRC | IMC | IFGC | | | |
| D2559-12A | Standard Specification for Adhesives for <u>Bonded Structura</u> lLaminated Wood Products for Use under Exterior (West Use) Exposure Conditions | IRC | | | | | |
| D2609- 02(2008)15 | Specification for Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe | IPC | IRC | | | | |
| D2626/ <u>D2626M</u> -04(2012)E1 | Specification for Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing | IBC | IRC | | | | |
| D2661-44 <u>14</u> | Specification for Acrylonitrile- Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings | IPC | IPSDC | IRC | | | |
| D2665- 12 14 | Specification for Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings | IPC | IPSDC | IRC | | | |
| D2672- 96a(2009)14 | Specification for Joints for IPS PVC Pipe Using Solvent Cement | IPC | IRC | IMC | | | |
| D2683- 10E1<u>14</u> | Standard Specification for Socket- Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene Pipe and Tubing | IPC | | | | | |
| D2683- 2010E1<u>14</u> | Specification for <u>Socket-</u> <u>Type</u> Polyethylene Fittings for Outside Diameter-Controlled Polyethylene Pipe and Tubing | IPC | IRC | IMC | | | |
| D2824 <u>/D2824M</u> - 06(2012)E1-<u>2013</u> | Specification for Aluminum- Pigmented Asphalt Roof Coatings, Non-fibered, Asbestos Fibered, and Fibered without Asbestos | IRC | IBC | | | | |



| | Test Method for Obtaining Hydrostatic Design Basis for | | | | | | |
|--|---|-----|-----|-------|-------|--|---|
| D2837- 11_2013E1 | Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products | IRC | IMC | | | | |
| D2843- 10 16 | <u>Standard</u> Test <u>Method</u> for Density of Smoke from the Burning of Decomposition of Plastics | IBC | | | | | |
| D2846/D2846M- 09BE1-<u>14</u> | Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems | IPC | IRC | IMC | ISPSC | | |
| D2859- 06(2011)15 | Standard Test Method for Ignition Characteristics of Finished Textile Floor Coverings Materials | IBC | IFC | | | | |
| D2996- 01(2007)e01<u>15</u> | Specification for Filament-Wound Fiberglass (Glass Fiber Reinforced Thermosetting Resin) Pipe | IMC | | | | | |
| D3034- 08 14a | Specification for Type PSM Poly (Vinyl Chloride) (PVC) Sewer Pipe and Fittings | IPC | IRC | IMC | | | |
| D3035- 2012E1 15 | Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter | IPC | IRC | IMC | | | |
| D3161/D3161M- 201315 | Test Method for a-Wind-Resistance of Asphalt Shingles <u>Steep Slope</u> <u>Roofing Products</u> (Fan Induced Method) | IBC | IRC | | | | |
| D3201/D3201M-2013 | Test Method for Hygoscopic Properties of Fire-Retardant Wood and Wood-Based Products | IBC | IRC | IWUIC | | | |
| D3212-07 <u>(2013)</u> | Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals | IPC | IRC | IUWIC | | | |
| D3261-12 <u>E1</u> | Specification for Butt Heat Fusion Polyethylene (PE) Plastic Fittings <u>for</u> <u>Polyethylene (PE)</u> Plastic Pipe and Tubing s | IMC | IPC | | | | |
| D3350- 12E1<u>14</u> | Specification for Polyethylene Plastics Pipe and Fittings Materials | IRC | IMC | | | | |
| D3468 <u>/D3468</u> -99 (2006)e01 (<u>2013)E1*</u> | Specification for Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing | IBC | IRC | | | | |
| D3679- 11<u>13</u> | Specification for Rigid Poly (Vinyl Chloride) (PVC) Siding | IBC | IRC | | | | |
| D3689 <u>/D3698M-2007 (</u> 2013) <u>E</u> 1 | Test Methods for Deep Foundations Piles -Under Static Axial Tensile Load | IBC | | | | | |
| D3909/D3909M -97b(2012)o1<u>14</u> | Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules | IBC | IRC | IWUIC | | | |
| D4068- 09<u>15</u> | Specification for Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-Containment Membrane | IPC | IRC | | | | |
| D4272- 09<u>15</u> | Test Method for Total Energy Impact of Plastic Films by Dart Drop | IBC | | | | | + |
| D4318-10 <u>E1</u> | Test Method for Liquid Limit, Plastic Limit, and Plasticity Index of Soils | IBC | IRC | | | | |

Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

25

| D4637/D4637M- 201314E1 | Specification for EPDM Sheet Used in Single-Ply Roof Membrane | IBC | IRC | | | |
|---|---|-----|-----|--|--|--|
| D4869/D4869M- 05(2011)e01<u>15</u> | Specification for Asphalt-Saturated (Organic Felt) Underlayment Used in Steep Slope Roofing | IBC | IRC | | | |
| D4945-12 | Test Method for High-Strain Dynamic Testing of Piles-Deep Foundations | IBC | | | | |
| D4990- <u>19</u> 97a (2005)e01(2013) | Specification for Coal Tar Glass Felt Used in Roofing and Waterproofing | IBC | IRC | | | |
| D5055- 2013 13E1 | Specification for Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists | IBC | IRC | | | |
| D5456- 2013 14B | Standard Specification for Evaluation of Structural Composite Lumber Products | IBC | IRC | | | |
| D5665 <u>/D5665M</u> -99a (2006) 2014E1 | Specification for Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing | IBC | IRC | | | |
| D5726-98 (2005) (2013) | Specification for Thermoplastic Fabrics Used in Hot-Applied Roofing and Waterproofing | IBC | IRC | | | |
| D6162 <u>/D6162M</u> -2000a (2008)-<u>(</u>2015)E1 | Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements | IBC | IRC | | | |
| D6162 <u>/D6162M</u> -2000 a(2008)_ A(2015)E1 | Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements | IBC | IRC | | | |
| D6163 <u>/D6163M-20</u> 00 (2008) <u>(</u>2015)E1 | Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements | IBC | IRC | | | |
| D6223/D6223M-02 (2011)E1-<u>(</u>2009) E1 | Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements | IBC | IRC | | | |
| D6298- 0501<u>13</u> | Specification for Fiberglass Reinforced Styrene-Butadiene- Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface | IBC | IRC | | | |
| D6305-08 <u>(2015)E1</u> | Practice for Calculating Bending Strength Design Adjustment Factors for Fire-Retardant-Treated Plywood Roof Sheathing | IBC | IRC | | | |
| D6380 <u>/D6380</u> -03 (2009)(2013)E1 | Standard Specification for Asphalt Roll Roofing (Organic) Felt | IBC | IRC | | | |
| D6509/D6509M—09 <u>(2015)</u> | Standard Specification for Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements | IBC | | | | |

| D6694 <u>/D6694M</u> -08 <u>(2013)E1</u> | Standard Specification for Liquid- applied Silicone Coating Used In Spray Polyurethane Foam Roofing Systems | IBC | IRC | | | | | |
|--|--|-----|-------|------|-------|------|--|--|
| D6757-2013 | Standard Specification for Inorganic Underlayment Felt Containing Inorganic Fibers used in Steep- Slope Roofing Products | IBC | IRC | | | | | |
| D6878/D6878- 11A<u>13</u> | Standard Specification for Thermoplastic Polyolefin Based Sheet Roofing | IBC | IRC | | | | | |
| D6947 <u>/D6947M</u> -07 <u>(2013)E1</u> | Standard Specification for Liquid Applied Moisture Cured Polyurethane Coating Used in Spray Polyurethane Foam Roofing System | IBC | IRC | | | | | |
| D7032- 10A<u>14</u> | Standard Specification for Establishing Performance Ratings for Wood-Plastic Composite Deck Boards and Guardrail Systems (Guards or Handrails) | IRC | IWUIC | IBC | | | | |
| D7147- 05<u>11</u> | Specification for Testing and Establishing Allowable Loads of Joist Hangers | IBC | | | | | | |
| D 7158/D7158 <u>M</u> -11 | Standard Test Method for Wind Resistance of Sealed Asphalt Shingles (Uplift Force/Uplift Resistance Method) | IBC | IRC | | | | | |
| D7254— 07<u>15</u> | Standard Specification for Polypropylene (PP) Siding | IBC | IRC | | | | | |
| D7425/D7425M- 11 13 | Standard Specification for Spray Polyurethane Foam Used for Roofing Application | IRC | | | | | | |
| D7655 <u>/D7655M</u> -12 | Standard Classification for Size of Aggregrate Used as Ballast for Roof Membrane Systems | IBC | | | | | | |
| D7672-20 12 14 | Standard Specification for Evaluating Structural Capacities of Rim Board Products and Assemblies | IBC | IRC | | | | | |
| E84- 2013A 2015A | Test Method for Surface Burning Characteristics of Building Materials | IBC | IRC | IFC | | | | |
| E84-2015B | Standard Test Method for Surface Burning Characteristics of Building Materials | IBC | IRC | IFC | IMC | IEBC | | |
| E96/E96M-20 13 15 | Test Method for Water Vapor Transmission of Materials | IBC | IRC | | | | | |
| E119-2016 | Standard Test Methods for Fire Tests of Building Construction and Materials | IBC | IRC | IMC | IWUIC | | | |
| E136- 12 16 | Standard Test Method for Behavior of Materials in a Vertical Tube Furnace at 750 degrees C | IBC | IRC | IMC | IWUIC | IFGC | | |
| | Test Method for Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors under Specified Pressure | | | 15.5 | | | | |
| E283-04 <u>(2012)</u> | Differences Across the Specimen | IRC | IECC | IBC | | | | |

| E1918-06 <u>(2015)</u> | Standard Test Method for Measuring Solar Reflectance of Horizontal and Low-sloped Surfaces in the Field | IECC-C | | | | | |
|--|---|--------|-----|-----|--|--|--|
| E1886- 05<u>13A</u> | Test Method for Performance of Exterior Windows, Curtain Walls, Doors and Storm Shutters Impact <u>Protective Systems</u> Impacted by Missiles and Exposed to Cyclic Pressure Differentials | IBC | IRC | | | | |
| E1677-11 | Standard-Specification for an Air Retarder (AR) Barrier (AB) Material or System <u>s</u> for Low-Rise Framed Building Walls | IECC-C | | | | | |
| E1602- 02<u>03(</u>2010) E1 | Guide for Construction of Solid Fuel- Burning Masonry Heaters | IBC | IRC | | | | |
| E1537- 2013 2015 | Standard Test Method for Fire Testing of Upholstered Furniture | IFC | | | | | |
| E1529-14a | Standard Test Method for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies | IFC | | | | | |
| E1354- 2013 2016 | Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Colorimeter | IBC | IFC | | | | |
| E970- 2010<u>14</u> | Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source | IBC | IRC | | | | |
| E903- 96<u>12</u> | Standard Test Method Solar Absorptance, Reflectance and transmittance of Materials Using Integrating Spheres (Withdrawn 2005) | IECC-C | | | | | |
| E814-2013 <u>A</u> | Standard Test Method of Fire Tests of Penetration Firestop Systems | IBC | IRC | IMC | | | |
| E736 <u>/E736M-</u> 00 (2011) (2015)E1 | Test Method for Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members | IBC | | | | | |
| E681-09 <u>(2015)</u> | Test Method for Concentration Limits of Flammability of Chemicals (Vapors and Gases) | IBC | IFC | | | | |
| E605 <u>/E605M</u> - <u>19</u> 93 (2011) (2015)E1 | Test Method for Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members | IBC | | | | | |
| E488/E488M- 10 15 | Test Method for Strength of Anchors in Concrete and Masonry-Elements | IEBC | | | | | |
| E408- 71(2008) 13 | Test Methods for Total Normal Emittance of Surfaces Using Inspection-Meter Techniques | IECC-C | | | | | |
| E408- 71(2008)13 | Test Methods for Total Normal Emittance of Surfaces Using Inspection-Meter Techniques | IECC-C | | | | | |
| E330 <u>/E330M</u> - 02 14 | Test Method for Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference | IBC | IRC | | | | |

| E1966-2015 | Standard Test Method for Fire resistant Joint Systems | IBC | IFC | | | |
|--|--|--------|-----|--|--|--|
| E1996- 2012A2014a | Specification for Performance of Exterior Windows, Glazed-Curtain Walls, Doors and Impact Protective Systems Impacted by Winborne Debris in Hurricanes | IBC | IRC | | | |
| | Standard Specification for Photolumiscent (Phosphorescent) | | | | | |
| E2072- 10 14 | Safety Markings | IBC | IFC | | | |
| E2174- 10E1-<u>14B</u> | Standard Practice for On-Site Inspection of Installed Fire Stops | IBC | | | | |
| E2231- 09-<u>15</u> | Standard Practice for Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess to Surface Burning Characteristics | IRC | IMC | | | |
| E2307- 2010-<u>15B</u> | Standard Test Method for Determining Fire Resistance of Perimeter <u>Joint System Between an</u> <u>Exterior Wall Assembly and Floor</u> <u>AssemblyFire Barriers</u> Using the Intermediate-Scale, Multi-Story Test Apparatus | IBC | | | | |
| E2336-2016 | Standard Test Methods for Fire Resistive Grease Duct Enclosure Systems | IMC | | | | |
| E2357-11 | Standard-Test Method for Determining Air Leakage Rate-of Air Barrier Assemblies | IECC-C | | | | |
| E2392/E2392M- <u>10E1</u> | Standard Guide for Design of Earthen Wall Building Systems | IRC | | | | |
| E2393-10 A <u>a(2015)</u> | Standard Practice for On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barrier | IBC | | | | |
| E2397 <u>/E2397M</u> - 11 -2015 | Standard Practice for Determination of Dead Loads and Live Loads Associated with <u>Vegatative</u> Green Roof Systems | IBC | | | | |
| E2404-15a | Standard Practice for Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) and Wood Wall or Ceiling Coverings, Facing and Veneers to Assess Surface Burning Characteristics | IBC | IFC | | | |
| E2556 <u>/E2556M</u> -10 | Standard Specification for Vapor Permeable Flexible Sheet Water- Resistive Barriers Intended for Mechanical Attachment | IBC | | | | |
| E2570 <u>/E2570</u> —07 <u>(2014)E1</u> | Standard Test Method for Evaluating Water-Resistive Barrier (WRB) Coatings Used Under Exterior Insulation and Finish Systems (EIFS) for EIFS with Drainage | IBC | IRC | | | |

| | Standard Practice for Specimen | | | | | | |
|---------------------------------|---|-----|-------|-------|-------|--|--|
| E2599-15 | Preparation and Mounting of Reflective Insulation Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics | IBC | | | | | |
| E2634-11 <u>(2015)</u> | Standard Specification for Flat Wall Insulating Concrete Form (ICF) Systems | IBC | IRC | | | | |
| E2727-10 <u>E1</u> | Standard Practice for Assessment of Rainwater Quality | IPC | | | | | |
| E2751 <u>/E2751M</u> -44-13 | Standard Practice for Design and Performance of Supported Laminated Glass Walkways | IBC | | | | | |
| F437- 09<u>15</u> | Specification for Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80 | IPC | IRC | ISPSC | IMC | | |
| F438- 09 15 | Specification for Socket-Type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40 | IPC | IRC | IMC | ISPSC | | |
| F439- 12<u>13</u> | Specification for Socket Type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80 | IPC | IRC | IMC | ISPSC | | |
| F441/F441M-4 3 15 | Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80 Specification for Chlorinated Poly | IPC | IRC | IMC | | | |
| F442/F442M-13 <u>E1</u> | (Vinyl Chloride) (CPVC) Plastic Pipe (SDR-PR) | IPC | IRC | IMC | | | |
| F447- 10<u>14</u> | Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe | IPC | IPSDC | IRC | | | |
| F493- 10 14 | Specification for Solvent Cements for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe and Fittings | IPC | IRC | IMC | | | |
| F628- 08 12E1 | Specification for Acrylonitrile- Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe with a Cellular Core | IPC | IPSDC | IRC | | | |
| F656- 10<u>15</u> | Specification for Primers for Use in Solvent Cement Joints of Poly (Vinyl Chloride) (PVC) Plastic Pipe and Fittings | IPC | IPSDC | IRC | | | |
| F876- 2013<u>15A</u> | Specification for Crosslinked Polyethylene (PEX) Tubing | IPC | IRC | IMC | | | |
| F877-2011A | Specification for Crosslinked Polyethylene (PEX) Plastic Hot-and Cold-Water Distribution Systems | IPC | IRC | IMC | | | |
| F1085- 10 14 | Standard Specification for Mattress and Box Springs Use in Berths in Marine Vessels | IFC | | | | | |
| F1085- 10 14 | Standard Specification for Mattress and Box Springs Use in Berths in Marine Vessels | IFC | | | | | |
| F1476-07 <u>(2013)</u> | Standard Specification for Performance of Gasketed Mechanical Couplings for Use in Piping Applications | IMC | IPC | | | | |

| | Chaption for Constructed | | | | | | |
|-----------------------------------|---|-----|-------|-----|------|--|--|
| F1488- 09E1<u>14</u> | Specification for Coextruded Composite Pipe | IPC | IPSDC | IRC | | | |
| F1548-01 (2006) (2012) | Standard Specification for the Performance of Fittings for Use with Gasketed Mechanical Couplings Used In Piping Applications | IPC | | | | | |
| F1554- 07a<u>15</u> | Specification for Anchor Bolts, Steel 36, 55 and 105 ksi Yield Strength | IRC | | | | | |
| F1667- 11E1<u>15</u> | Specification for Driven Fasteners: Nails, Spikes, and Staples | IBc | IRC | | | | |
| F1807- 2013<u>15</u> | Specifications for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing | IPC | IRC | IMC | | | |
| F1866- 07<u>13</u> | Specification for Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Draniage and DWV Fabricated Fittings | IPC | IRC | | | | |
| F1960- 12<u>15</u> | Specification for Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing | IPC | IRC | | | | |
| F1970-12 <u>E1</u> | Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems | IPC | IRC | | | | |
| F1973- 08<u>13E1</u> | Standard Specification for Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems | IRC | IFGC | | | | |
| F1974-09 <u>(2015)</u> | Specification for Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe | IPC | IRC | IMC | | | |
| F2080- 12 15 | Specification for Cold-Expansion Fittings with Metal Compression- Sleeves for Cross-linked Polyethylene (PEX) Pipe | IPC | IRC | | | | |
| F2090- 10 13 | Specification for Window Fall Prevention Devices with Emergency Escape (Egress) Release Mechanisms | IBC | IRC | IFC | IEBC | | |
| F2098-08 | Standard-Specification for Stainless Steel Clamps for <u>Securing</u> SDR9 Cross-Linked Polyethylene (PEX) Tubing to Metal <u>Insert</u> and Plastic Insert Fittings | IPC | IRC | | | | |
| F2158-08 <u>(2013)</u> | Standard Specification for Residential Central-Vacuum Tubes and Fittings | IRC | | | | | |

| Standard Reference Number | Title | Referenced in Code(s): | | | | | | tle Referenced | | | | | |
|--|--|------------------------|-----|-----|--|--|--|----------------|--|--|--|--|--|
| AWC | American Wood Council | | | | | | | | | | | | |
| G155- 05a<u>13</u> | Practice for Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials | IBC | | | | | | | | | | | |
| G154- <u>0612a</u> | Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials | IBC | | | | | | | | | | | |
| G152- 06<u>13</u> | Practice for Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials | IBC | | | | | | | | | | | |
| F2855-12 | Standard Specification for Chlorinated Poly (Vinyl Chloride)/Aluminum/Chlorinated Poly (Vinyl Chloride) (CPVC AL CPVC) Composite <u>PressureTubing</u> | IRC | | | | | | | | | | | |
| F2831- 11 2 | Standard Practice for Internal Non Structural Epoxy Barrier Coating Material Used in Rehabilitation of Metallic Pressurized Piping Systems | IPC | | | | | | | | | | | |
| F2806-10 <u>(2015)</u> | Standard Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (Metric SDR-PR) | IMC | IRC | | | | | | | | | | |
| F2769- 10<u>14</u> | Polyethylene or Raised Temperature (PE-RT) Plastic Hot and Cold-Water Tubing and Distribution Systems | IMC | IPC | IRC | | | | | | | | | |
| F2735-09 | Standard Specification for SDR9 Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing | IMC | IPC | IRC | | | | | | | | | |
| F2623- 08<u>14</u> | Standard Specification for Polyethylene of Raised Temperature (PE-RT) SDR 9 Tubing | IMC | IRC | | | | | | | | | | |
| F2434- 09<u>14</u> | Standard Specification for Metal Insert Fittings Utilizing a Copper Crimp ring for SDR9 Cross-Linked Polyethylene (PEX) Tubing and SDR9 Cross-Linked Polyethylene/Aluminum/Cross- Linked Polyethylene (PEX-AL-PEX) Tubing | IPC | IRC | IMC | | | | | | | | | |
| F2389- 10 15 | Specification for Pressure-Rated Polypropylene (PP) Piping Systems | IPC | IRC | IMC | | | | | | | | | |
| F2306/F2306M- 2013<u>14E1</u> | Specification for 12" to 60" 300 to 1500 mm annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Gravity-Flow Storm Sewer and Subsurface Drainage Applications | IPC | IRC | IMC | | | | | | | | | |
| F2200- 13-<u>14</u> | Standard Specification for Automated Vehicular Gate Construction | IBC | | | | | | | | | | | |
| F2200-1 <u>314</u> | Standard Specification for Automated Vehicular Gate Construction | IFC | | | | | | | | | | | |
| F2159- 11<u>14</u> | Specification for Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing | IPC | IRC | IMC | | | | | | | | | |

| ANSI/AWC SDPWS-2015 | Special Design Provisions for Wind and Seismic | IBC | | | | | | | |
|--|--|------------------------|---------|------------|--|--|--|--|--|
| ANSI/AWC WFCM-20152018 | Wood Frame Construction Manual for One- and Two-Family Dwellings | IBC | IRC | | | | | | |
| ANSI/AW S C NDS- 2015 2018 | National Design Specification (NDS) for Wood Construction - with 20152018 Supplement | IBC | IRC | | | | | | |
| AWCI | The Association of the Wall & Ceili | _ | - | ernational | | | | | |
| Standard Reference Number | Title | Referenced in Code(s): | | | | | | | |
| Standard Reference Number | Technical Manual 12-B Standard | Refere | icea in | Code(s): | | | | | |
| 12-B- 04<u>14</u> | Practice for the Testing and Inspection of Field Applied Thin Film Intumescent Fire-Resistive Materials; an Annotated Guide, Second-Third Edition | IBC | | | | | | | |
| AWPA | American Wood Protection Associ | ation | | | | | | | |
| Standard Reference Number | Title | Refere | nced in | Code(s): | | | | | |
| M4-16 | Standard for the Care of Preservative-Treated Wood Products | IBC | IRC | | | | | | |
| U1-16 | USE CATEGORY SYSTEM: User Specification for Treated Wood except Section 6 , Commodity Specification H | IBC | IRC | | | | | | |
| AWS | American Welding Society | | | | | | | | |
| Standard Reference Number | Title | Refere | nced in | Code(s): | | | | | |
| | Structural Welding Code- | | | | | | | | |
| D1.4/D1.4M- 2014<u>2017</u> | Reinforcing Steel Including Metal Inserts and Connections in Reinforced Concrete Construction | IBC | | | | | | | |
| AWWA | American Water Works Association | n | | | | | | | |
| Standard Reference Number | Title | Refere | nced in | Code(s): | | | | | |
| C104/A21.4-08 <u>13</u> | Cement-Mortar Lining for Ductile- Iron Pipe and Fittings for Water | IRC | IPC | | | | | | |
| C507- 11<u>15</u> C651-05<u>14</u> | Standard for-Ball Valves, 6 In. Through 60 In. (150mm Through 1,500mm) Disinfecting Water Mains | IPC IPC | IRC | | | | | | |
| C901- 08<u>16</u> | Polyethylene (PE) Pressure Pipe and Tubing, <u>1/2–3/4</u> in. (<u>13-19</u> mm) through 3 in. (76mm) for Water Service | IMC | IPC | IRC | | | | | |
| C903- 05<u>16</u> | Polyethylene-Aluminum- Polyethylene (<u>PE-AL-PE)</u> & Crosslinked Polyethylene-Composite Pressure Pipe (12mm) (1/2) in through (50 - <u>51</u> mm) (2 ⁻ in) for Water Servi | IRC | | | | | | | |
| C904- 08<u>16</u> | Cross-Linked Polyethylene (PEX) Pressure Pipe - <u>Tubing</u> 1/2 in. (<u>4213</u> mm) Through 3 In. (76mm) for Water Service | IPC | IRC | | | | | | |
| D100- 05 11 | Standard for-Welded Carbon Steel Tanks for Water Storage | IPC | | | | | | | |
| D115- 06 16 | Standard for Tendon Prestressed- Concrete Water Tanks | IPC | | | | | | | |
| | | | | | | | | | |

Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

33

| Standard Reference Number | Title | Refere | nced in (| Code(s): | | | | | |
|---|--|------------------------|-----------|----------|--|--|--|--|--|
| BS EN 459- 2010-<u>2015</u> | Part 1 Building Lime, Definitions and Conformity Criteria, Part 2 Test Methods | IRC | | | | | | | |
| CEN | European Committee for Standard | ization | | | | | | | |
| Standard Reference Number | Title | Referenced in Code(s): | | | | | | | |
| EN 1081: 1998 | Resilient Floor Coverings - Determination of the Electrical Resistance | IBC | IFC | | | | | | |
| CGA | Compressed Gas Association | | | | | | | | |
| Standard Reference Number | Title | Refere | nced in | Code(s): | | | | | |
| ANSI/G13- 06<u>13(2015)</u> | Storage and Handling of Silane and Silane Mixtures (an American National Standard) | IFC | | | | | | | |
| ANSI/P-18 (2006) <u>(2013)</u> | Standard for Bulk Inert Gas Systems (an American National Standard) | IFC | | | | | | | |
| C-7 (2011) (2014) | Guide to <u>Classification</u> <u>and Preparation of Precautionary</u> Labeling and Marking of Compressed Gas Containers <u>Gases</u> | IFC | | | | | | | |
| P-1 (2000)(2015) | <u>Standard for</u> Safe Handling of Compressed Gases in Containers | IFC | | | | | | | |
| S-1.1 (2011) (2017) | Pressure Relief Device Standards - Part 1 Cylinders for Compressed Gases | IFC | IFGC | | | | | | |
| S-1.2 (2009) | Pressure Relief Device Standards - Part 2 - Cargo and Portable Tanks for Compressed Gases | IFC | IFGC | | | | | | |
| S-1.3 (2008) <u>(2016)</u> | Pressure Relief Device Standards- Part 3 - Stationary Storage Containers for Compressed Gases | IFC | IFGC | | | | | | |
| V-1- (2005)(2013) | Standard for Compressed Gas Cylinder Valve Outlet and Inlet Connections | IFC | | | | | | | |
| CISPI | Cast Iron Soil Pipe Institute | | | | | | | | |
| Standard Reference Number | Title | Refere | nced in | Code(s): | | | | | |
| 301- 04a<u>12</u> | Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste and Vent Pipings Applications | IRC | IPC | IPSDC | | | | | |
| 310- 04<u>12</u> | Specification for Coupling for Use in Connection with Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications | IRC | IPC | IPSDC | | | | | |
| CPA | Composite Panel Association | 1 | | | | | | | |
| Standard Reference Number | Title | Refere | nced in | Code(s): | | | | | |
| A208.1- 09 2016 | Particleboard | IBC | | | | | | | |
| CRRC | Cool Roof Rating Council | _ | | | | | | | |
| Standard Reference Number | Title | Refere | nced in | Code(s): | | | | | |
| ANSI/CRRC -1 S100- 2012 -2016 | CRRC-1-Standard <u>Test Methods for</u> Determining Radiative Properties of Materials | IECC-C | | | | | | | |



| A112.18.1- 2012 _ <u>2017</u> /CSA B125.1- 2012<u>17</u> | Plumbing Supply Fittings | IPC | IRC | | | | | |
|--|--|------------|------------|-------|-------|-----|--|--|
| A112.18.2 -2011 2015/CSA B125.2- 2011 2015 | Plumbing Waste Fittings | IRC | IPC | | | | | |
| A112.18.6 <u>-2017</u> /CSA B125.6- 2009 17 | Flexible Water Connectors | IRC | | | | | | |
| A257.3 M-2009<u>14</u> | Joints for Circular Concrete Sewer and Culvert Pipe, Manhole Sections and Fittings Using Rubber Gaskets | IRC | | | | | | |
| AAMA/WDMA/CSA 101/1.S.2/A440-44 <u>16</u> | North American Fenestration Standard/Specifications for Windows, Doors and Unit Skylights | IBC | IECC | IRC | | | | |
| ASME/A17.1/CSA B44- 20132016 | Safety Code for Elevators and Escalators | IRC | | | | | | |
| ASME A112.3.4-2013/CSA B 45.9- 99 (R2013)-<u>13</u> | Macerating Systems and Related Components | IPC | IRC | | | | | |
| ASME A112.19.5- 2011<u>2017</u>/CSA/B45.15-<u>201117</u> | Flush Valves and Spuds Water Closets, Urinals and Tanks | IRC | IPC | | | | | |
| ASME A112.19.7- 2012 2017/CSA B45.10- 2012 17 | Hydromassage Bathtubs Systems | IPC | | | | | | |
| ASSE 1016 <u>-2017</u> /ASME 112.1016 <u>-2017/</u> CSA B125.16- 2011 2017 | Performance Requirements for Automatic Compensating Valves for Individual Showers and Tub/Shower Combinations | IRC | | | | | | |
| B64.1.1- 11 <u>16</u> B64.1.2- 11 <u>16</u> | Vacuum Breakers, Atmospheric Type (AVB) Pressure Vacuum Breakers (PVB) | IRC IRC | IPC IPC | | | | | |
| B64.1.3- 11 _16 | Spill Resistant Pressure Vacuum Breakers (SRPVB) | IPC | IRC | | | | | |
| B64.1.3- 11 16 | Spill Resistant Pressure Vacuum Breakers (SRPVB) | IPC | IRC | | | | | |
| B64.2- 07- 16 | Hose connection vacuum breakers (HCVB) | IRC | IPC | | | | | |
| B64.2- 11<u>16</u> | Vacuum Breakers, Hose Connection Type (HCVP) | IRC | IPC | | | | | |
| B64.2.1- 11 16 | Vacuum Breakers, Hose Connection (HCVB) with Manual Draining Feature | IRC | IPC | | | | | |
| B64.2.2- 07<u>16</u> | Hose Connection Vacuum Breakers (HCVB) with Automatic Draining Feature | IRC | IPC | | | | | |
| B64.6- 11 16 | Dual Check Valve Backflow Preventers (DuC) | IPC | IRC | | | | | |
| B64.10.1- 07 11 | Manual for the Maintenance and Field Testing of Backflow Prevention Devices | IPC | | | | | | |
| B137.1- 13 16 | Polyethylene (PE) Pipe, Tubing and Fittings for Cold Water Pressure Services | IRC | IPC | IMC | | | | |
| B137.2- 13 16 | Polyvinylchloride PVC Injection- Moulded Gasketed Fittings for Pressure Applications | IRC | IPC | ISPSC | IMC | | | |
| B137.3- 13 16 | Rigid Poly (Vinyl Chloride) (PVC) Pipe for Pressure Applications | IRC | IPC | IPSDC | ISPSC | IMC | | |
| B137.10M- 13 16 | Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Composite Pressure-Pipe Systems | IRC | IPC | IMC | | | | |



| B137.11- 13 16 | Polypropylene (PP-R) Pipe and Fittings for Pressure Applications | IRC | IPC | | | | |
|---|--|-------|------------|-------|--|------|--|
| B181.1- 11_<u>15</u> | Acrylonitrile-butadiene-styrene (ABS) Drain, Waste, and Vent Pipe and Pipe Fittings | IRC | IPC | IPSDC | | | |
| B181.2- 11 5 | Polyvinylchloride PVC Drain, and chlorinated polyvinylchloride (CPVC) Drain, Waste, and Vent Pipe and Pipe Fittings | IRC | IPC | IPSDC | | | |
| B181.3- 11<u>15</u> | Polyolefin and polyvinylidene (PVDF) Laboratory Drainage Systems | IRC | IPC | | | | |
| B182.4- 11 <u>15</u> | Profile PVC Sewer Pipe and Fittings Profile Polyethylene (PE) Sewer Pipe and Fittings for leak proof | IRC | IPC | IPSDC | | | |
| B182.6- 11 15 | sewer applications | IRC | IPC | | | | |
| B182.8- 11<u>15</u> | Profile Polyethylene (PE) Storm Sewer and Drainage Pipe and Fittings | IRC | IPC | | | | |
| B483.1-07 <u>(R2012)</u> | Drinking Water Treatment Systems | IRC | | | | | |
| B602- 10<u>15</u> | Mechanical Couplings for Drain, Waste, and Vent Pipe and Sewer Pipe | IRC | IPC | | | | |
| C22.2 No. 108-01 (R2010)14 | Liquid pump <u>s</u> | ISPSC | | | | | |
| CAN/ CSA A257.1 M-2009-14 | Non-reinforced circular concrete culvert, storm drain, sewer pipe and fittings | IRC | IPC | IPSDC | | | |
| CAN/CSA -A257.2 M-2009-<u>14</u> | Reinforced circular concrete culvert, storm drain, sewer pipe, and fittings Design and installation of earth | IRC | IPC | IPSDC | | | |
| CAN/CSA C448 Series- 02-CSA-2002_16 | energy systems -First Edition; Update 2: October 2009; Consolidated Reprint 10/2009 | IRC | IMC | | | | |
| CSA <u>90</u> 325-07 | Construction Sheathing | IRC | | | | | |
| CSA 8-93 | Requirements for Gas-Fired Log Lighters for Wood Burning Fireplaces with Revisions through January 1999 | IRC | IFGC | | | | |
| CSA B45.5-44 <u>17</u> /IAPMO Z124- 2011 2017 | Plastic Plumbing Fixtures | IRC | IPC | | | | |
| CSA B55.1- 2012 2015 | Test Method for measuring efficiency and pressure loss of drain water heat recovery units | IECC | | | | | |
| CSA B55.2- 2012 2015 | Drain water heat recovery units | IECC | | | | | |
| | Hose connection vacuum breakers (HCVB) | | | | | | |
| <u>CSA</u> B64.2- 07 16 CSA B64.2.1.1- 11 16 | (HCVB) Hose Connection Dual Check Vacuum Breakers (HCDVB) | IRC | IPC IPC | | | | |
| | Hose Connection Vacuum Breakers (HCVB) with Automatic Draining | | | | | | |
| <u>CSA</u> B64.2.2- 07 <u>16</u> | Feature Vacuum Breakers, Hose Connection | IRC | IPC | | | | |
| <u>CSA</u> B64.2.2- 11 _ <u>16</u> | Type (HCVP) with Automatic Draining Feature | IRC | IPC | | | | |
| <u>CSA</u> B64.3- 11 16 | Dual Check Valve Backflow Preventers Atmospheric Port (DCAP) | IRC | IPC | | | | |



Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

| | Standard for the Flammability of Mattress and Mattress Pads (FF 4- | | | | | | | |
|--|--|---------|------------|-----------|----------|-----|------|---|
| Standard Reference Number | Title | Referer | nced in (| Code(s): | | | | |
| DOC | United States Department of Comm | | | | | | | |
| ANSI/DASMA 115- 2012 2016 | Standard Method for Testing Sectional Garage Doors, and Rolling Doors and Flexible Doors: Determination of Structural Performance Under Missile Impact and Cyclic Wind Pressure | IBC | IRC | | | | | |
| ANSI/DASMA 108- 2012 2017 | Standard Method for Testing Sectional Garage Doors, and Rolling Doors and Flexible Doors. Determination of Structural Performance Under Uniform Static Air Pressure Difference | IBC | IRC | | | | | |
| ANSI/DASMA 107- 1997 (R2012) 2017 | Room Fire Test Standard for Garage Doors Using Foam Plastic Insulation | IBC | | | <u> </u> | | | |
| ANSI/DASMA 105- <u>20122016</u> | Title Test Method for Thermal Transmittance and Air Infiltration of Garage Doors and Rolling Doors | IECC | icea in (| Code(s): | | | | |
| DASMA Standard Reference Number | Doors and Access Systems Manufa | | | | | iai | | |
| Z21.88/CSA 2.33- 15 2016 | Vented Gas Fireplace Heaters | IRC | IFGC | diam lint | | | | |
| Z21.56a/CSA 4.7-20132017 | Gas-Fired Pool Heaters | ISPSC | 1505 | | | | | _ |
| Z21.50/CSA 2.22- 2012 2016 | Vented Gas Fireplace Heaters | IRC | IFGC | | | | | |
| UL/<u>CAN/</u>CSA/<u>ANCE-C22.2 NO.</u>60335-2- 40-2012 | Standard for <u>Safety of</u> Household and Similar Electrical Appliances, Part 2 <u>-40</u> : Particular Requirements for <u>Motor Compressors electrical</u> <u>heat pumps, air-conditioners and</u> <u>dehumidifiers</u> | IRC | | | | | | |
| CSA C22.2 No. 236- 2011 <u>15</u> | Heating and cooling equipment | ISPSC | IMC | | | | | |
| CSA C22.2 No. 218.1- M89(R2011)<u>13</u> | Spas, hot tubs and associated equipment | ISPSC | IMC | | | | | |
| CSA B137.9- 13 16 | Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure- Pipe Systems | IRC | IMC | | | | | |
| CSA B137.6- 13<u>16</u> | Chlorinated Polyvinylchloride CPVC Pipe, Tubing and Fittings for Hot and Cold Water Distribution Systems | IRC | IPC | ISPSC | IMC | | | |
| CSA B137.5- 13<u>16</u> | Cross-Linked Polyethylene (PEX) Tubing Systems for Pressure Applications | IRC | IPC | IMC | | | | |
| <u>CSA</u> B64.5.1-44 <u>16</u> <u>CSA</u> B64.7-44 <u>16</u> | (DCVAF) Laboratory Facet Vacuum Breakers (LFVB) | IRC | IPC IPC | | | | | |
| CSA B64.5- <u>1116</u> | (DCVA) Double Check Valve Backflow Preventers Type for Fire Systems | IRC | IPC | | | | | |
| <u>CSA</u> B64.4.1- 11 <u>16</u> | Sprinklers (RPF) Double Check Backflow Preventers | IRC | IPC | | | | | |
| CSA B64.4- 11 <u>16</u> | Pressure Principle (RP) Reduced Pressure Principle for Fire | IRC | IPC | | | | | |



Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

| DOE | U.S. Department of Energy | | | | | |
|--|---|---------|----------|----------|-------|------|
| Standard Reference Number | Title | Referen | ced in | Code(s): | | |
| 10 CFR, Part 430- 1998 2015 | Energy Conservation Program for Consumer Products: Test Procedures and Certification and Enforcement Requirement for Plumbing Products; and Certification and Enforcement Requirements for Residential Appliances; Final Rule | IECC-C | | | | |
| 10 CFR Part 430, Subpart B, Appendix N (1998)<u>(</u>2015) | Uniform Test Method for Measuring the Energy Consumption of Furnaces and Boilers | IECC-C | | | | |
| 10 CFR Part 431, 2004 (2015) | Energy Efficiency Program for Certain Commercial and Industrial Equipment: Test Procedures and Efficiency Standards Final Rules | IECC-C | | | | |
| DOL | U. S. Department of Labor | 1 | | | | |
| Standard Reference Number | Title | Referen | ced in | Code(s): | | |
| 29 CFR Part 1910.1000 (2009)(2015) | Air Contaminants | IBC | IFC | IMC | | |
| 29 CFR Part 1910.1025 (2009)(2015) | Toxic and Hazardous Substances | IMC | | | | |
| 29 CFR Part 1910.1200 (2009)(2015) | Hazard Communication | IFC | | | | |
| DOTn | Department of Transportation | | | | i | |
| Standard Reference Number | Title | Referen | ced in | Code(s): | | |
| 33 CFR Part 154 (1998)<u>(</u>2015) | Facilities Transferring Oil or Hazardous Material in Bulk | IFC | | | | |
| 33 CFR Part 155 (1998) (2015) | Oil or Hazardous Material Pollution Prevention Regulations for Vessels | IFC | | | | |
| 33 CFR Part 156 (1998)<u>(</u>2015) | Oil and Hazardous Material Transfer Operations | IFC | | | | |
| 49 CFR Part 172- 2009 2015 | Hazardous Materials Tables, Special Provisions, Hazardous Materials Communications, Emergency Response Information and Training Requirements | IBC | IFC | | | |
| 49 CFR Parts 100 to 185- 2005(2015) | Hazardous Materials Regulations | IBC | IFC | | | |
| 49 CFR Parts 173-178 (1998) 2015 | Specification of Transportation of Explosive and Other Dangerous Articles, UN 0335, UN 0336 Shipping Containers | IBC | | | | |
| DOTy | U. S. Department of Treasury | | | | | |
| Standard Reference Number | Title | Referen | ced in | Code(s): | | |
| 27 CFR Part 55 (1998)(2015) | Commerce in Explosives | IFC | | | | |
| EPA | Environmental Protection Agency | | | | | |
| Standard Reference Number | Title | Referen | ced in | Code(s): | | |
| 40 CFR Part 355- 2008 2015 | Emergency Planning and Notification | IFC | | | | |
| FCC | Federal Communications Commiss | sion | <u> </u> | | | |
| Standard Reference Number | Title | Referen | ced in | Code(s): | | |
| 47 CFR Part 90.219- 2007<u>2014</u> | Private Land Mobile Radio Services- Use of Signal Boosters | IFC | | | | |
| | | 1 | | | | |
| FM | FM Global | | | | | |

| 4470- <u>20122016</u> | Approval Standard for Single-Ply Poymer-Modified Bitumen Sheet, Built-Up Roof (BUR) and Liquid Applied Roof Assemblies for Use in Class 1 and Non-combustible Roof Deck Construction | IBC | | | | | | | |
|------------------------------------|--|-----------|----------|------------|-------|-------|-------|-------|------------------|
| 4496- 13 2016 | Approval Standard for Classification of Pallets and other Materials Handling Products as Equivalent to Wood Pallet | IFC | | | | | | | |
| 4880 (2010)2015 | Approval Standard for Class 1 Rating of Insulated Wall or Wall and Roof/Ceiling Building Panels,- <u>or</u> Interior Finish Materials , or Coatings and Exterior Finish Systems | IBC | IRC | | | | | | |
| GA | Gypsum Association | 120 | | | | | | | |
| Standard Reference Number | Title | Referen | iced in | Code(s) | • | | | | |
| GA-216- 2013 2016 | Application and Finishing of Gypsum Panel Products | IBC | | 0000(0) | • | | | | |
| GA-253- 2012 2017 | Application of Gypsum Sheathing | IRC | | | | | | | |
| GA-600- <u>20122015</u> | Fire Resistance Design Manual, 20th21st Edition | IBC | | | | | | | |
| HPVA | Hardwood Plywood and Veneer As | sociatior | า | | | | | | 1 |
| Standard Reference Number | Title | Referen | | Code(s) | : | | | | |
| ANSI/HPVA HP-1-20132016 | American National Standard for Hardwood and Decorative Plywood | IBC | | | | | | | |
| ІАРМО | International Association of Plumb | ing and M | /lechani | ical Offic | cials | | | | 1 |
| Standard Reference Number | Title | Referen | iced in | Code(s) | | | | | |
| IAPMO Z124.7- 2012 2013 | Prefabricated Plastic Spa Shells | ISPSC | | | | | | | |
| IAPMO-Z1001-20072014 | Prefabricated Gravity Grease Interceptors | IPC | | | | | | | |
| ICC | International Code Council | | | | | | | | |
| Standard Reference Number | Title | Referen | iced in | Code(s) | • | | | | |
| IBC- 15 18 | International Building Code | IRC | IFC | IMC | IPC | IPSDC | IFGC | IECC | _{IEB} C |
| ICC 300-4 <u>217</u> | ICC Standard on Bleachers, Folding and Telescopic Seating, and Grandstands | IBC | IFC | IEBC | | | | | |
| ICC 400-4 <u>217</u> | Standard for The Design and Construction of Log Structures | IBC | IRC | IECC- R | | | | | |
| ICC A117.1-09 | Accessible and Usable Buildings and Facilities | IFC | IZC | IEBC | IPC | IRC | IBC | | |
| IEBC- 15 18 | International Existing Building Code | IBC | IRC | IPC | IMC | IFGC | IECC | IPMC | IPC |
| IECC- 15- 18 | International Energy Conservation Code | IBC | IRC | IMC | IFGC | IPMC | IPSDC | | |
| IFC- 15 18 | International Fire Code | IBC | IRC | IMC | IPC | IFGC | IWUIC | IEBC | ІРМС |
| IFGC- <u>1518</u> | International Fuel Gas Code | IBC | IRC | IFC | IMC | IPC | IECC | ISPSC | IEBC |
| IMC- 15 18 | International Mechanical Code | IBC | IRC | IFC | IPC | IFGC | IECC | | + |
| IPC 15<u>18</u> | International Plumbing Code | IBC | IRC | IFC | IMC | IPSDC | IFGC | IEBC | |

| | Inacional Association of Architectu | iai wetal | wanud | 5 UI EI S | | | | | |
|-----------------------------------|---|-------------------|---------------|-----------|----------|--------|------|------|-----|
| SP-110-2010 <u>a</u> NAAMM | and Flared Ends National Association of Architectu | IPC | IRC Manufa | cturore | | | | | |
| SP-80- 2008 2013 | Ball Valves, Threaded, Socket Welded ing, Solder Joint, Grooved | IPC | IRC | | | | | | |
| SP-78- <u>20112013</u> | Bronze Gate, Globe, Angle and Check Valves | IPC | IRC | | | | | | |
| | Cast Iron Plug Valves, Flanged and Threaded Ends | | | | | | | | |
| SP-72-2010a | Ball Valves with Flanged or Butt- Welding Ends for General Service | IPC | IRC | | | | | | |
| SP-71- 2011 2013 | GreyGray Iron Swing Check Valves, Flanged and Threaded Ends | IPC | IRC | | | | | | |
| SP-70- 2011<u>2</u>013 | Gray Iron Gate Valves, Flanged and Threaded Ends | IPC | IRC | | | | | | |
| SP-42- <u>20092013</u> | Corrosion Resistant Gate, Globe, Angle and Check Valves with Flanged and Butt Weld Ends (Classes 150, 300 & 600) | IPC | IRC | | | | | | |
| Standard Reference Number | Title | Referen | | | - | | | | |
| ANSI/ISEA Z358.1-20092014 MSS | Manufacturers Standarization Soci | IPC ety of the | Valve | and Fitt | ings Ind | lustry | | | |
| | Emergency Eyewash and Shower Equipment | | | | | | | | |
| Standard Reference Number | Title | Referen | | Code(s) | : | | | | |
| ISEA | the International Safety Equipmen | | tion | | | | | | |
| C10- 2011 2016 | IKECA C10, Standard for the Methodology for Cleaning for Commercial Kitchen Exhaust Systems | IFC | | | | | | | |
| Standard Reference Number | Title | Referen | iced in | Code(s) | • | | 1 | | |
| IKECA | International Kitchen Exhaust Clea | - | | | | | | | |
| IIAR 0 2-2014 | Addendum A to Equipment, <u>Safe</u> Design, and Installation of <u>Closed-Circuit</u> Ammonia Mechanica l Refrigerating Systems | IMC | IFC | | | | | | |
| Standard Reference Number | Title | Referen | iced in | Code(s) | • | | 1 | | |
| IIAR | International Institute of Ammonia | - | | | | | | | |
| ANSI/ASHRAE/IESNA 90.1-20132016 | Energy Standard for Buildings Except Low-Rise Residential Buildings | IECC | | (-) | | | | | |
| Standard Reference Number | Title | Referen | ced in | Code(s) | : | | | | |
| IZC- <u>4518</u> IES | International Zoning Code Illuminating Engineering Society | IBC | IMC | | | | | | |
| IWUIC-15 <u>18</u> | International Wildland-Urban Interface Code | IBC | IFC | IPMC | | | | | |
| ISPSC-15-18 | International Swimming Pool and Spa Code | IECC | IFC | IFGC | IMC | IPC | IRC | | |
| IRC- <u>1518</u> | International Residential Code | IBC | IFC | IMC | IFGC | IEBC | IPC | IPMC | IPS |
| IPSDC- 15 18 | International Private Sewage Disposal Code | IBC | IPC | IRC | | | | | |
| IPMC- 15-<u>18</u> | International Property Maintenance Code | IBC | IRC | IFC | IEBC | IWUIC | IFGC | IMC | IPC |



| FP 1001- 0717 | Guide Specifications for Design of Metal Flag Poles , Fourth Edition | IBC | | | | | |
|-------------------------------|--|-----------|---------|---------|-----|------|------|
| NEMA | National Electrical Manufacturers | Associati | on | | | | |
| Standard Reference Number | Title | Referer | nced in | Code(s) | : | | |
| MG1- 1993 2014 | Motors and Generators | IECC-C | | | | | |
| Z535- 2006 2017 | ANSI/NEMA Color Chart Enclosures for Electrical Equipment | ISPSC | | | | | |
| 250- 2003 2014 | (1000 Volts Maximum) | IFC | | | | | |
| NFPA | National Fire Protection Association | on | | | | | |
| Standard Reference Number | Title | Referer | nced in | Code(s) | : | | |
| 02- 11<u>16</u> | Hydrogen Technologies Code | IFC | | | | | |
| 10- 13<u>17</u> | Standard for Portable Fire Extinguishers | IFC | IBC | | | | |
| 11- 10<u>15</u> | Standard for Low-, Medium-, and High-Expansion Foam Standard on Carbon Dioxide | IFC | IBC | | | | |
| 12- 11 15 | Extinguishing Systems | IFC | IBC | | | | |
| 12A- 09 15 | Standard on Halon 1301 Fire Extinguishing Systems | IFC | IBC | | | | |
| 13- 13<u>16</u> | Standard for the Installation of Sprinkler Systems | IFC | IBC | IRC | | | |
| 13D- 13<u>16</u> | Standard for the Installation of Sprinkler Systems in One- and Two- Family Dwellings and Manufactured Homes | IFC | IRC | IBC | | | |
| 13R- 13<u>16</u> | Standard for the Installation of Sprinkler Systems in <u>Low-Rise</u> Residential Occupancies | IBC | IEBC | IRC | | | |
| 14- 13<u>16</u> | Standard for the Installation of Standpipe, Private Hydrants a nd Hose Systems | IFC | IBC | | | | |
| 15- 12<u>17</u> | Standard for Water Spray Fixed Systems for Fire Protection | IFC | | | | | |
| 16- 11 - <u>15</u> | Standard for the Installation of Foam-Water Sprinkler and Foam- Water Spray Systems Standard for Wet Chemical | IFC | IBC | | | | |
| 17- 13<u>17</u> | Extinguishing Systems | IFC | IBC | | | | |
| 17A- 13<u>17</u> | Standard for Wet Chemical Extinguishing Systems | IFC | IBC | | | | |
| 20- 13<u>16</u> | Standard for the Installation of Stationary Pumps for Fire Protection | IFC | IBC | | | | |
| 22- 13 18 | Standard for Water Tanks for Private Fire Protection | IFC | | | | | |
| 24- 13<u>16</u> | Standard for the Installation of Private Fire Service Mains and Their Appurtenances | IFC | | | | | |
| 25- 14<u>17</u> | Standard for the Inspection, Testing and Maintenance of Water-Based Fire Protection Systems | IFC | IPMC | | | | |
| 30- 15<u>18</u> | Flammable and Combustible Liquids Code | IFC | IBC | | | | |
| 30A- 15 18 | Code for Motor Fuel Dispensing Facilities and Repair Garages | IFC | IMC | IFGC | IBC | | |

| 31-44 <u>15</u> | Standard for the Installation of Oil- Burning Equipment | IFC | IRC | IMC | IBC | | | |
|------------------------------|---|-----|------|------|-------|------|---|--|
| 32- 11<u>15</u> | Standard for Drycleaning Plants | IFC | IBC | | | | | |
| 33- 11<u>16</u> | Standard for Spray Application Using Flammable or Combustible Materials | IFC | | | | | | |
| 34-11 <u>15</u> | Standard for Dipping and Coating Processes Using Flammable or Combustible Liquids | IFC | | | | | | |
| 35- 11<u>15</u> | Standard for the Manufacture of Organic Coatings | IFC | | | | | | |
| 37- 15<u>18</u> | Standard for the Installation and Use of Stationary Combustion Engines and Gas Turbines | IMC | IFGC | | | | | |
| 40- 11<u>16</u> | Standard for the Storage and Handling of Cellulose Nitrate Film | IFC | IBC | | | | | |
| 51- 13- 18 | Standard for the Design and Installation of Oxygen-Fuel Gas Systems for Welding, Cutting, and Allied Processes | IFC | IPC | IFGC | | | | |
| 52- 13<u>16</u> | Vehicular Gaseous Fuel Systems Code Compressed Gases and Cryogenic | IFC | | | | | | |
| 55- 13<u>16</u> | Fluids Code | IFC | | | | | | |
| 56- 14<u>17</u> | Standard for Fire and Explosion Prevention during Cleaning and Purging of Flammable Gas Piping Systems | IFC | | | | | | |
| 58- 1 4 <u>17</u> | Liquefied Petroleum Gas Code | IFC | | | | | | |
| 59A- 13 16 | Standard for the Production, Storage and Handling of Liquefied Natural Gas (LNG) | IFC | | | | | | |
| 61- 13<u>17</u> | Standard for the Prevention of Fires and Dust Explosions in Agricultural and Food Processing Facilities | IFC | IBC | | | | | |
| 70-1417 | National Electrical Code | IRC | IEBC | IBC | IWUIC | IPMC | | |
| 72- <u>1316</u> | National Fire Alarm and Signaling Code | IFC | IBC | IRC | IMC | IEBC | | |
| 80- 13 16 | Standard for Fire Doors and Other Opening Protectives | IFC | IBC | | | 1200 | | |
| 91- 10 15 | Standard for Exhaust Systems for Air Conveying of Vapors, Gases, Mists, and Particulate Solids | IMC | | | | | | |
| 91- 10<u>15</u> | Standard for Exhaust Systems for Air Conveying of Vapors, Gases, Mists, and Particulate Solids | IMC | | | | | | |
| 92- 12<u>15</u> | Standard on Smoke Control Systems | IFC | IBC | IMC | | | | |
| 96- <u>1417</u> | Standard for Ventilation Control and Fire Protection Commercial Cooking Operations | IMC | | | | | | |
| 99- 15 18 | Health Care Facilities Code | IBC | IFC | IEBC | IPC | | _ | |
| 101- 15 18 | Life Safety Code | IBC | IFC | IEBC | | | | |
| 105-13 <u>16</u> | Standard for the Installation of Smoke Door Assemblies and Other Opening Protectives | IBC | IFC | | | | | |

| 110- 13 16 | Standard for Emergency and Standby Power Systems | IFC | IBC | IECC | | |
|-----------------------------|--|-----|------|------|--|--|
| 120- 10 15 | Standard for Fire Prevention and Control in Coal Mines | IFC | IBC | | | |
| | Standard Use of Flame Effects | 150 | | | | |
| 160- <u>1116</u> | Before an Audience Standard for Fire Safety and Emergency Symbols | IFC | 100 | | | |
| 170- 15 18 | Standard for Smoke and Heat Venting | IFC | IBC | | | |
| 204- 12<u>15</u> | Standard for Chimneys, Fireplaces, Vents and Solid Fuel-Burning | IFC | | | | |
| 211- 13<u>16</u> | Appliances Standard for High Challenge Fire | IMC | IFGC | | | |
| 221- 15 18 | Walls, Fire Walls and Fire Barrier Walls | IBC | | | | |
| 241- 13<u>18</u> | Standard for Safeguarding Construction, Alteration, and Demolition Operations | IFC | | | | |
| 252- 12<u>17</u> | Standard Methods of Fire Tests of Door Assemblies | IBC | | | | |
| 253- <u>41-15</u> | Standard Method of Test for Critical Radiant Flux of Floor Covering Systems Using a Radiant Heat Energy Source | IBC | IFC | | | |
| 257- 12<u>17</u> | Standard on Fire Test for Window and Glass Block Assemblies | IBC | | | | |
| 259- 13<u>18</u> | Standard Test Method for Potential Heat of Building Materials | IBC | IRC | | | |
| 260- 13<u>18</u> | Standard Methods of Tests and Classification System for Cigarette Ignition Resistance of Components of Upholstered Furniture | IFC | | | | |
| 261- 13 18 | Standard Method of Test for Determining Resistance of Mock-Up Upholstered Furniture Material Assemblies to Ignition by Smoldering Cigarettes | IFC | | | | |
| 262- 11<u>15</u> | Standard Method of Test for Flame Travel and Smoke of Wires and Cables for Use in Air-Handling Spaces | IMC | IBC | | | |
| 265-44 <u>15</u> | Standard Methods of Fire Tests for Evaluating Room Fire Growth Contribution of Textile or Expanded Vinyl Wall overings on Full Height Panels and Walls | IBC | IFC | | | |
| 268- 12 17 | Standard Test Method for Determining Ignitibility of Exterior Wall Assemblies Using a Radiant Heat Energy Source | IBC | | | | |
| 268- 12<u>17</u> | Standard Test Method for Determining Ignitibility of Exterior Wall Assemblies Using a Radiant Heat Energy Source | IBC | | | | |
| 274- 13<u>18</u> | Standard Test Method to Evaluate Fire Performance Characteristics of Pipe Insulation | IMC | | | | |

Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

| 275- 13 17 | Standard Method of Fire Tests for the Evaluation of Thermal Barriers | IBC | IRC | | | |
|-----------------------------|---|-----|-----|------|--|--|
| | Standard Method of Fire Test For Determining the Heat Release Rate of Roofing Assemblies with Combustible Above-Desk Roofing | | | | | |
| 276- 11<u>15</u> | Components | IBC | | | | |
| 285- 12 17 | Standard Fire test Method for Evaluation of Fire Propagation Characteristics of Exterior Non- Load-Bearing Wall Assemblies Containing Combustible Components | IBC | | | | |
| 288- 12- 17 | Standard Methods of Fire Tests of Horizontal Fire Door Assemblies Installed in Horizontal Fire- Resistance-Rated Assemblies | IBC | | | | |
| 289- 13<u>18</u> | Standard Method of Fire Test for Individual Fuel Packages | IFC | IBC | | | |
| 303-44 <u>16</u> | Fire Protection Standard for Marinas and Boatyards | IFC | | | | |
| 318- 15<u>18</u> | Standard for the Protection of Semiconductor Fabrication Facilities | IFC | | | | |
| 326- 10<u>15</u> | Standard for the Safeguarding of Tanks and Containers for Entry, Cleaning or Repair | IFC | | | | |
| 385- 12 17 | Standard for Tank Vehicles for Flammable and Combustible Liquids | IFC | | | | |
| 400- 13<u>16</u> | Hazardous Materials Code | IFC | | | | |
| 407- 12<u>17</u> | Standard for Aircraft Fuel Servicing | IFC | | | | |
| 409- 11<u>16</u> | Standard on Aircraft Hangers | IFC | IBC | IFGC | | |
| 410- 10<u>15</u> | Standard on Aircraft Maintenance | IFC | | | | |
| 418- 11<u>16</u> | Standard for Heliports | IBC | | | | |
| 484- 15<u>18</u> | Standard for Combustible Metals | IFC | | | | |
| 495- 13<u>18</u> | Explosive Materials Code | IFC | | | | |
| 498- 13 18 | Standard for Safe Havens and Interchange Lots for Vehicles Transporting Explosives | IFC | | | | |
| 501- 13 17 | Standard on Manufactured Housing | IRC | | | | |
| 505- 13<u>18</u> | Fire Safety Standard for Powered Industrial Trucks Including Type Designations, Areas of Use, Conversions, Maintenance, and Operations | IFC | | | | |
| 654- 13 17 | Standard for the Prevention of Fire & Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids | IBC | IFC | | | |
| 655- 12 17 | Standard for the Prevention of Sulfur Fires and Explosions | IBC | IFC | | | |
| 664- 12<u>17</u> | Standard for the Prevention of Fires and Explosions in Wood Processing and Woodworking Facilities | IBC | IFC | | | |
| 701- 10 15 | Standard Method of Fire Tests for Flame-Propagation of Textiles and Films | IFC | IBC | | | |

| | Standard for Fire Retardant Treated Wood and Fire Retardant Coatings | | | | | | |
|----------------------------------|--|----------|---------|----------------------|-----|------|------|
| 703- 15<u>18</u> | for Building Materials Standard System for the | IFC | | | | | |
| 704- 12<u>17</u> | Identification of the Hazards of Materials for Emergency Response | IFC | IMC | IBC | | | |
| 790-14 <u>18</u> | Standard Test for Competency of Third-Party Field Evaluation Bodies | IFC | | | | | |
| 853- 10<u>15</u> | Standard for the Installation of Stationary Fuel Cell Power Systems | IRC | IMC | IFGC | | | |
| 914- 10<u>15</u> | Code for Fire Protection of Historic Structures | IFC | | | | | |
| 1122- 13<u>18</u> | Code for Model Rocketry | IFC | | | | | |
| 1123- 14<u>18</u> | Code for Fireworks Display | IFC | | | | | |
| 1124- 13<u>17</u> | Code for the Manufacture, Transportation, Storage and Retail Sales of Fireworks and Pyrotechnic Articles | IFC | IBC | | | | |
| 1125- 12<u>17</u> | Code for the Manufacture of Model Rocket and High Power Rocket Motors | IFC | | | | | |
| 1126- <u>4416</u> | Standard for the Use of Pyrotechnics Before a Proximate Audience | IFC | | | | | |
| 1127- 13<u>18</u> | Code for High Power Rocketry | IFC | | | | | |
| 1142- <u>4217</u> | Standard on Water Supplies for Suburban and Rural Fire Fighting | IFC | | | | | |
| | Standard for Automotive Fire | | | | | | |
| 1901- 09<u>16</u> | Apparatus Standard on Clean Agent Fire | IFC | | | | | |
| 2001- 12<u>15</u> | Extinguishing Systems | IFC | IBC | | | | |
| NFRC | National Fenestration Rating Coun | cil Inc. | | | | | |
| Standard Reference Number | Title | Referer | nced in | Code(s): | : | | |
| | Procedure for Determining Fenestration Product U-factors | | | | | | |
| 100-20 09<u>2017</u> | Second Edition | IECC | | | | | |
| 200- 2009 2017 | Procedure for Determining Fenestration Product Solar Heat Gain Coefficients and Visible Transmittance at Normal Incidence Second Edition | IECC | | | | | |
| 400.00000047 | Procedure for Determining Fenestration Product Air Leakage Second Edition | 1500 | | | | | |
| 400- 2009 2017 NSF | NSF International | IECC | | | | | |
| | | Deferre | | C a d = (=) | | | |
| Standard Reference Number | Title | Reterer | icea in | Code(s): | | | |
| 3- 2010<u>2012</u> | Commercial Warewashing Equipment | IPC | | | | | |
| 14- 2011<u>2015</u> | Plastic Piping System Components and Related Materials | IRC | IPC | ISPSC | IMC | | |
| 40- 2012 2013 | Residential Wastewater Treatment Systems | IPSDC | | | | | |
| 42- 2011 2015 | Drinking Water Treatment Units - Aesthetic Effects | IRC | IPC | | | | |
| 44- <u>20122015</u> | Residential Cation Exchange Water Softeners | IRC | IPC | | | | |



Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

| | Equipment for Swimming Pools, | | | | | | |
|--|--|-----------|---------|---|---|------|--|
| | Spas, Hot Tubs, and other Recreational Water Facilities | | | | | | |
| 50- 2012 2015 | | ISPSC | IPC | | | | |
| 53- 2011A 2015 | Drinking Water Treatment Units - Health Effects | IRC | IPC | | | | |
| 58- 2012 2015 | Reverse Osmosis Drinking Water Treatment Systems | IRC | IPC | | | | |
| 61- 2012 2015 | Drinking Water System Components - Health Effects | IRC | IPC | | | | |
| 62- 2012 2015 | Drinking Water Distillation Systems | IPC | | | | | |
| 350- 2011<u>2</u>014 | Onsite Residential and Commercial Water Reuse Treatment Systems | IPC | IRC | | | | |
| | Polyethylene Pipe and Fittings for Water-Based Ground Source | | | | | | |
| 358-1- 2011 2014 | "Geothermal" Heat Pump Systems | IRC | IMC | | | | |
| 372- 2010 2011 | Drinking Water Systems Components - Lead Content | IPC | | | | | |
| PSAI | Portable Sanitation Association Int | ernation | al | | | | |
| Standard Reference Number | Title | Referer | nced in | Code(s): | | | |
| Z4.3- 95 15 | Minimum Requirements for Nonsewered Waste-Disposal Systems | IPC | | | | | |
| SBCA | Structural Building Components As | ssociatio | n | | | | |
| Standard Reference Number | Title | Referer | nced in | Code(s): | | | |
| BCSI-2013 (updated March 2015) | Building Component Safety Information Guide to Good Practice for Handling, Installing, Restraining & Bracing of Metal Plate Connected Wood Trusses | IRC | | | | | |
| SDI | | | | | | | |
| | Steel Deck Institute | | | | | | |
| Standard Reference Number | Title | Referer | nced in | Code(s): | | | |
| ANS⊮_SDI NC 1.0 -102017 | Standard for Non-Composite Steel Floor Deck | IBC | | | | | |
| ANSI∕ _<u>SD</u>I RD<u>1.0-102017</u> | Standard for Steel Roof Deck | IBC | | | | | |
| SDI-C- <u>20112017</u> | Standard for Composite Steel Floor Deck Slabs | IBC | | | | | |
| SDI QA/QC- 2011 2017 | Standard for Quality Control and Quality Assurance for Installation of Steel Deck | IBC | | | | | |
| SJI | Steel Joist Institute | | | | | | |
| Standard Reference Number | Title | Referen | nced in | Code(s): | | | |
| CJ-10- SJI-200-16 | Standard Specification for Composite Steel Joists, CJ-Series | IBC | | | | | |
| SMACNA | Sheet Metal & Air Conditioning Con | ntractors | ; | | [| | |
| Standard Reference Number | Title | Referer | nced in | Code(s): | | | |
| SMACNA\ANSI (2015) (2016) | HVAC Duct Construction Standards- Metal and Flexible 4th Edition (ANSI) 2016 | IMC | IRC | | | | |
| SPRI | Single-Ply Roofing Institute | | | <u> </u> | [| | |
| Standard Reference Number | Title | Referer | nced in | Code(s): | | | |
| | Wind Test Standard for Edge Systems Used with Low Slope | | | | | | |
| ANSI/SPRI/FM4435-ES-1-11 | Roofing | IBC | | | | | |



Copyright © 2017 ICC. ALL RIGHTS RESERVED. Accessed by Mohammed Madani on Dec 15, 2017 8:02:38 AM pursuant to License Agreement with ICC. No further reproduction or distribution authorized. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS A VIOLATION OF THE FEDERAL COPYRIGHT ACT AND THE LICENSE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL PENALTIES THEREUNDER.

| ANSI/SPRI VF1-10 | External Fire Design Standard for Vegetative Roofs | IBC | | | | |
|---|--|----------|------------|--------|------|--|
| SRCC | Solar Rating Certification Corporat | ion | | | | |
| Standard Reference Number | Title | Refere | nced in Co | de(s): | | |
| | Standard 300 for Solar Water | | | (-)- | | |
| | Heating Systems Solar Thermal | | | | | |
| <u>ICC 900/</u> SRCC 300- 13 2015 | System Standard | IRC | | | | |
| | Standard 100 for Solar Collectors Solar Thermal Collector | | | | | |
| ICC 901/SRCC 100- 13 2015 | Standard | IRC | | | | |
| | Tile Council of North America | | | | | |
| Standard Reference Number | Title | Refere | nced in Co | de(s): | | |
| | Installation of Ceramic Tile in the | | | | | |
| | Wet-set Method, with Portland | | | | | |
| A108.1A- 99<u>16</u> | Cement Mortar | IBC | IRC | | | |
| | American National Standard Specification for Dry-Set Cement | | | | | |
| A118.1- 99<u>16</u> | Mortar | IBC | IRC | | | |
| | American National Standard | | | | | |
| | Specifications for Chemical Resistant, Water Cleanable Tile- | | | | | |
| | setting and -grouting Epoxy and | | | | | |
| A118.3- 99- 13 | Water Cleanable Tile-setting Epoxy | IBC | IRC | | | |
| A116.3- 98-<u>13</u> | Adhesive | IBC | INC | | | |
| | American National Standard | | | | | |
| A118.4- 99 16 | Specifications for Latex portland Modified Dry-Set Cement Mortar | IBC | | | | |
| <u>, , , , , , , , , , , , , , , , , , , </u> | American National Standard | 120 | | | | |
| | Specifications for Standard Cement | | | | | |
| A118.6- 99<u>10</u> | Grouts for Tile Installation | IBC | | | | |
| | American National Standard Specifications for Organic Adhesives | | | | | |
| A136.1- 99 08 | for Installation of Ceramic Tile | IBC | IRC | | | |
| | Standard Specifications for Ceramic | | | | | |
| A137.1- 2008<u>17</u> | Tile | IBC | IRC | | | |
| TIA | Telecommunications Industry Ass | ociation | | | | |
| Standard Reference Number | Title | Refere | nced in Co | de(s): | | |
| | Structural Standards for Antenna | | | | | |
| | Supporting Structures and Antennas , Including-Addendum 1, | | | | | |
| | 222-G-1, Dated 2007, Addendum 2, | | | | | |
| | 222 G-2 dated 2009 Addendum 3, 222 3 dated 2013 and Addendum 4, | | | | | |
| 222- GH - 2005- 2016 | 222-G-4 dated 2013 and Addendam 4, 222-G-4 dated 2014 | IBC | | | | |
| TMS | The Masonry Society | | | | | |
| Standard Reference Number | Title | Refere | nced in Co | de(s): | | |
| | Building Code for Masonry | | | | | |
| 402- 2013 2016 | Structures | IBC | IRC | | | |
| | Direct Design Handbook for | | | | | |
| 403- 2013<u>2017</u> | Masonry Structures | IBC | IRC | | | |
| 602 20122016 | Specification for Masonry Structures | | | | | |
| 602- 2013<u>2016</u> UL | Underwriter Laboratories | IBC | IRC | | | |
| - | | | | | | |
| Standard Reference Number | Title | Refere | nced in Co | de(s): | | |



| UL/CSA/ANCE 60335-2-40-2012 | Standard for <u>safety of</u> Household and Similar Electrical Appliances, part 2- <u>40</u> : particular requirements for Motor-Compressors for <u>electrical heat pumps, air-</u> conditioners and dehumidifiers | IRC | | | | | |
|-----------------------------|--|-----|-----|-------|--|--|--|
| 09-2009 | Fire Tests of Window Assemblies with revisions through February 2015. | IBC | | | | | |
| 10A-2009 | Tin Clad Fire Doors <u>- with revisions</u> through December 2013. | IBC | | | | | |
| 10B-2008 | Fire Tests of Door Assemblies - with revisions through April 2009 February 2015 | IBC | | | | | |
| 10C-2009 | Positive Pressure Fire Tests of Door Assemblies <u>with revisions through</u> February 2015 | IBC | IFC | | | | |
| 14B-2008 | Sliding Hardware for Standard Horizontally Mounted Tin Clad Fire Doors-with revisions through May 3 , 2013 | IBC | | | | | |
| 17-2008 | Vent or Chimney Connector Dampers for Oil-Fired Appliances - with Revisions through January 2010 – <u>September 2013</u> | IRC | IMC | | | | |
| 30-95 | Metal Safety Cans - with Revisions through July 2009June 2014 | IFC | | | | | |
| 80-2007 | Steel Tanks for Oil-Burner Fuels and Other Combustible Liquids - with revisions through August 2009 January 2014 | IRC | IFC | | | | |
| 87A- 12<u>15</u> | Outline of Investigation for Power- Operated Dispensing Devices for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 percent | IFC | | | | | |
| 127-11 | Factory-Built Fireplaces- <u>with</u> revisions through May 2015 Steel Aboveground Tanks for | IBC | IRC | IMC | | | |
| 142-06 | Flammable and Combustible Liquids with revisions through February 12, 2010August 2014 | IFC | IPC | | | | |
| 174-04 | Household Electric Storage Tank Water Heaters - with Revisions through September 2012April 2015 | IRC | IMC | | | | |
| 197-10 | Commercial Electric Cooking Appliances - with revisions through June 2011September 2014 | IMC | | | | | |
| 207-2009 | Refrigerant-Containing Components and Accessories, Nonelectrical - <u>with</u> revisions through June 2014 | IMC | IRC | | | | |
| 217-2006 | Single and Multiple Stations Smoke Alarms - with revisions through April 2012October 2015 | IBC | IRC | IFC | | | |
| 263-11 | Standard for Fire Test of Building Construction and Materials - <u>with</u> revisions through June 2015 | IBC | IRC | IWUIC | | | |

| 268A-2008 | Smoke Detectors for Duct Application - with Revisions through September 2009<u>October 2014</u> | IMC | | | | | |
|-----------------|--|--------|------|-----|--|------|--|
| 294-1999 | Access Control Systems Units with revisions through September 2010-February 2015 | IBC | IFC | | | | |
| 300-2005(R2010) | Fire Testing of Fire Extinguishing Systems for Protection of Commercial Cooking Equipment with revisions through July 16, 2010 December 2014 | IBC | IFC | | | | |
| 305-2012 | Panic Hardware - with revisions through August 2014 | IBC | IFC | | | | |
| 325-2002 | Door, Drapery, Gate, Louver and Window Operations and Systems - with revisions through June 2013 <u>May 2015</u> | IRC | IFC | IBC | | | |
| 372-2007 | Automatic Electrical Controls for Household and Simular Use - Part 2: Particular Requirements for Burner Ignition Systems and Components with revisions through July 25, 2012 | ISPSC | | | | | |
| 378-06 | Draft Equipment - with revisions through January 2010 <u>June</u> <u>12,2014</u> Solid-Fuel and Combination-Fuel | IRC | IMC | | | | |
| 391-2010 | Central and Supplementary Furnaces - with revisions through March 2010June 2014 | IMC | | | | | |
| 399-2008 | Drinking-Water Coolers with revisions through January 14, 2011October 2013 | IPC | | | | | |
| 412-2011 | Refrigeration Unit Coolers - with Revisions through August 2012September 2013 | IMC | | | | | |
| 430-2009 | Waste Disposers, with revisions through March 23, 2011 <u>September</u> <u>2015</u> Gas Vents - <u>with revisions through</u> | IPC | | | | | |
| 441-2010 | June 12, 2014 Electric Heating Appliances-with revisions through February | IRC | IFGC | | | | |
| 499-05 | 2013November 2014 Industrial Control Equipment - with revisions through March | IMC | IFC | | | | |
| 508-99 | 2013October 2013 Electric Resistance Heat Tracing for | IMC | IPC | IRC | | | |
| 515-2011 | Commercial and Industrial Applications including revisions through November 30, 2011July 2015 | IECC-R | | | | | |
| 536-1997 | Flexible Metallic Hose - with Revisions through June 2003 December 2014 | IRC | IMC | | | | |
| 555-2006 | Fire Dampers-with revisions through May 2012 2014 | IBC | IRC | | | | |
| 555C-2006 | Ceiling Dampers-with revisions through May 2010December 2014 | IBC | IMC | | | | |

| 555S-1999 | Smoke Dampers - with Revisions through May 2012 February 2014 | | | | | |
|-----------|---|------|------------|------------|--|--|
| 580-2006 | Test for Uplift Resistance of Roof Assemblies with Revisions through July 2009October 2013 | IBC | | | | |
| 586-2009 | High-Efficiency, Particulate, Air Filter Units <u>- with revisions through</u> September 2014 | IMC | | | | |
| 641-2010 | Type L Low-Temperature Venting Systems - with revisions through May 2013June 2013 | IBC | IRC | IMC | | |
| 651–2011 | Schedule 40 and Schedule 80 Rigid PVC Conduit and Fittings with revisions through March 2012May 2014 | IFGC | IRC | | | |
| 705-2004 | Standard for Power Ventilators with revisions through March 2012 December 2013 | IMC | IRC | | | |
| 710-2012 | Exhaust Hoods for Commercial Cooking Equipment <u>- with revisions</u> through November 2013 | IMC | IECC- C | | | |
| 710B-2011 | Recirculating Systems with revisions through August 2014 | IBC | IFC | IMC | | |
| 723-08 | Standard for Test for Surface Burning Characteristics of Building Materials with revisions through September 2010August 2013 | IBC | IFC | IWUIC | | |
| 726-1995 | Oil-Fired Boiler Assemblies - with Revisions through April 2011October 2013 | IRC | IMC | IECC | | |
| 727-2006 | Oil-Fired Central Furnaces with revisions through April 2010October 2013 | IRC | IMC | IECC- C | | |
| 729-03 | Oil-Fired Floor Furnaces with revisions through August 2012October 2013 | IRC | IMC | | | |
| 730-03 | Oil-Fired Wall Furnaces with revisions through August 2012October 2013 | IRC | IMC | | | |
| 731-1995 | Oil-Fired Unit Heaters with Revisions through through August 2012October 2013 | IMC | IECC- C | | | |
| 732-1995 | Oil-Fired Storage Tank Water Heaters - with revisions through April 2010October 2013 | IRC | IMC | | | |
| 737-11 | Fireplaces Stoves - with revisions through August 2015 | IRC | IMC | | | |
| 762-10 | Outline of Investigation for Power Roof Ventilators for Restaurant Exhaust Appliances <u>with revisions</u> through October 2013 | IMC | | | | |
| 790-04 | Standard Test Methods for Fire Tests of Roof Coverings with revisions through October 2008July 2014 | IBC | IRC | IFC | | |
| 791-2006 | Residential Incinerators-with revisions through April 2010November 2014 | IMC | | | | |

| | Commercial-Industrial Gas Heating | | | | | |
|-----------|---|-------|------|------|--|--|
| 795-2011 | Equipment with revisions through September 2012November 2013 | IRC | IFGC | | | |
| 834-04 | Heating, Water Supply, and Power Boilers - Electric with Revisions through January 2013<u>December</u> 2013 | IRC | IMC | | | |
| 842-07 | Valves for Flammable Fluids with Revisions through October 2012May 2015 | IRC | IMC | | | |
| 858-05 | Household Electric Ranges - with Revisions through April 2012June 2015 | IMC | IRC | | | |
| 864-03 | Control Units and Accessories for Fire Alarm Systems-with Revisions through August 2012December 2014 | IBC | IFC | | | |
| 867-2011 | Electrostatic Air Cleaners - with Revisions through Fobruary 2013 August 2013 | IMC | | | | |
| 873-2007 | Temperature-Indicating and - Regulating Equipment, with revisions through July 25, 2012 February 2015 | ISPSC | | | | |
| 875-09 | Electric Day Bath Heaters with revisions through November 2011 | IMC | IRC | | | |
| 896-1993 | Oil-Burning Stoves - with Revisions through August 2012November 2013 | IRC | IMC | | | |
| 900-04 | Air Filter Units- with revisions through February 2012 April 2015 | | | | | |
| 907-94 | Fireplace Accessories - with revisions through <u>April 2010June</u> 2014 | IMC | | | | |
| 923-2013 | Microwave Cooking Appliances - with revisions through June 2015 | IRC | IMC | | | |
| 924-06 | Standard for Safety Emergency Lighting and Power Equipment with revisions through February 2011 <u>April 2014</u> | IBC | IFC | | | |
| 959-2010 | Medium Heat Appliance Factory- Built Chimneys - with revisions through June 2014 | IRC | IMC | IFGC | | |
| 1004-1-12 | Standard for Rotating Electrical Machines General Requirements with revisions through June 23, 2011 | ISPSC | | | | |
| 1026-2012 | Electric Household Cooking and Food Services Appliances <u>- with</u> revisions through August 2015 | IRC | | | | |
| 1042-2009 | Electric Baseboard Heating Equipment-with revisions through June 2013September 2014 | IRC | | | | |
| 1081-2008 | Standard for Swimming Pool Pumps, Filters and Chlorinators, with revisions through <u>May 2013March</u> 2014 | ISPSC | | | | |



| | Fire Test of Roof Deck Construction with Revisions through January | | | | | |
|-----------|--|-------|------------|------|--|--|
| 1256-2002 | 2007 July 2013 | IBC | IRC | | | |
| 1275-2005 | Flammable Liquid Storage Cabinets with revisions through February 2010November 2014 | IFC | | | | |
| 1363-2007 | Relocatable Power Taps - with revisions through September 2012September 2015 | IFC | | | | |
| | Standard for Fire Tests of Through- Penetration Firestops with Revisions through October 2012June 2015 | | IDC | IMC | | |
| 1479-03 | Solid-Fuel Type Room Heaters - with revisions through August 2015 | IBC | IRC | IMC | | |
| 1563-2009 | Standard for Electric Hot Tubs, Spas and Association Equipment with revisions through July 2012 <u>March</u> 2015 | ISPSC | IKC | | | |
| 1618-09 | Wall Protectors, Floor Protectors, and Hearth Extensions - with revisions through May 2013October 2015 | IRC | IMC | IFGC | | |
| 1703-02 | Flat-plate Photovoltaic Modules and Panels - with revisions through November 2014October 2015 | IRC | IBC | | | |
| 1738-2010 | Venting Systems for Gas-Burning Appliances, Categories II, III and IV with revisions through May 2011 November 2014 | IRC | IFGC | | | |
| 1741-2010 | Inverters, Converters, Controllers and Interconnection System Equipment with Distributed Energy Resources <u>- with revisions through</u> January 2015 | IRC | | | | |
| 1746-2007 | External Corrosion Protection Systems for Steel Underground Storage Tanks <u>- with revisions</u> through December 2014 | IPC | | | | |
| 1777-07 | Chimney Liners with revisions through July 2009October 2015 | IBC | IRC | IMC | | |
| 1784-2001 | Air Leakage Tests of Door Assemblies - with Revisions through July 2009February 2015 | IBC | IECC- C | | | |
| 1795-2009 | Hydromassage Bathtubs including revisions through August 23, 2011 January 2015 | IPC | | | | |
| 1812-2013 | Standard for Ducted Heat Recovery Ventilators <u>- with revisions through</u> <u>April 2014</u> | IMC | | | | |
| 1815-2012 | Standard for Nonducted Heat Recovery Ventilators - with revisions through April 2014 | IMC | | | | |
| 1821-2011 | Standard for Thermoplastic Sprinkler Pipe and Fittings for Fire Protection Services <u>- with revisions through</u> August 2015 | IRC | | | | |

| Tests for Roof Covering hs - with revisions through hber 2015 a Ducts - with revisions h September 2013 Dus Egress Path Marking hs with Revisions through her 2010May 2015 g and Cooling Equipment - visions through July 2015 c Duct Heaters-with revisions h November 2011June 2014 ard for Safety Optical-Fiber formunications Cable vay- with Revisions through D11August 2015 ard for Safety for Single and e Station Carbon Monoxide is with revisions through D11August 2015 ard for Safety for Single and e Station Carbon Monoxide is with revisions through D12August 2015 ard for Safety for Single and e Station Carbon Monoxide is with revisions through ary 2009March 2015 est for Heat and Visible Smoke se for Discrete Products and ccessories Installed in Air- ng Spaces - with revisions h October 2013 for Fire Resistance of Building systems with Revisions h December 2012August | IMC | IMC IMC IFC | ISPSC | | | | |
|--|---------------------------------|--|--|--|---|--|---|
| e Ducts <u>- with revisions</u> h September 2013 bus Egress Path Marking hs with Revisions through her 2010May 2015 g and Cooling Equipment <u>-</u> visions through July 2015 c Duct Heaters-with revisions h November 2011June 2014 ard for Safety Optical-Fiber formunications Cable vay- with Revisions through 2014August 2015 ard for Safety for Single and e Station Carbon Monoxide is with revisions through 2014August 2015 ard for Safety for Single and e Station Carbon Monoxide is with revisions through 2019August 2015 ard for Heat and Visible Smoke se for Discrete Products and ccessories Installed in Air- ng Spaces <u>- with revisions</u> h October 2013 for Fire Resistance of Building systems with Revisions | IMC IBC IRC IRC IMC | IMC | | | | | |
| h September 2013 bus Egress Path Marking hs with Revisions through her 2010May 2015 g and Cooling Equipment <u>-</u> visions through July 2015 c Duct Heaters-with revisions h November 2011June 2014 ard for Safety Optical-Fiber formunications Cable ray- with Revisions through 2014August 2015 ard for Safety for Single and e Station Carbon Monoxide with revisions through 2019March 2015 est for Heat and Visible Smoke se for Discrete Products and ccessories Installed in Air- ng Spaces <u>- with revisions</u> h October 2013 for Fire Resistance of Building systems with Revisions | IBC IRC IRC IMC IRC | IMC | | | | | |
| ns with Revisions through aber 2010May 2015 g and Cooling Equipment <u>-</u> visions through July 2015 c Duct Heaters-with revisions h November 2011June 2014 ard for Safety Optical-Fiber ommunications Cable vay- with Revisions through 011August 2015 ard for Safety for Single and e Station Carbon Monoxide with revisions through ary 2009March 2015 est for Heat and Visible Smoke se for Discrete Products and ccessories Installed in Air- ng Spaces <u>- with revisions</u> h October 2013 for Fire Resistance of Building systems with Revisions | IRC IRC IMC IRC | IMC | | | | | |
| visions through July 2015 c Duct Heaters-with revisions h November 2011June 2014 and for Safety Optical-Fiber ommunications Cable vay- with Revisions through 011August 2015 and for Safety for Single and e Station Carbon Monoxide s with revisions through any 2009March 2015 est for Heat and Visible Smoke se for Discrete Products and ccessories Installed in Air- ng Spaces <u>- with revisions</u> h October 2013 for Fire Resistance of Building systems with Revisions | IRC IMC IRC | IMC | | | | | |
| h November 2011 <u>June 2014</u> and for Safety Optical-Fiber ommunications Cable vay- with Revisions through <u>011August 2015</u> and for Safety for Single and e Station Carbon Monoxide s with revisions through any 2009March 2015 est for Heat and Visible Smoke se for Discrete Products and ccessories Installed in Air- ng Spaces <u>- with revisions</u> h October 2013 for Fire Resistance of Building systems with Revisions | IRC IMC IRC | IMC | IBC | | | | |
| ommunications Cable ray- with Revisions through 011August 2015 and for Safety for Single and e Station Carbon Monoxide s with revisions through any 2009March 2015 est for Heat and Visible Smoke se for Discrete Products and ccessories Installed in Air- ng Spaces <u>- with revisions h October 2013</u> for Fire Resistance of Building systems with Revisions | IMC IRC | | IBC | | | | |
| e Station Carbon Monoxide with revisions through ary 2009March 2015 est for Heat and Visible Smoke se for Discrete Products and ccessories Installed in Air- ng Spaces <u>- with revisions</u> <u>h October 2013</u> for Fire Resistance of Building systems with Revisions | IMC | IFC | IBC | | | | |
| se for Discrete Products and ccessories Installed in Air- ng Spaces <u>- with revisions</u> <u>h October 2013</u> for Fire Resistance of Building systems with Revisions | IMC | | | | | | |
| Systems with Revisions | | | | | | | |
| | IBC | IFC | | | | | |
| nary Engine Generator blies - with revisions through 013 July 2015 | IBC | IFC | IMC | | | | |
| t Distillation Units - with ons through March eptember 2015 | IFC | | | | | | |
| States Code | | | | | | | |
| | Refere | nced in | Code(s): | | | | |
| e Rule | IRC | IECC | | | | | |
| Coast Lumber Inspection Bu | ureau | | | | | | |
| | Refere | nced in | Code(s): | | | | |
| I Construction Details | IBC | | | | | | |
| | IBC | | | | | | |
| | IBC | | | | | | |
| ural Glued Laminated Timber | IBC | | | | | | |
| n Manual for Structural Glued | IBC | | | | | | |
| w and Door Manufacturers | Associatio | on | . I | | | | |
| | Refere | nced in (| Code(s): | | | | |
| | | | | | | | |
| | IBC | IRC | IECC | | | | |
| | d States Code | d States Code d States Code Referen le Rule IRC Coast Lumber Inspection Bureau Referen l Construction Details IBC ards Appearance Grades for ural Glued Laminated Timber ard for Dimensions of ural Glued Laminated Timber ard Specifications for ural Glued Laminated Timber IBC acturing Quality Control n Manual for Structural Glued ated Timber IBC w and Door Manufacturers Association Referen American Fenestration | d States Code d States Code Referenced in a line Rule IRC IECC Coast Lumber Inspection Bureau Referenced in a line Rule IRC IECC Coast Lumber Inspection Bureau Referenced in a line Rule IRC IECC Coast Lumber Inspection Bureau Referenced in a line Rule IBC IIII IBC IIIIIIIIIIIIIIIIIIIIIIIII | I States Code Referenced in Code(s): Ie Rule IRC IECC Coast Lumber Inspection Bureau Referenced in Code(s): Il Construction Details IBC ards Appearance Grades for ural Glued Laminated Timber IBC ard for Dimensions of ural Glued Laminated Timber IBC ard Specifications for ural Glued Laminated Timber IBC ard Specifications for ural Glued Laminated Timber IBC acturing Quality Control n Manual for Structural Glued ated Timber IBC acturing Quality Control n Manual for Structural Glued ated Timber IBC w and Door Manufacturers Association Referenced in Code(s): American Fenestration ard/Specifications for Referenced in Code(s): | Image: States Code Referenced in Code(s): Is Rule IRC IECC Coast Lumber Inspection Bureau Referenced in Code(s): Id Construction Details IBC IBC Id Construction Details IBC IBC ards Appearance Grades for ural Glued Laminated Timber IBC IBC ard for Dimensions of ural Glued Laminated Timber IBC IBC ard Specifications for ural Glued Laminated Timber IBC IBC acturing Quality Control n Manual for Structural Glued IBC IBC IBC ow and Door Manufacturers Association IBC IBC | It is and isolation Referenced in Code(s): He Rule IRC IECC Coast Lumber Inspection Bureau Referenced in Code(s): Il Construction Details IBC Image: State | d States Code Referenced in Code(s): le Rule IRC IECC Coast Lumber Inspection Bureau Referenced in Code(s): Il Construction Details IBC ards Appearance Grades for ural Glued Laminated Timber IBC ard for Dimensions of ural Glued Laminated Timber IBC ard Specifications for ural Glued Laminated Timber IBC ard Specifications for ural Glued Laminated Timber IBC acturing Quality Control m Manual for Structural Glued IBC IBC acturing Quality Control m Manual for Structural Glued IBC IBC mode ated Timber IBC BC IBC BC IBC And Door Manufacturers Association Referenced in Code(s): |

| Standard Reference Number | Title | Referenced in Code(s): | | | | | | | |
|---|---|------------------------|--|--|--|--|--|--|--|
| ANSI/ AMD-<u>WMA</u>100-2013-2016 | Standard Method of Determining Structural Performance Ratings of Side Hinged Exterior Door Systems and Procedures for Component Substitution | IRC | | | | | | | |

Reason: THIS IS THE ADMIN STANDARDS UPDATE CODE CHANGE

The CP 28 Code Development Policy, Section 4.6 requires the updating of referenced standards to be accomplished administratively, and be processed as a Code Change Proposal for consideration by the Administrative Code Change Committee. In September 2015, a letter was sent to each developer of standards that is referenced in the International Codes, asking them to provide ICC with a list of their standards in order to update to the current edition. Above is the list of the referenced standards that are to be updated based upon responses from standards developer.

Report of Committee Action Hearings

Committee Action:

Approved as Modified

Modify as follows:

| ААМА | American Architectural Manufacturers Ass | ociation | | | | |
|--|---|----------|------------|----------|--|--|
| Standard Reference Number | Title | Refere | enced in (| Code(s): | | |
| AAMA 711-43 <u>16</u> | Voluntary Specification for Self Adhering Flashing Used for Installation of Exterior Wall Fenestration Products | IRC | | | | |
| AAMA 506-11 <u>16</u> | Voluntary Specifications for Impact and Cycle Testing of Fenestration Products | IRC | | | | |
| AAMA/NSA/NPEA 2100- 44 <u>12</u> | Specifications for Sunrooms | IRC | | | | |
| AAMA/WDMA/CSA 101/I.S.2/A440- 46 <u>17</u> | North American Fenestration Standard/Specification for Windows, Doors, and Skylights | IBC | IRC | IECC | | |
| | | | | | | |
| ASTM | ASTM | | | | | |
| Standard Reference Number | Title | Refere | enced in (| Code(s): | | |
| D1929- 44 <u>16</u> | Standard Test Method for Determining Ignition Temperature of Plastics | IBC | | | | |
| D2843- 10<u>16</u> | <u>Standard</u> Test <u>Method</u> for Density of Smoke from the Burning of Decomposition of Plastics | IBC | | | | |
| D2859- 06(2011)<u>15</u> | Standard Test Method for Ignition Characteristics of Finished Textile Floor Covering Materials | IBC | IFC | | | |

| r | | 1 | r | r | 1 | 1 | 1 | |
|---|--|--------|------------|----------|-------|------|---|--|
| E84- 2013A <u>2015B</u> | <u>Standard</u> Test Method for Surface Burning Characteristics of Building Materials | IBC | IRC | IFC | IMC | IEBC | | |
| E119 - 2012a -2016 | Standard Test Methods for Fire Tests of Building Construction and Materials | IBC | IRC | IMC | IWUIC | | | |
| E136 - 12<u>16</u> | Standard Test Method for Behavior of Materials in a Vertical Tube Furnace at 750 degrees C | IBC | IRC | IMC | IWUIC | IFGC | | |
| E814- 2013<u>2013A</u> | Standard Test Method of Fire Tests of Penetration Firestop Systems | IBC | IRC | IMC | | | | |
| E970- 2010<u>2014</u> | <u>Standard</u> Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source | IBC | IRC | | | | | |
| E1354 - 2013<u>2016</u> | Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Colorimeter | IBC | IFC | | | | | |
| E1529- 2013<u>14a</u> | <u>Standard</u> Test Method for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies | IFC | | | | | | |
| E1537 - 2013<u>2015</u> | Standard Test Method for Fire Testing of Upholstered Furniture | IFC | | | | | | |
| E1966- 2012A<u>2015</u> | Standard Test Method for Fire resistant Joint Systems | IBC | IFC | | | | | |
| E2336 - 04(2013)<u>2016</u> | Standard Test Methods <u>for</u> Fire Resistive Grease Duct Enclosure Systems | IMC | | | | | | |
| E2404- 13E1<u>15a</u> | <u>Standard</u> Practice for Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) and Wood Wall or Ceiling Coverings, Facing and Veneers to Assess Surface Burning Characteristics | IBC | IFC | | | | | |
| E2599 - 11 <u>15</u> | Standard Practice for Specimen Preparation and Mounting of Reflective Insulation Radiant Barrier and Vinyl Stretch Ceiling Materials for Building Applications to Assess Surface Burning Characteristics | IBC | | | | | | |
| | | | | | | | | |
| AWPA | American Wood Protection Association | 1 | 1 | 1 | 1 | 1 | 1 | |
| Standard Reference Number | Title | Refere | enced in (| Code(s): | | | | |
| M4- 11<u>16</u> | Standard for the Care of Preservative- Treated Wood Products | IBC | IRC | | | | | |
| U1 - 14<u>16</u> | USE CATEGORY SYSTEM: User Specification for Treated Wood except, | IBC | IRC | | | | | |
| L | 1 | | | | · | 1 | | |

| | | | | r | | 1 | | |
|--|---|--------|------------|----------|-----|-----|-----|--|
| | Commodity Specification H | | | | | | | |
| | | | | | | | | |
| CGA | Compressed Gas Association | | | | | | | |
| Standard Reference Number | Title | Refere | enced in (| Code(s): | | | | |
| S-1.2 (2005)<u>(</u>2009) | Pressure Relief Device Standards - Part 2 - Cargo and Portable Tanks for Compressed Gases | IFC | IFGC | | | | | |
| | | | | | | | | |
| ICC | International Code Council | | | | | | | |
| Standard Reference Number | Title | Refere | enced in (| Code(s): | | | | |
| ICC A117.1- 20162009 | Accessible and Usable Buildings and Facilities | IBC | IEBC | IFC | IPC | IRC | IZC | |
| | | | | | | | | |
| SPRI | Single-Ply Roofing Institute | | | | | | | |
| Standard Reference Number | Title | Refere | enced in (| Code(s): | | | | |
| ANSI/SPRI/FM4435- ES-1- <u>11</u> 47 | Wind Test Standard for Edge Systems Used with Low Slope Roofing | IBC | | | | | | |
| ANSI/SPRI VF1- <u>10</u> 4 7 | External Fire Design Standard for Vegetative Roofs | IBC | | | | | | |

Committee Reason: Hansen19, Hansen 22 and Hansen 24 added updated references for AAMA standards. Hirschler 25 adds updates references for ASTM standards. Hirscher 25 included two standards that are not in the 2015 edition, E648 and E2579, therefore, they are not part of this update. Wangel 14 adds updates for AWPA standards. These references are updates that should have been part of the original proposal.

McLaughlin 20 requests not to updated reference for a CGA standard to a 2016 edition. The proponent explained that this is an incorrect reference.

Wilen 10 requests not to update references for two SPRI standards to the 2017 edition. The proponent explained that these standards are not ready for review at this time.

Orlowski 13 requests the ICC A117.1 to not be updated and remain as a reference to the 2009 edition. This standard has significant revisions that are not finalized at the time of this hearing. There should be the opportunity to address scoping and references in the codes and the implications to buildings with these new requirements. There was testimony that the new requirements will no longer be coordinated with the 2010 ADA Standard for Accessible Design. The committee noted that there was no opposition testimony to leaving this standard on the current edition.

The remainder of the standards references are part of the automatic update of currently referenced standards. This is part of CDP28 allowances for updates and should be approved.

Assembly Action

None



Public Comment(s)

As stated in the posted 2016 Group B Public Comment Hearing Agenda, ADM94-16 was dealt with procedurally by dividing the code change proposal into a multiple part code change proposal; with each referenced standard receiving a public comment being dealt with as a separate part in conjunction with the submitted public comment. In addition, the updates to some of the referenced standards were As Modified by the committee, as shown in the 2016 Report of Committee Action Hearing. The actions taken on proposed updates to the referenced standards listed in ADM94-16 were As Submitted except as noted below:

| Standard Ref. No. in 2015 Codes | Final Action | Resulting Version for 2018 Codes |
|--|-------------------|-----------------------------------|
| Updates based | on Public Commer | nt Hearing and OGCV |
| ASCE 7 - 10 | AS | ASCE 7 –16 |
| ICC A117.1 -09 | D | ICC A117.1 -09 |
| SJI-200-10 | AMPC11 | SJI-200-15 |
| ASTM F2006-00 (2005) | AMPC10 | ASTM F2006-00 (2017) |
| ASTM F2090-10 . | AMPC9 | ASTM F2090-17 |
| ASTM E108 - 2011 | AMPC8 | ASTM E108 - 2016 |
| ANSI/SPRI VF1-10 | D | ANSI/SPRI VF1-10 |
| ASTM D7158-11 | AMPC3 | ASTM D7158-16 |
| ASHRAE 140- 11 | AMPC4 | ASHRAE 140- 14 |
| FM 4996 - 13 | AMPC5 | FM 4996 – 2015 |
| ASTM D2859- 06(2011) | AMPC6 | ASTM D2859- 2016 |
| ASTM E84-2013A | AMPC7 | ASTM E84-2016 |
| ANSI/SPRI/FM 4435 – ES – 1-11 | D | ANSI/SPRI/FM 4435 – ES – 1-11 |
| Updates based on the results of the Committee Ac | tion Hearing with | No Public Comments Received |
| AAMA 711-13 | AM | AAMA 711- <u>16</u> |
| AAMA 506 – 11 | AM | AAMA 506- <u>16</u> |
| AAMA/WDMA/CSA 101/I.S.2/A440 - 11 | AM | AAMA/WDMA/CSA 101/I.S.2/A440 - 17 |
| ASTM D1929 – 12 | AM | ASTM D1929 – 16 |
| ASTM D2843 – 10 | AM | ASTM D2843 – 16 |
| ASTM E119-2012a | AM | ASTM E119- 2016 |
| ASTM E136 – 12 | AM | ASTM E136 – 16 |
| ASTM E814-2013 | AM | ASTM E814-2013A |
| ASTM E970-2010 | AM | ASTM E970- 2014 |
| ASTM E1354 – 2013 | AM | ASTM E1354 – 2016 |
| ASTM E1529-2013 | AM | ASTM E1529-2014a |
| ASTM E1537 – 2013 | AM | ASTM E1537 – 2015 |
| ASTM E1966-2012A | AM | ASTM E1966-2015 |
| ASTM E2336 –04(2013) | AM | ASTM E2336 –2016 |
| ASTM E2404-13E1 | AM | ASTM E2404-15a |
| ASTM E2599 – 11 | AM | ASTM E2599 – 15 |
| AWPA M4 – 11 | AM | AWPA M4 – 16 |
| AWPA U1-14 | AM | AWPA U1-16 |
| CGA S-1.2 (2005) | AM | CGA S-1.2 (2009) |

Public Comment 3:

Mike Fischer, Kellen, representing Asphalt Roofing Manufacturers Association and the Gypsum Association (mfischer@kellencompany.com) requests Approve as Modified by this Public Comment.

Further modify as follows:

| ASTM | ASTM | | |
|--|--|----------------------|-----|
| Standard Reference Number | Title | Referenc Code(s): | |
| D 7158/ D7158M-11 _ <u>D7158M-</u> <u>16</u> | Standard Test Method for Wind Resistance of Asphalt Shingles (Uplift Force/Uplift Resistance Method) | IBC | IRC |

Commenter's Reason: ASTM D7158 has recently been updated to reflect correlations to ASCE-7-10. This comment updates the edition for the 2018 I-Codes to include the new 2016 edition.

Public Comment 4:

Steven Ferguson, representing American Society of Heating, Refrigerating, and Air-Conditioning Engineers (sferguson@ashrae.org) requests Approve as Modified by this Public Comment.

Modify as follows:

| ASHRAE | American Society of Heating, Refrigerating and Air Conditioning Engineers | | |
|------------------------------|--|------------------------|--|
| Standard Reference Number | Title | Referenced in Code(s): | |
| <u> 140-2017-140-2014</u> | Standard Method of Test for the Evaluation of Building Energy Analysis Computer Programs | IECC-C | |

Commenter's Reason: There is a chance ASHRAE Standard 140-2017 may not be published in time for the administrative reference update. This public comment is being submitted so we refer to the current version of the standard (the 2014 version) rather than the next version of the standard.

Public Comment 5:

Marcelo Hirschler, representing GBH International (gbhint@aol.com) requests Approve as Modified by this Public Comment.

Further modify as follows:

| FM | FM Global | | |
|------------------------------|---|------------------------|--|
| Standard Reference Number | Title | Referenced in Code(s): | |
| 4496-2016 <u>4996-2015</u> | Approval Standard for Classification of Pallets and other Materials Handling Products as Equivalent to Wood Pallet | IFC | |
| | | | |

Commenter's Reason: The actual number of the standard referenced in the IFC is FM 4996 and not FM 4496 and the latest (2015) edition was issued December 2015.



Public Comment 6:

Marcelo Hirschler, representing GBH International (gbhint@aol.com) requests Approve as Modified by this Public Comment.

Further modify as follows:

| ASTM | ASTM | |
|------------------------------|---|------------------------|
| Standard Reference Number | Title | Referenced in Code(s): |
| D2859-2016 | Standard Test Method for Ignition Characteristics of Finished Textile Floor Covering Materials | |

Commenter's Reason: ASTM D2859 has recently been updated to 2016 editions.

Public Comment 7:

Marcelo Hirschler (gbhint@aol.com) requests Approve as Modified by this Public Comment.

Further modify as follows:

| ASTM | ASTM | | | | | |
|------------------------------|---|-----|-----|-----|-----|------|
| Standard Reference Number | Title Referenced in Code(s): | | ı | | | |
| E84-2015B E84-2016 | Standard Test Method for Surface Burning Characteristics of Building Materials | IBC | IRC | IFC | IMC | IEBC |

Commenter's Reason: ASTM E84 has recently been updated to 2016 editions.

Public Comment 8:

Marcelo Hirschler (gbhint@aol.com) requests Approve as Modified by this Public Comment.

Further modify as follows:

| ASTM | ASTM | |
|------------------------------|--|------------------------|
| Standard Reference Number | Title | Referenced in Code(s): |
| <u>E108-16</u> | Standard Test Methods for Fire Tests of Roof Coverings | |

Commenter's Reason: ASTM E108 has recently been updated to 2016 editions.

Public Comment 9:

Jeff Inks, representing Window & Door Manufacturers Association (jinks@wdma.com) requests Approve as Modified by this Public Comment.

Modify as follows:

| ASTM | ASTM | | | | |
|---------------------------------------|---|-----|-----|-----|------|
| Standard Reference Number | Title Referenced in Code(s): | | | | |
| F2090-13 - <u>F2090-17</u> | Specification for Window Fall Prevention Devices with Emergency Escape (Egress) Release Mechanisms | IBC | IRC | IFC | IEBC |

Commenter's Reason: The correct edition to be referenced in the 2018 codes is the 2017 which is nearing completion.



Public Comment 10:

Jeff Inks, representing Window & Door Manufacturers Association (jinks@wdma.com) requests Approve as Modified by this Public Comment.

Modify as follows:

| ASTM | ASTM | | |
|--|---|----------------|-----------------|
| Standard Reference Number | Title | Refer in Co | enced de(s): |
| F2006- 00 (2005) 10 <u>17</u> | Standard/Safety Specification for Window Fall Prevention Devices for Non- emergency Escape (Egress) and Rescue (Ingress) Windows | IBC | IEBC |

Commenter's Reason: This standard is currently referenced in the IBC & IEBC and is currently being revised which will result in the 2017 edition however, the update to the code reference update to the 2017 was inadvertently not included in ADM-94 and is therefore included by this public comment.

Public Comment 11:

Bonnie Manley, AISI, representing SJI (bmanley@steel.org) requests Approve as Modified by this Public Comment.

Modify as follows:

| SJI | Steel Joist Institute | |
|------------------------------|--|------------------------|
| Standard Reference Number | Title | Referenced in Code(s): |
| SJI-200-16 SJI-200-15 | Standard Specification for Composite Steel Joists, CJ-Series | IBC |

Commenter's Reason: This modification simply corrects the publication date of SJI 200. A copy of SJI 200-15 is available at: https://steeljoist.org/ansi/.

Final Action Results

ADM94-16

AMPC3, 4, 5,6, 7, 8,9,10, 11

