

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009124
DATE: 10/08/2007
CERTIFICATION PROGRAM: Structural
COMPANY: Bevel King
CODE: B-1168-1

The "Notice of Product Certification" is valid only when Administrator's Seal is applied to the upper left hand portion of this form and a certification label is applied to the product. This certification seal represents product conformity to the applicable specification and that all certification criteria has been satisfied.

The product described below is approved for listing in the Directory of Certified Products. Please review, and advise NAMI immediately if data, as shown, requires corrections.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Bevel King Door and Glass Company 8145 Troon Circle, Suite D Austell, GA 30168	<p align="center"> "Wood Double Entry Door" Glazed Wood In-Swing Door Configuration: XX Glazing: IG-1/8" Tempered Glass/ 3/16" Beveled Annealed Glass/1/8" Tempered Glass </p> <p> Frame: W-6'2" H-8'1" Panel: W-3'0" H-8'0" </p>

SPECIFICATION	PRODUCT RATING
ASTM E283-91/E330-02/E331-00 Glass Complies to ASTM E1300-02	Design Pressure: +50/-50 psf

Product Tested By: National Certified Testing Laboratories
 Report No: NCTL-210-3000-1A
 Expiration Date: **October 31, 2008**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 11870 Merchants Walk, Suite 202
 Newport News, VA 23606
 TEL: (757) 594-8658
 FAX: (757) 594-8659