



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

398 East Dania Beach Blvd.

Suite 338

Dania Beach, FL 33004

954.399.8478 PH

954.744.4738 FX

contact@buildingdrops.com

Product Evaluation Report

of

dormakaba USA, Inc.

**Best Access Series 45H & 47H Mortise Locksets With/Without Deadlock
and 48H & 49H Mortise Deadlocks**

for

Florida Product Approval

Report No. 6055

FL# FL16202

6th Edition Florida Building Code

Method:	1 – D (Engineering Evaluation)
Category:	Exterior Doors
Sub – Category:	Exterior Door Components
Product:	<i>Best Access Series 45H & 47H Mortise Locksets With/Without Deadlock and 48H & 49H Mortise Deadlocks</i>
Material:	Steel/Various

Prepared for:

dormakaba USA, Inc.

6161 E. 75th Street

Indianapolis, IN 46250

Prepared by:

Hermes F. Norero, P.E.


Florida Professional Engineer # 73778

Date: 12/11/2018

Contents:

Evaluation Report

Pages 1 – 3



Hermes F. Norero, P.E.

Florida No. 73778



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

Date: 12/11/18
Report No: 6055
FL#: FL16202

Manufacturer: dormakaba USA, Inc.

Product Category: Exterior Doors

Product Sub-Category: Exterior Door Components

Compliance Method: State Product Approval Method (1)(d)

Product Name: Best Access Series 45H & 47H Mortise Locksets With/Without Deadlock and 48H & 49H Mortise Deadlocks

Scope: This is a Product Evaluation Report issued by Hermes F. Norero, P.E. (FL # 73778) for **dormakaba USA, Inc.** based on Method 1d of the State of Florida Product Approval, Florida Department of Business and Professional Regulation - Florida Building Commission.

Hermes F. Norero, P.E. does not have nor will acquire financial interest in the company manufacturing or distributing the product or in any other entity involved in the approval process of the product named herein.

This product has been evaluated for use in locations adhering to the 6th Edition Florida Building Code.

See Installation Instructions **DOR005**, signed and sealed by Hermes F. Norero, P.E. (FL # 73778) for specific use parameters.

Limits of Use:

1. This product has been evaluated and is in compliance with the 6th Edition Florida Building Code, including the "High Velocity Hurricane Zone" (HVHZ).
2. Product anchors shall be as listed and spaced as shown on details. Anchor embedment into substrate material shall be beyond wall dressing or stucco.
3. When used in areas requiring wind borne debris protection this product complies with the 6th Edition Florida Building Code and does not require an impact resistant covering.
4. Site conditions that deviate from the details of drawing **DOR005** require further engineering analysis by a licensed engineer or registered architect.
5. See Installation Instructions **DOR005** for size and design pressure limitations.



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

Date: 12/11/18
Report No: 6055
FL#: FL16202

Quality Assurance: The manufacturer has demonstrated compliance of manufacture of products in accordance with the Florida Building Code for manufacturing under a quality assurance program audited by an approved quality assurance entity through **Intertek Testing Services NA Inc. - ETL/Warnock Hersey**. (FBC Organization #QUA1673).

Performance Standards: The product described herein has been tested per:

- TAS 201-94
- TAS 202-94
- TAS 203-94

Referenced Data:

1. Product Testing performed by **Intertek Testing Services** (FBC Organization # TST1585)
Report #: G100561487MID-01, Report Date: 7/26/12,
Signed and sealed by Rick Curkeet, P.E.
2. Product Testing performed by **Fenestration Testing Lab** (FBC Organization # TST1657)
Report #: FTL-4606, Report Date: 6/21/05,
Report #: FTL-4605, Report Date: 6/21/05,
Signed and sealed by Edmundo Lagaespada, P.E.
3. Quality Assurance Entity
Intertek Testing Services NA Inc. - ETL/Warnock Hersey
(FBC Organization #QUA1673)

Installation:

Refer to Installation Instructions (**DOR005**) for anchor spacing and more details of the installation requirements.

Design Pressure:

Refer to Installation Instructions (**DOR005**) for design pressures based on size and configuration.