



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

398 East Dania Beach Blvd.

Suite 338

Dania Beach, FL 33004

954.399.8478 PH

954.744.4738 FX

contact@buildingdrops.com

Product Evaluation Report

of

dormakaba USA, Inc.

**Series 9300 Rim Panic w/ HC1300 Mull &
Series 9400/9400 Surface Vertical Rod(SVR)
Impact (Outswing)**

for

Florida Product Approval

Report No. 6725

FL# FL31964

Current Florida Building Code

Method:	1 – D (Engineering Evaluation)
Category:	Exterior Doors
Sub – Category:	Exterior Door Components
Product:	Series 9300 Rim Panic w/ HC1300 Mull & Series 9400/9400 Surface Vertical Rod (SVR) Impact (Outswing)
Material:	Steel/Various

Prepared for:

dormakaba USA, Inc.
6161 E 75th St
Indianapolis, IN 46250

Prepared by:

Hermes F. Norero, P.E.


Florida Professional Engineer # 73778

Date: 03/25/2020

Contents:

Evaluation Report

Pages 1 – 3



Hermes F. Norero, P.E.

Florida No. 73778



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

Date: 03/25/2020

Report No: 6725

FL#: FL31964

Manufacturer: dormakaba USA, Inc.

Product Category: Exterior Doors

Product Sub-Category: Exterior Door Components

Compliance Method: State Product Approval Method (1)(d)

Product Name: Series 9300 Rim Panic w/ HC1300 Mull &
Series 9400/9400 Surface Vertical Rod (SVR)

Scope: This is a Product Evaluation Report issued by Hermes F. Norero, P.E. (FL # 73778) for **dormakaba USA, Inc.** based on Method 1d of the State of Florida Product Approval, Florida Department of Business and Professional Regulation - Florida Building Commission.

Hermes F. Norero, P.E. does not have nor will acquire financial interest in the company manufacturing or distributing the product or in any other entity involved in the approval process of the product named herein.

This product has been evaluated for use in locations adhering to the current Florida Building Code.

See Installation Instructions DOR013 signed and sealed by Hermes F. Norero, P.E. (FL # 73778) for specific use parameters.

Limits of Use:

1. This product has been evaluated and is in compliance with the current Florida Building Code, including the "High Velocity Hurricane Zone" (HVHZ).
2. Product anchors shall be as listed and spaced as shown on details. Anchor embedment into substrate material shall be beyond wall dressing or stucco.
3. When used in areas requiring wind borne debris protection this product complies with Chapter 16 of the Florida Building Code and does not require an impact resistant covering in areas requiring Impact Resistance. Door and frames shall be equally rated, or impact protection shall be provided.
4. Site conditions that deviate from the details of drawing DOR013 require further engineering analysis by a licensed engineer or registered architect.
5. See Installation Instructions DOR013 for size and design pressure limitations.

Hermes F. Norero, P.E.

Florida No. 73778

Page 2 of 3



BUILDING DROPS

A Perfect Solution in Every Drop!

Certificate of Authorization: 29578

Date: 03/25/2020

Report No: 6725

FL#: FL31964

Quality Assurance:

The manufacturer has demonstrated compliance of manufacture of products in accordance with the Florida Building Code for manufacturing under a quality assurance program audited by an approved quality assurance entity through **Intertek Testing Services NA Inc. - ETL/Warnock Hersey**. (FBC Organization #QUA1673).

Performance Standards:

The product described herein has been tested per:

- TAS 201-94
- TAS 202-94
- TAS 203-94

Referenced Data:

1. Product Testing performed by **Certified Testing Laboratories, Inc**
Report#: CTLA-1276W Report Date: 11/17/04
Signed and sealed by Ramesh Patel, P.E. No. #20224
2. Product Testing performed by **Architectural Testing Laboratories**
Report#: ATI-0137581.01 Report Date: 3/16/01
Report#: ATI-0137581.02 Report Date: 3/16/01
Report#: ATI-0137581.04 Report Date: 3/16/01
Signed and sealed by Allen N. Reeves, P.E. No. #19354
3. Quality Assurance Entity
Intertek Testing Services NA Inc. - ETL/Warnock Hersey
(FBC Organization #QUA1673)

Installation:

Refer to Installation Instructions DOR013 for anchor spacing and more details of the installation requirements.

Design Pressure:

Refer to Installation Instructions DOR013 for design pressures based on size and configuration.

Hermes F. Norero, P.E.

Florida No. 73778

Page 3 of 3