

241 77 STREET


Issued for Permitting

241 77 street  
Miami Beach, FL 33141

## DOOR SCHEDULE

DOOR NO.	ROOM NAME	DOOR TYPE	DOOR MAT.	FRAME MAT.	WIDTH	SIZE Ht.	THICKNS	RATING	GLASS TYPE	GLASS TINT	DOOR FINISH	UNDERCUT	HEAD	JAMB	SILL	COMMENTS	SPACING
ID1	AHU CLOSET	A	WD	MTL	3-0"	6'-8"	1-3/4"	1HR			WD	-	1	A	1	LOUVERED DOOR WITH FUSIBLE LINK	
ID2	STORAGE	A	WD	MTL	3-0"	6'-8"	1-3/4"	1HR			WD	-	1	A	1		
ID3	UNIT# 3	A	WD	MTL	3-0"	6'-8"	1-3/4"	1HR			WD	-	1	A	1		
ID4	NORTH STAIR	A	WD	MTL	3-0"	6'-8"	1-3/4"	1HR			WD	-	1	A	1		
ID5	UNIT# 2	A	WD	MTL	3-0"	6'-8"	1-3/4"	1HR			WD	-	1	A	1		EQUALLY SPACED
ID6	SOUTH STAIR	A	WD	MTL	3-0"	6'-8"	1-3/4"	1HR			WD	-	1	A	1		
ID7	PANTRY CLOSET	A	WD	MTL	2-0"	6'-8"	1-3/4"	1HR			WD	-	1	A	1		
EX	EXISTING DOOR	A															

- NOTE: 1. ALL DOOR DIMENSIONS HAVE BEEN SPECIFIED BASE SIZES PRODUCED BY DOOR MANUFACTURERS LISTED BELOW. IF SPECIFIED DOORS ARE SUBSTITUTED WITH ANOTHER MANUFACTURE, FINAL AND ROUGH DIMENSIONS MAY VARY AND G.C. SHALL COORDINATE ALL DIMENSIONS BEFORE ORDERING. ANY SUBSTITUTIONS SHALL BE APPROVED AND OF EQUAL QUALITY
2. G.C. TO FIELD VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS OF ALL ROUGH OPENINGS
3. ALL EXISTING DOOR HEADERS SHALL REMAIN THE SAME.
4. ALL GLASS TO BE CLASS II TEMP. SAFETY GLASS
5. ALLOW 6" BETWEEN WALL AND DOOR HINGE MIN. CONFIRM ALL ADA CLEARANCES.
6. ALL FIRE RATED DOORS TO BE SELF-CLOSING AND SELF LATCHING.



A. FLAT SLAB DOOR AND FRAME  
NOA: 14-1117.05  
EXPIRES: FEB 24, 2020

## DOOR / HARDWARE KEYNOTES

- CONTRACTOR TO SUBMIT INDICATION OF MIAMI-DADE PRODUCT APPROVAL, PRODUCT DATA AND SHOP DRAWINGS FOR ALL DOORS FOR ARCHITECT REVIEW AND APPROVAL PRIOR TO INSTALLATION.
- CONTRACTOR TO SUBMIT CUT-SHEETS FOR ALL HARDWARE FOR ARCHITECT REVIEW AND APPROVAL PRIOR TO INSTALLATION.
- HANDLES, PULLS, LATCHES, LOCKS AND OTHER OPERATING DEVICES ON ACCESSIBLE DOORS SHALL BE LEVER-OPERATED MECHANISMS, PUSH-TYPE MECHANISMS OR U-SHAPED HANDLES. HARDWARE SHALL BE MOUNTED NO HIGHER THAN 48 INCHES ABOVE THE FINISHED FLOOR.
- THE MAXIMUM FORCE FOR PUSHING OR PULLING OPEN A DOOR SHALL BE AS FOLLOWS:
  - EXTERIOR HINGED DOORS - 8.5 LBF
  - INTERIOR HINGED DOORS - 5 LBF
  - SLIDING OR FOLDING DOORS - 5 LBF
- EGRESS DOORS SHALL BE READILY OPERABLE FROM THE EGRESS SIDE WITHOUT THE USE OF A KEY OR SPECIAL KNOWLEDGE OR EFFORT.

407 LINCOLN ROAD, SUITE 2C  
MIAMI BEACH, FL 33139

Tel: 786.218.5335


License #AA 26002467

WWW.CASTELLANOSDESIGN.COM

No.	DATE	ISSUED / REVISED
1	17 FEB/15	PERMITTING
2	12 MAR/16	PERMIT REV. A

ALL DRAWING AND PARTIAL MATERIALS, CONTAINED HEREIN, IS THE SOLE PROPERTY OF CASTELLANOS DESIGN STUDIO, LLC. AND MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF CASTELLANOS DESIGN STUDIO, LLC. WITHOUT EXPRESS WRITTEN PERMISSION FROM CASTELLANOS DESIGN STUDIO, LLC. THE DRAWINGS AND SPECIFICATIONS SHALL INDICATE THE CONDITIONS REQUIRED FOR THE FULL PERFORMANCE AND COMPLETION OF THE WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE CONDITIONS INDICATED ON THE DRAWINGS IN THE EVENT OF A COMPLETE REVIEW OR OBSERVATION OF THE WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPLICABLE AGENCIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPLICABLE AGENCIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPLICABLE AGENCIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPLICABLE AGENCIES.

SEAL :

WESLEY ART CASTELLANOS  
FLORIDA ARCHITECT LICENSE #AN 96133

PROJECT NO : 2014-32

## DOOR SCHEDULE

SHEET NO.

DRAWN BY : FAA

SCALE: AS NOTED

© 2015 BY CDS

A-4