

# VISTA VERTICAL PLATFORM

A compact and powerful solution



**ATLAS**

A Mobility and Accessibility Manufacturer



ATLAS

# RESIDENTIAL AND COMMERCIAL VERTICAL PLATFORM LIFT

The Atlas VISTA Vertical Platform Lift is a compact and powerful lift designed for the harsh North American climates. The VISTA model provides the user with a seamless and safe experience. A series of safety features including: emergency stop buttons, emergency lowering hand-wheel and safety detection sensors offer the peace of mind when operating the lift.

The VISTA Vertical Platform Lift has been designed, developed and manufactured to B-613, B-355 and ASME 18.1 regulation.

More detailed information is readily available by contacting your Authorized Atlas Dealer.

## **EASY AND SIMPLE**

With our qualified technicians, your platform lift can be installed quickly and safely.

## **SEAMLESS INTEGRATION**

Integration is quick and simple as a result of not needing a mechanical room, drain or overhead clearance.

## **PEACE OF MIND**

Manufactured in North-America, it meets CSA-B613 B355-15, ASME 17.1, ASME 18.1 giving you the peace of mind whatever the application.



# Elegance, performance and design

These standard features come on every VISTA.  
No extra cost, just great value!

**Capacity**  
**1000**  
LBS

**Drive**  
**ACME**  
SCREW DRIVE

**Travel Speed**  
**12**  
FPM

**Travel**  
**160**  
INCHES



**MOTOR**  
**24**  
VDC

## STANDARD FEATURES

Drive System	ACME Screw Drive
Max. Capacity	750 to 1000 lbs
Motor	1.5 HP -24 VDC
Max. Travel	Up to 160 inches
Travel Speed	12 FPM
Configurations	0 degree, 90 degree and 180 degree
Controls	Constant Pressure Rocker Switch with E-Stop
Codes & Regulations	CSA B613, B355, ASME 17.1, ASME 18.1
Equipment	Safety Underpan, Emergency Lowering Device, Galvanized Steel Platform 42" H, Emergency Alarm, Automatic Folding Ramp, Key Lock Switches, Pit Switches Continuous Pressure Rocker Switches



# Design your VISTA




## AVAILABLE OPTIONS

- Cabin & Platform Custom cabin heights and platform sizes and configurations
- Travel Custom Travel distance ranging from as low as 44" up to 160".
- Controls Flush and surface mounts, Call posts, Top Gate Mounted, No Key, Type 455 and Type 2252 (Commercial Kit)
- Doors and Gates Wide range of door and gate sizes and finishings.


## WARRANTY

- 12 Month 12 Month limited warranty\* on parts and labour from the date of purchase.

## FOR PRICING AND ORDERING

 Email us at [info@atlasacces.com](mailto:info@atlasacces.com)

 Call us toll free: 888.773.6708 or direct: 450.796.5708

 Online at [atlasacces.com](http://atlasacces.com)

\*Certain conditions apply. Consult your owners' manual for more warranty details.

# VISTA Vertical Platform Lift

The Atlas VISTA Platform Lift is a compact and powerful wheelchair lift that is designed for the harsh North American climates. Equipped with a Direct Acme Screw Drive, the VISTA offers smooth acceleration and deceleration while cutting cabin noise and vibration.

The VISTA Vertical Platform Lift provides the user a seamless and safe experience. A series of safety features including: emergency stop button, emergency lowering hand-wheel and obstacle detection offer the peace of mind when operating the lift.

## PERFORMANCE SPECIFICATIONS

Application	Residential & Commercial
Power Supply	110VAC & 24VDC
Drive System	Direct Acme Screw Drive
Motor	1 HP 24VDC
Maximum Capacity	750lbs (340 kg) or 1000lbs (454 kg)
Maximum Travel	Up to 160 inches (406.4 cm)
Travel Speed	12 feet per minute (0.06 m/s)

## PLATFORM & CABIN SPECIFICATIONS

Tower Configuration	Left & Right Tower Configuration
Platform Configuration	0°, 90° & 180°
Platform Dimension	34" X 54" (864 mm x 1372 mm) 34" X 60" (864 mm x 1524 mm) 36" X 54" (915 mm x 1372 mm) 36" X 60" (915 mm x 1372 mm)
Cabin Height	42" Standard Cab 80" Outdoor Full Cab Platform Canopy




## TRAVEL OPTIONS

VIS-44	Travel 44 inches with 72" Tower
VIS-64	Travel 64 inches with 92" Tower
VIS-78	Travel 78 inches with 108" Tower
VIS-98	Travel 98 inches with 126" Tower
VIS-115	Travel 115 inches with 158" Tower
VIS-130	Travel 130 inches with 158" Tower
VIS-160	Travel 160 inches with 190" Tower

## COMPLIANCE INFORMATION


Certifications CSA B613, B355, ASME 17.1, ASME 18.1




# Design your VISTA

<b>POWER SUPPLY</b>	<b>Platform Dimensions</b>	<b>DOOR AND GATES</b>	<b>STANDARD EQUIPMENT</b>
110VAC, 60Hz, 20A GFCI OUTLET	34" X 54" (864 mm x 1372 mm)	Lower & Upper Landing Orientation	Safety Underpan
24VDC, 2 x U1 12V Batteries	34" X 60" (864 mm x 1524 mm)	34" or 36" X 42" Gate	Emergency Alarm
	36" X 54" (915 mm x 1372 mm)	32", 38", 40" or 42" X 42" Gate	Galvanized Steel Platform 42" H
<b>LOAD CAPACITY</b>	36" X 60" (915 mm x 1372 mm)	36" X 80" - Interior Wooden Flush Door	Emergency Lowering Device
750 LBS	Custom: 30" to 42" W & 46" to 66" L	36" X 80" - Exterior Flush Door	Automatic Folding Ramp
1000 LBS		38" X 80" - Interior Wooden Flush Door	Key Lock Switches
	<b>CALL STATIONS</b>	36" X 80" - Lexan Door	Pit Switches
<b>TRAVEL HEIGHT</b>	Flush Mounted	38" X 80" - Lexan Door	Continuous Pressure Rocker Switches
44" 64" 78" 98" 115"	Surface Mounted	36" X 80" - Steel Fire-Rated 1.5 Hours	
130" 160"	Call Post	38" X 80" - Steel Fire-Rated 1.5 Hours	
<b>CABIN HEIGHT</b>	Top Gate Frame Mounted		
42" Standard Cabin	No Key	<b>PAINT</b>	
80" Outdoor Full Cabin	Type 455	Standard Color Atlas Grey	
Cabin Canopy	Type 2252 (Included in Commercial Kit)	Custom Color (RAL Universal Chart)	
<b>PLATFORM CONFIGURATION</b>		Stainless Steel	
0° Degree			
90° Degree			
180° Degree			

For pricing and ordering

 Visit an Atlas Dealer or Gallery

 Online at [www.atlasacces.com](http://www.atlasacces.com)

 By phone: (888) 773-6708