NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013729.04-R2**
DATE:	**05/25/2017**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Nan Ya**
CODE:	**661-1**
REVISION DATE:	**09/27/2023**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA **8989 North Loop East, Suite 800** **Houston, TX 77029**	**Series "LPS Gliding Patio Door" Glazed Fiberglass Sliding Glass Door w/Sill Riser** Configuration: XXO Glazing: Insulating Glass (Tempered) Frame: W-2692mm(106") H-2088mm(82.19") Panel: W-908mm(35.75") H-2013mm(79.25") DLO: W-667mm(26.25") H-1676mm(66")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 **CSA A440S1-09**	**Class R-PG50 2692 x 2088 (106 x 82)-SD** **Design Pressure: ±2400 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.5 psf)** **Canadian Air Infiltration/Exfiltration Level: A2** **Qualifies Configurations: O/X/OX/XO/OXX/XXO/XX**

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4058-01A
Expiration Date: **February 28, 2035**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com