

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006118-R7
DATE: 07/28/2005
CERTIFICATION PROGRAM: Structural
COMPANY: Nan Ya
CODE: 661-1
REVISION DATE: 06/18/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA 4016 Shadrack St. Houston, TX 77013	Nan Ya Plastics' "Gliding French Door" Vinyl Sliding Glass Door Configuration: OXXO Glazing: Insulating Glass (Tempered) Frame: W-3586mm(141.18") H-2426mm(95.5") Panel: W-908mm(35.75") H-2346mm(92.38")

SPECIFICATION	PRODUCT RATING
ANSI/AAMA/NWDA 101/I.S.2-97 ASTM F842	SGD-R50 FER-Grade 10

Product Tested By: ETC Laboratories
Report No: ETC-04-255-14966.0
Expiration Date: May 31, 2035

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023