

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013729.06-R3
DATE: 06/02/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Nan Ya
CODE: 661-1
REVISION DATE: 09/19/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA 4016 Shadrack St. Houston, TX 77013	Series "LPS Gliding Patio Door" Glazed Fiberglass Sliding Glass Door Configuration: XXO Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090" Kuraray PVB Interlayer//1/8" Annealed Glass Frame: W-2692mm(106") H-2426mm(95.5") Panel: W-908mm(35.75") H-2352mm(92.59") DLO: W-635mm(25") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-05 ASTM E1996-05/09 CSA A440S1-09	Class R-PG50 2692 x 2426 (106 x 95)-SD Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 288 Pa (6.0 psf) Canadian Air Infiltration/Exfiltration Level: A2 Wind Zone 4 - Missile Level D Qualifies Configurations: O/X/OX/XO/OXX/XXO/XX

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4058-02
Expiration Date: February 28, 2035

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023