

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005980.01-R8
DATE: 05/26/2007
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts.
CODE: 690-1
REVISION DATE: 11/26/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsman 6031 Clark Center Avenue Sarasota, FL 34238	Series "70R Glass Sliding Doors" Pocket/By-Pass/Center Meet Aluminum Sliding Impact Glass Door Configuration: XXXX Glazing-All Panels: 1/4" Heat Strengthened Glass/0.090" PVB/1/4" Heat Strengthened Glass Frame: W-4876mm(192") H-2438mm(96") Panel: W-1283mm(50.5") H-2407mm(90.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 TAS 201/202/203-94 ASTM E1886-02/13a/E1996-02/14a	Class CW-PG70 4876 x 2438 (192 x 96)-SD SD-C70 4876 x 2438 (192 x 96) Design Pressure: +70/-70 psf Large Missile Impact Rated Wind Zone 3-Missile Level D

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3220-1D/210-3112-1/210-3112-1A/W-1855/W-1965
Expiration Date: February 28, 2030

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023