

Hallmark® Certificate of Conformance and License (CCL)



Marvin
PO Box 100
401 State Ave N.
Warroad, MN 56763

Mfr ID: 407
For more Information visit www.amscert.com
Website: www.marvin.com
TEL: 218-386-1430

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
407-H-928.15	Essential Sliding Patio Door 9080 OXO	101/I.S.2/A440-22	Class R-PG30; Size Tested 2731mm x 2426mm Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2731mm	2426mm	m7656.01-201-47-r0	11/28/2023	4/27/2032
407-H-928.16	Essential Sliding Patio Door 9080 OXO	101/I.S.2/A440-17	Class R-PG30; Size Tested 2731mm x 2426mm Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2731mm	2426mm	m7656.01-201-47-r0	11/28/2023	4/27/2032
407-H-928.17	Essential Sliding Patio Door 90610 OOX	101/I.S.2/A440-22	Class R-PG30; Size Tested 2731mm x 2070mm * Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2731mm	2070mm	m7660.01-201-47-r0	11/28/2023	8/24/2031
407-H-928.18	Essential Sliding Patio Door 90610 OOX	101/I.S.2/A440-17	Class R-PG30; Size Tested 2731mm x 2070mm * Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2731mm	2070mm	m7660.01-201-47-r0	11/28/2023	8/24/2031
407-H-928.19	Essential Sliding Patio Door 90610 OXO	101/I.S.2/A440-22	Class R-PG30; Size Tested 2731mm x 2070mm * Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	2731mm	2070mm	m7659.01-201-47-r0	11/28/2023	8/24/2031
407-H-928.20	Essential Sliding Patio Door 90610 OXO	101/I.S.2/A440-17	Class R-PG30; Size Tested 2731mm x 2070mm * Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	2731mm	2070mm	m7659.01-201-47-r0	11/28/2023	8/24/2031
407-H-928.21	Essential Sliding Patio Door 6080 OXO	101/I.S.2/A440-22	Class R-PG30; Size Tested 1816mm x 2426mm Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	1816mm	2426mm	m7658.01-201-47-r0	11/28/2023	8/25/2031
407-H-928.22	Essential Sliding Patio Door 6080 OXO	101/I.S.2/A440-17	Class R-PG30; Size Tested 1816mm x 2426mm Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	1816mm	2426mm	m7658.01-201-47-r0	11/28/2023	8/25/2031

Hallmark® Certificate of Conformance and License (CCL)



Marvin
PO Box 100
401 State Ave N.
Warroad, MN 56763

Mfr ID: 407
For more Information visit www.amscert.com
Website: www.marvin.com
TEL: 218-386-1430

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
407-H-928.23	Essential Sliding Patio Door 9080 OOX	101/I.S.2/A440-22	Class R-PG30; Size Tested 2731mm x 2426mm Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2731mm	2426mm	m7657.01-201-47-r0	11/28/2023	4/27/2032
407-H-928.24	Essential Sliding Patio Door 9080 OOX	101/I.S.2/A440-17	Class R-PG30; Size Tested 2731mm x 2426mm Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2731mm	2426mm	m7657.01-201-47-r0	11/28/2023	4/27/2032
407-H-928.25	Essential Sliding Patio Door 8080 XO	101/I.S.2/A440-17	Class LC-PG25; Size Tested 2426 mm (95.5 in) x 2426 mm (95.5 in) Type-SD; DP +25/-25 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2426 mm (95.5 in)	2426 mm (95.5 in)	R2358.01-201-47	5/13/2024	4/1/2034
407-H-928.26	Essential Sliding Patio Door 8080 XO	101/I.S.2/A440-11	Class LC-PG25; Size Tested 2426 mm (95.5 in) x 2426 mm (95.5 in) Type-SD; DP +25/-25 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2426 mm (95.5 in)	2426 mm (95.5 in)	R2358.01-201-47	5/13/2024	4/1/2034
407-H-928.27	Essential Sliding Patio Door 80610 XO	101/I.S.2/A440-17	Class LC-PG30; Size Tested 2426 mm (95.5 in) x 2070 mm (81.5 in) * Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2426 mm (95.5 in)	2070 mm (81.5 in)	R2359.01-201-47	5/13/2024	4/1/2034
407-H-928.28	Essential Sliding Patio Door 80610 XO	101/I.S.2/A440-11	Class LC-PG30; Size Tested 2426 mm (95.5 in) x 2070 mm (81.5 in) * Type-SD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2426 mm (95.5 in)	2070 mm (81.5 in)	R2359.01-201-47	5/13/2024	4/1/2034

Hallmark® Certificate of Conformance and License (CCL)




AMS, INC.
Administrative Management
Systems, Inc.

Marvin
PO Box 100
401 State Ave N.
Warroad, MN 56763

Mfr ID: 407
For more Information visit www.amscert.com
Website: www.marvin.com
TEL: 218-386-1430

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
-------------	--------------	----------	--------	------	------	---------------	----------	---------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com