

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009356.01-R7
DATE: 02/15/2008
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 05/28/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleView[®]/Precedence[®] Casement Vinyl Window Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-902mm(35.5") H-2019mm(79.5) DLO: W-762mm(30") H-1880mm(74")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class R-PG35 920 x 2019 (36 x 80)-C C-R35 920 x 2019 (36 x 80) Design Pressure: ±1676 Pa (35 psf)

Product Tested By: Hurricane Testing Laboratory, LLC
Report No: G231-011-08-Unit 1 /W-2075/W-2179 /W-2190
Expiration Date: **December 31, 2030**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023