

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009356.05-R7
DATE: 05/19/2008
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 05/28/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC)

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleView®/Precedence® Twin Casement Vinyl Window Configuration: XX Glazing: Insulating Glass (Annealed) Frame: W-1816mm(71.5") H-2019mm(79.5) Vent: W-887mm(34.94") H-1980mm(77.94") STP: Pos+3591 Pa (75 psf) Neg-3591 Pa (75 psf)

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class R-PG50 1816 x 2019 (72 x 80)-C Design Pressure: ±2400 Pa (50 psf)

Product Tested By: Hurricane Testing Laboratory, LLC
Report No: G231-0302-08/G231-0111-08/W-1954/W-2179 /W-2190
Expiration Date: **December 31, 2030**

A handwritten signature in black ink, appearing to be "MD" or similar, written over a horizontal line.

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com

NOPC-03/30/2023