

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013070-R4
DATE: 03/30/2016
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP
CODE: 860-1
REVISION DATE: 05/28/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Austell, GA 30303	Style View®/Precedence® Casement Vinyl Window Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-1003mm(39.5") H-2019mm(79.5") Vent: W-970mm(38.18") H-1986mm(78.18") DLO: W-864mm(34") H-1880mm(74")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class R-PG50 1003 x 2019 (40 x 80)-C Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Intertek
Report No: F3782.05-550-44-R1/W-2179 /W-2190
Expiration Date: December 31, 2030

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD".

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023