

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006062.01-R2
DATE: 06/07/2005
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts.
CODE: 690-1
REVISION DATE: 04/07/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsman 6031 Clark Center Avenue Sarasota, FL 34238	Series "60R Aluminum Picture Window" Aluminum Fin Frame Fixed Window Configuration: O Glazing: Monolithic (Tempered) Frame: W-3048mm(120") H-1525mm(60") DLO: W-2997mm(118") H-1473mm(58")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/NWDA 101/I.S.2-97	Class CW-PG60 3048 x 1525 (120 x 60)-FW F-C60 Design Pressure: ± 2873 Pa (60 psf) Water Penetration Resistance Test Pressure: 503 Pa (10.5 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3160-01/W-1965
Expiration Date: November 30, 2030

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023