

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009413-R7
DATE: 03/28/2008
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts.
CODE: 690-1
REVISION DATE: 04/07/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsman 6031 Clark Center Avenue Sarasota, FL 34238	"60R Aluminum Impact Picture Window" Aluminum Fixed Window Configuration: O Glazing: Laminate- 1/4" Heat Strengthened Glass/0.090" PVB by Solutia/1/4" Heat Strengthened Glass Frame: W-1219mm(48") H-3456mm(72") DLO: W-1168mm(46") H-1778mm(70")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-02/13a/E1996-02/14a TAS201/202/203-94	Class R-PG60 1219 x 3456 (48 x 72)-FW FW-R60 1219 x 3456 (48 x 72) Wind Zone 3-Missile Level D Design Pressure: +60/-60 psf

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3403-1 & 1A/W-1855/W-1965
Expiration Date: November 30, 2030

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023