

Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453
For more Information visit www.amscert.com
Website: www.windsorwindows.com
TEL: 515-223-6660

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
453-H-013.24	Pinnacle Clad Concealed Double Hung	ASTM E-1996 17/ASTM E-1886 13a	DP +50/-50 psf, Missile D, Wind Zone 3	33.375 in	68.750 in	ESP043317P.ASTM	5/20/2025	5/30/2025	2/18/2035
453-H-013.25	Pinnacle Clad Concealed Double Hung	ASTM E-330-14	DP +50/-50 psf	33.375 in	68.750 in	ESP043317P.ASTM Clip	5/20/2025	5/30/2025	2/18/2035
453-H-013.26	Pinnacle Clad Concealed Double Hung	ASTM E-330-14	DP +50/-50 psf	33.375 in	68.750 in	ESP043317P.ASTM Screw	5/20/2025	5/30/2025	2/18/2035

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:

John McFee John McFee, VP of Certification Programs, WDMA Hallmark

By:

Lucas L. Wenzel Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:

Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:

Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com