

Hallmark® Certificate of Conformance and License (CCL)



Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453

For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
453-H-012.11	Pinnacle Clad Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 949 mm x 1848 mm * Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	949 mm	1848 mm	ESP032146P.1	10/19/2019	12/9/2019	10/22/2029
453-H-012.12	Pinnacle Clad Double Hung	101/I.S.2/A440-17	Class LC-PG35; Size Tested 949 mm x 1848 mm * Type-H; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	949 mm	1848 mm	ESP032146P.2	10/19/2019	12/9/2019	10/22/2029
453-H-012.13	Pinnacle Clad Double Hung	101/I.S.2/A440-17	Class LC-PG35; Size Tested 1153 mm x 1543 mm * Type-H; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	1153 mm	1543 mm	ESP032146P.3	10/19/2019	12/9/2019	10/22/2029
453-H-012.14	Pinnacle Clad Double Hung	101/I.S.2/A440-17	Class LC-PG30; Size Tested 1153 mm x 2051 mm Type-H; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	1153 mm	2051 mm	ESP032146P.4	11/7/2019	12/9/2019	10/22/2029
453-H-012.15	Pinnacle Clad Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 1051 mm x 1645 mm * Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1051 mm	1645 mm	ESP032146P.5	11/7/2019	12/9/2019	10/22/2029
453-H-012.16	Pinnacle Clad Double Hung	101/I.S.2/A440-17	Class LC-PG35; Size Tested 746 mm x 2051 mm * Type-H; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	746 mm	2051 mm	ESP032146P.6	11/7/2019	12/9/2019	10/22/2029
453-H-012.17	Pinnacle Clad Double Hung	101/I.S.2/A440-17	Class LC-PG35; Size Tested 1203 mm x 2457 mm Type-H; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	1203 mm	2457 mm	ESP033040P.1Rev	5/27/2021	6/8/2021	2/18/2031
453-H-012.19	Pinnacle Clad Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 949 mm x 1949 mm * Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	949 mm	1949 mm	ESP036158P	4/24/2022	6/20/2022	2/18/2031

Hallmark® Certificate of Conformance and License (CCL)



Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453

For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
453-H-013.09	Pinnacle Clad Concealed Double Hung	101/I.S.2/A440-17	Class LC-PG25; Size Tested 1676 mm x 2254 mm Type-FW; DP +25/-25 psf; Water Test Press 180Pa (3.76psf); Can. Air Infil/Exfil. Level=Fixed	1676 mm	2254 mm	ESP030538P	3/19/2019	3/29/2019	3/8/2029
453-H-013.16	Pinnacle Clad Concealed Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 1051 mm x 2254 mm * Type-H; DP +50/-65 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1051 mm	2254 mm	ESP031842P.1	1/17/2020	1/24/2020	11/29/2029
453-H-013.17	Pinnacle Clad Concealed Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 1051 mm x 2254 mm * Type-H; DP +50/-65 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1051 mm	2254 mm	ESP031842P.2	1/17/2020	1/24/2020	11/29/2029
453-H-013.18	Pinnacle Clad Concealed Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 1051 mm x 2254 mm * Type-H; DP +50/-65 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1051 mm	2254 mm	ESP031842P.3	1/17/2020	1/24/2020	11/29/2029
453-H-013.19	Pinnacle Clad Concealed Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 1051 mm x 2254 mm * Type-H; DP +50/-65 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1051 mm	2254 mm	ESP031842P.4	1/17/2020	1/24/2020	11/29/2029
453-H-013.20	Pinnacle Clad Concealed Double Hung	101/I.S.2/A440-17	Class LC-PG35; Size Tested 1203 mm x 2457 mm Type-H; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	1203 mm	2457 mm	ESP033040P.1Rev PCCJDH 4244	3/19/2020	3/26/2020	2/18/2030
453-H-013.22	Pinnacle Clad Concealed Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 45.375 in x 80.750 in Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	45.375 in	80.750 in	ESP037586P.7	12/17/2022	3/9/2023	11/2/2032
453-H-013.23	Pinnacle Clad Concealed Double Hung	101/I.S.2/A440-22	Class LC-PG50; Size Tested 37.375 in x 96.750 in * Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	37.375 in	96.750 in	ESP042764P.3	12/20/2024	12/23/2024	2/18/2031

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453

For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
-------------	--------------	----------	--------	------	------	---------------	---------	----------	---------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com