

Hallmark® Certificate of Conformance and License (CCL)



Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website: www.kolbewindows.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
413-H-1220.13	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-22	Class LC-PG60; Size Tested 1156mm x 2043mm Type-H; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	1156mm	2043mm	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.14	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-22	Class CW-PG60; Size Tested 2311mm x 762mm Type-TR; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	2311mm	762mm	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.15	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-22	Class LC-PG60; Size Tested 2043mm trib width x 1156mm span Type-MA; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	2043mm trib width	1156mm span	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.16	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-22	Class LC-PG60; Size Tested 2311mm trib width x 1409mm span Type-MA; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	2311mm trib width	1409mm span	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.18	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-17	Class LC-PG60; Size Tested 1156mm x 2043mm Type-H; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	1156mm	2043mm	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.19	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	CSA A440 S1-19	Class LC-PG60; Size Tested 1156mm x 2043mm Type-H; DP +2880/-3120 Pa; Water Test Press 440Pa (9.19psf); Can. Air Infil/Exfil. Level=A2	1156mm	2043mm	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.20	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	CSA A440 S1-17	Class LC-PG60; Size Tested 1156mm x 2043mm Type-H; DP +2880/-3120 Pa; Water Test Press 440Pa (9.19psf)	1156mm	2043mm	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.21	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-17	Class CW-PG60; Size Tested 2311mm x 762mm Type-TR; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	2311mm	762mm	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.22	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	CSA A440 S1-19	Class CW-PG60; Size Tested 2311mm x 762mm Type-TR; DP +2880/-3120 Pa; Water Test Press 440Pa (9.19psf)	2311mm	762mm	QCT23-6906.13-R1	3/5/2024	1/10/2034

Hallmark® Certificate of Conformance and License (CCL)



Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website: www.kolbewindows.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
413-H-1220.23	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	CSA A440 S1-17	Class CW-PG60; Size Tested 2311mm x 762mm Type-TR; DP +2880/-3120 Pa; Water Test Press 440Pa (9.19psf)	2311mm	762mm	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.24	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-17	Class LC-PG60; Size Tested 1409mm trib width x 2311mm span Type-MA; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	1409mm trib width	2311mm span	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.25	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-22	Class LC-PG60; Size Tested 1409mm trib width x 2311mm span Type-MA; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	1409mm trib width	2311mm span	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.26	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	CSA A440 S1-19	Class LC-PG60; Size Tested 2043mm trib width x 1156mm span Type-MA; DP +2880/-3120 Pa; Water Test Press 440Pa; Can. Air Infil/Exfil. Level=A2	2043mm trib width	1156mm span	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.27	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	CSA A440 S1-17	Class LC-PG60; Size Tested 2043mm trib width x 1156mm span Type-MA; DP +2880/-3120 Pa; Water Test Press 440Pa (9.19psf)	2043mm trib width	1156mm span	QCT23-6906.13-R1	3/5/2024	1/10/2034
413-H-1220.31	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	101/I.S.2/A440-17	Class LC-PG60; Size Tested 1409mm trib width x 2311mm span Type-MA; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	1409mm trib width	2311mm span	QCT23-6906.13-R1	3/12/2024	1/10/2034
413-H-1220.32	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	CSA A440 S1-19	Class LC-PG60; Size Tested 1409mm trib width x 2311mm span Type-MA; DP +2880/-3120 psf; Water Test Press 440Pa (9.19psf); Can. Air Infil/Exfil. Level=A3	1409mm trib width	2311mm span	QCT23-6906.13-R1	3/12/2024	1/10/2034
413-H-1220.33	Ultra Sterling Double Hung mull, HP, mulled to Ultra Transom UED5E1642 (URDHSS), HP (R&D 22043 Recert 12008)	CSA A440 S1-17	Class LC-PG60; Size Tested 1409mm trib width x 2311mm span Type-MA; DP +60/-65 psf; Water Test Press 440Pa (9.19psf)	1409mm trib width	2311mm span	QCT23-6906.13-R1	3/12/2024	1/10/2034

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website: www.kolbewindows.com

TEL:

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
--------------------	---------------------	-----------------	---------------	-------------	-------------	----------------------	-----------------	----------------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By: *John McFee* *John McFee, VP of Certification Programs, WDMA Hallmark*

By: *Lucas L. Wenzel* *Lucas L. Wenzel, Authorized Representative, AMS*

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com