

Hallmark® Certificate of Conformance and License (CCL)



Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453

For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
453-H-008.08	Pinnacle Clad Outswing Door	101/I.S.2/A440-11	Class R-PG40; Size Tested 1907mm x 3019mm * Type-SHD; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=A2	1907mm	3019mm	ESP017103P.2	1/31/2016	7/11/2024
453-H-008.10	Pinnacle Clad Outswing Door	101/I.S.2/A440-11	Class R-PG50; Size Tested 1907mm x 2410mm * Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1907mm	2410mm	ESP017985P	1/31/2016	7/25/2024
453-H-008.26	Pinnacle Clad Outswing Door	101/I.S.2/A440-17	Class LC-PG40; Size Tested 2135mm x 2410mm Type-SHD; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=A2	2135mm	2410mm	ESP032501P.2	1/10/2020	11/22/2029
453-H-008.28	Pinnacle Clad Outswing Door	101/I.S.2/A440-17	Class LC-PG30; Size Tested 2135mm x 2410mm Type-SHD; DP +1440/-1440 Pa; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	2135mm	2410mm	ESP033972P	8/6/2020	7/14/2030
453-H-008.29	Pinnacle Clad Outswing Door	101/I.S.2/A440-17	Class LC-PG30; Size Tested 1907 mm x 3019 mm Type-SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	1907 mm	3019 mm	ESP036226P.2	10/29/2021	8/13/2031
453-H-008.30	Pinnacle Clad Outswing Door	101/I.S.2/A440-17	Class LC-PG30; Size Tested 1907 mm x 2080 mm * Type-SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	1907 mm	2080 mm	ESP036226P.3	10/29/2021	8/13/2031
453-H-008.31	Pinnacle Clad Outswing Door	101/I.S.2/A440-17	Class LC-PG50; Size Tested 1830 mm x 2410 mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1830 mm	2410 mm	ESP036226P.6	10/29/2021	8/18/2031
453-H-008.32	Pinnacle Clad Outswing Door	101/I.S.2/A440-17	Class LC-PG40; Size Tested 1907 mm x 2410 mm Type-SHD; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=A2	1907 mm	2410 mm	ESP036226P.5	12/2/2021	8/20/2031

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453


For more Information visit www.amscert.com


Website: www.windsorwindows.com

TEL: 515-223-6660

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
453-H-069.00	Pinnacle Clad Narrow Stile Outswing Door	101/I.S.2/A440-11	Class LC-PG35; Size Tested 1905 mm x 2435 mm Type-SHD; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	1905 mm	2435 mm	ESP023999P	10/26/2016	9/30/2026
453-H-069.01	Pinnacle Clad Narrow Stile Outswing Door	101/I.S.2/A440-11	Class LC-PG35; Size Tested 1905 mm x 2435 mm Type-SHD; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	1905 mm	2435 mm	ESP024000P	11/2/2016	9/30/2026
453-H-069.02	Pinnacle Clad Narrow Stile Outswing Door	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1830mm x 2410mm * Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1830mm	2410mm	ESP024304P	1/25/2017	9/30/2026

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  **John McFee, VP of Certification Programs, WDMA Hallmark**

By:  **Lucas L. Wenzel, Authorized Representative, AMS**

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com