

Hallmark® Certificate of Conformance and License (CCL)





Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453
For more Information visit www.amscert.com
Website: www.windsorwindows.com
TEL: 515-223-6660

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
453-H-010.18	Pinnacle Clad LP Direct Set / Radius	101/I.S.2/A440-11	Class CW-PG65; Size Tested 1524mm x 3048mm Type-FW; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=Fixed	1524mm	3048mm	ESP027250P	4/18/2018	12/13/2027
453-H-010.20	Pinnacle Clad LP Direct Set / Radius	ASTM E1996-14a/ ASTM E-1886-13a	DP +65/-65 psf, Missile D, Wind Zone 4	1524mm	3048mm	ESP027250P.ASTM	5/3/2018	12/13/2027
453-H-010.21	Pinnacle Clad LP Direct Set / Radius	TAS 201/202/203-94	DP +65/-65 psf, Large Missile	1524mm	3048mm	ESP027250P.DADE	5/3/2018	12/13/2027

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Rhonda Schotz, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com