

Hallmark® Certificate of Conformance and License (CCL)



Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453

For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
453-H-010.18	Pinnacle Clad LP Direct Set / Radius	101/I.S.2/A440-11	Class CW-PG65; Size Tested 1524mm x 3048mm Type-FW; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=Fixed	1524mm	3048mm	ESP027250P	4/18/2018	12/13/2027
453-H-010.22	Pinnacle Clad LP Direct Set / Radius	101/I.S.2/A440-17	Class CW-PG50; Size Tested 3099mm x 1829mm Type-FW; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	3099mm	1829mm	ESP033973P.1	1/26/2021	8/5/2030
453-H-010.23	Pinnacle Clad LP Direct Set / Radius	101/I.S.2/A440-17	Class CW-PG50; Size Tested 2438mm x 2134mm Type-FW; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	2438mm	2134mm	ESP033973P.2	1/26/2021	8/5/2030
453-H-011.08	Pinnacle Clad Direct Set	101/I.S.2/A440-17	Class CW-PG50; Size Tested 2591mm x 2108mm Type-FW; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	2591mm	2108mm	ESP030719P.1	4/23/2019	4/4/2029
453-H-011.09	Pinnacle Clad Direct Set	101/I.S.2/A440-17	Class CW-PG65; Size Tested 2591mm x 1524mm Type-FW; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=Fixed	2591mm	1524mm	ESP030719P.2	4/23/2019	4/4/2029
453-H-011.10	Pinnacle Clad Direct Set	101/I.S.2/A440-17	Class CW-PG70; Size Tested 1219 mm x 1829 mm * Type-FW; DP +70/-70 psf; Water Test Press 510Pa (10.65psf); Can. Air Infil/Exfil. Level=Fixed	1219 mm	1829 mm	ESP030669P	4/23/2019	4/4/2029
453-H-011.11	Pinnacle Clad Direct Set	101/I.S.2/A440-17	Class CW-PG50; Size Tested 3048 mm x 1829 mm Type-FW; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	3048 mm	1829 mm	ESP030719P.3	8/6/2019	4/19/2029

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453


For more Information visit www.amscert.com


Website: www.windsorwindows.com

TEL: 515-223-6660

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
--------------------	---------------------	-----------------	---------------	-------------	-------------	----------------------	-----------------	----------------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  *John McFee, VP of Certification Programs, WDMA Hallmark*

By:  *Lucas L. Wenzel, Authorized Representative, AMS*

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com