

Hallmark® Certificate of Conformance and License (CCL)



Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453

For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
453-H-006.00	Pinnacle Clad Inswing Door	101/I.S.2/A440-11	Class R-PG30; Size Tested 1907mm x 3032mm Type-SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	1907mm	3032mm	ESP017103P.3	1/31/2016	8/24/2024
453-H-006.09	Pinnacle Clad Inswing Door	101/I.S.2/A440-11	Class R-PG30; Size Tested 1907mm x 3032mm * Type-SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	1907mm	3032mm	ESP017103P.4	1/31/2016	7/25/2024
453-H-006.10	Pinnacle Clad Inswing Door	101/I.S.2/A440-11	Class LC-PG40; Size Tested 1905mm x 2423mm * Type-SHD; DP +40/-40 psf; Water Test Press 290Pa (6.06psf)	1905mm	2423mm	ESP022294P	7/19/2016	3/14/2026
453-H-006.14	Pinnacle Clad Inswing Door	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1905mm x 2413mm; Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1905mm	2413mm	ESP026435P.Stat-Active	3/26/2018	8/29/2024
453-H-006.19	Pinnacle Clad Inswing Door	101/I.S.2/A440-17	Class LC-PG40; Size Tested 2135 mm x 2423 mm Type-SHD; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=A2	2135 mm	2423 mm	ESP032501P.3	4/21/2020	12/22/2029
453-H-006.21	Pinnacle Clad Inswing Door	101/I.S.2/A440-17	Class LC-PG35; Size Tested 2135 mm x 2423 mm Type-SHD; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	2135 mm	2423 mm	ESP032501P.4	4/21/2020	2/10/2030
453-H-068.00	Pinnacle Clad Narrow Stile Inswing Door	101/I.S.2/A440-11	Class LC-PG40; Size Tested 1905mm x 2426mm Type-SHD; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=A2	1905mm	2426mm	ESP023681P.Rev2	10/6/2016	8/22/2026
453-H-068.01	Pinnacle Clad Narrow Stile Inswing Door	101/I.S.2/A440-11	Class LC-PG50; Size Tested 959mm x 2423mm * Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	959mm	2423mm	ESP023170P	11/2/2016	8/22/2026

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453


For more Information visit www.amscert.com


Website: www.windsorwindows.com

TEL: 515-223-6660

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
453-H-068.02	Pinnacle Clad Narrow Stile Inswing Door	101/I.S.2/A440-11	Class LC-PG35; Size Tested 1907mm x 2423mm * Type-SHD; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A3	1907mm	2423mm	ESP023680P	4/11/2017	9/14/2026
453-H-068.03	Pinnacle Clad Narrow Stile Inswing Door	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1830mm x 2423mm * Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	1830mm	2423mm	ESP024303P.Rev	3/3/2017	1/23/2026

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  *John McFee, VP of Certification Programs, WDMA Hallmark*

By:  *Lucas L. Wenzel, Authorized Representative, AMS*

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com