

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013437-R3
DATE: 11/29/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1
REVISION DATE: 06/02/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. 300 Welcome Center Welcome, NC 27374	Series "8300/1300/3000/40/3201" Vinyl Horizontal Sliding Window w/Finless Installation Configuration: XOX Glazing: Insulating Glass (Annealed) Frame: W-2438mm(96") H-1219mm(48") Panel: W-797mm(31.38") H-1101mm(45.38") DLO: W-730mm(28.75") H-1092mm(43")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class R-PG30 2438 x 1219 (96 x 48)-HS HS-R30 2438 x 1219 (96 x 48) Design Pressure: ±1440 Pa (30 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.59 psf)

Product Tested By: Architectural Testing, Inc.
Report No: F0439.01-251-47-R2/W-1987
Expiration Date: October 31, 2029

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023