NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013248.01-R4**
DATE:	**06/14/2016**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Atrium**
CODE:	**2187-1**
REVISION DATE:	**11/25/2025**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Companies, Inc. **300 Welcome Center Blvd.** **Welcome, NC 27374**	**Series "311/312/378"** **Vinyl Sliding Glass Door** **w/Fin Installation** Configuration: XO Glazing: Insulating Glass (Tempered) Frame: W-1797mm(70.75") H-2019mm(79.5") Panel: W-927mm(36.5") H-1961mm(77.19") DLO: W-802mm(31.56") H-1838mm(72.19")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **AAMA/WDMA/CSA 101/I.S.2/A440-05**	**Class R-PG35 1803 x 2032 (71 x 80)-SD** **SD-R35 1803 x 2032 (71 x 80)** **Design Pressure: ±1680 Pa (35 psf)** **Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)**

Product Tested By: Architectural Testing, Inc.
Report No: D0985.01-801-47/W-2009
Expiration Date: **June 30, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com