

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009709.02
DATE: 01/29/2009
CERTIFICATION PROGRAM: Structural
COMPANY: ProVia Door
CODE: 1212-1
REVISION DATE: 11/25/2019

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia, LLC 2150 State Route 39 Sugarcreek, OH 44681	Series "Prestige Sliding Patio Door" Vinyl Sliding Door Configuration: XO Glazing: Insulating Glass (Tempered) Frame: W-2400mm(95") H-2019mm(80") Panel: W-1201mm(47.3") H-1911mm(75.24")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05	SD-R40 2400 x 2019 (95 x 80) Design Pressure: ±1920 Pa (40 psf) Water Penetration Resistance Test Pressure: 330 Pa (6.75 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Air-Ins, Inc.
Report No: AI-03288-A1
Expiration Date: December 31, 2023

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: _____

**NATIONAL ACCREDITATION &
MANAGEMENT INSTITUTE, INC**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122