

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012022-R4
DATE: 06/17/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Shwinco
CODE: 1972-1
REVISION DATE: 03/26/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Shwinco Architectural Products, LLC 171 Jet Services Way Dothan, AL 36303	Series "9700" Impact Rated Vinyl Sliding Glass Door Configuration: OXXO Glazing: IG-Exterior-3/16" Tempered Glass/ Laminate-1/8" Annealed Glass/0.090" PVB by Solutia/ 1/8" Annealed Glass Frame: W-3595mm(141.5") H-2020mm(79.5") Sash: W-942mm(37.13") H-1835mm(72.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-02/05/13a/E1996-02/05/14a	Class CW-PG50 3595 x 2020* (142 x 80*)-SD SD-C50 3595 x 2020 (142 x 80)-SD Design Pressure: 2400 Pa (50 psf) Wind Zone 4-Missile Level D Water Penetration Resistance Test Pressure: 648 Pa (13.5 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3281-5A/NCTL-210-3281-5/W-1930
Expiration Date: **June 30, 2028**

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023