


NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010112.01-R7
DATE: 02/10/2010
CERTIFICATION PROGRAM: Structural
COMPANY: Sun-Tek
CODE: 225-1
REVISION DATE: 09/15/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namincertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sun-Tek Manufacturing, Inc. 10303 General Drive Orlando, FL 32824	Series "CM 4646" Curb Mounted Polycarbonate Dome Skylight Configuration: O Polycarbonate: Outer Dome: 0.060" Flat Liner: 0.030" Frame: W-1321mm(52") H-1321mm(52")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/IS.2/A440-08 AAMA/WDMA/CSA 101/IS.2/A440-05	Class CW-PG60 1321 x 1321 (52 x 52)-SKP/RW SKP/RW-C60 1321 x 1321 (52 x 52)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3647-3/W-1683
Expiration Date: October 31, 2027

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com

NOPC-03/30/2023