

NOTICE OF PRODUCT CERTIFICATION



Company: JELD-WEN
3737 Lakeport Boulevard
Klamath Falls, OR 97601

Certification No.: NI005823-R8
Certification Date: 10/15/2004
Expiration Date: 09/30/2026
Revision Date: 11/23/2020

Product: Series "Strata Aurora Model 201301" Opaque Fiberglass Door w/ or w/o One Piece Moulding Sidelights and Pemco Aluminum Sill

Specification: ASTM E330-97/02/14/AAMA 1304-02

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	O/S	Opaque	3'0" x 8'1-5/8"	+50/-50	No	ATI-46997.05-301-44/W-1976 Glazing: Insulated Glass (Tempered) Installation Details: JW342004(1-6)
OX/XO Single w/Sidelite	O/S	Opaque Door Glazed Sidelite	4'6" x 8'1-5/8"	+50/-50	Door-No Sidelite-No	ATI-46997.05-301-44/W-1976 Glazing: Insulated Glass (Tempered) Installation Details: JW342004(1-6)
OXO Single w/Sidelites	O/S	Opaque Door Glazed Sidelite	6'0" x 8'1-5/8"	+50/-50	Door-No Sidelite-No	ATI-46997.05-301-44/W-1976 Glazing: Insulated Glass (Tempered) Installation Details: JW342004(1-6)
XX Double	O/S	Opaque	6'0" x 8'1-5/8"	+50/-50	No	ATI-46997.05-301-44/W-1976 Glazing: Insulated Glass (Tempered) Installation Details: JW342004(1-6)
OXXO Double w/Sidelites	O/S	Opaque Door Glazed Sidelite	9'3-1/2" x 8'1-5/8"	+50/-50	Door-No Sidelite-No	ATI-46997.05-301-44/W-1976 Glazing: Insulated Glass (Tempered) Installation Details: JW342004(1-6)

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/Fax: (804) 684-5122

NAMI AUTHORIZED SIGNATURE: _____

A handwritten signature in black ink, appearing to be "Shi" or similar, written over a horizontal line.