

Hallmark® Certificate of Conformance and License (CCL)



Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453

For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
453-H-005.06	Pinnacle Clad Casement Picture	AAMA 450-10	Class R-PG50; Size Tested 3658mm x 1829mm * Type-MA; DP +50/-50 psf; Wind Zone 4; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	3658mm	1829mm	ESP016704P.REV	1/31/2016	3/10/2024
453-H-005.11	Pinnacle Clad Casement Picture	101/I.S.2/A440-11	Class CW-PG40; Size Tested 1829mm x 1981mm * Type-FW; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=Fixed	1829mm	1981mm	ESP023445P	9/30/2016	6/22/2026
453-H-005.16	Pinnacle Clad Casement Picture	101/I.S.2/A440-17	Class CW-PG40; Size Tested 1372 mm x 1981 mm * Type-FW; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=Fixed	1372 mm	1981 mm	ESP031712P	9/20/2019	3/10/2024
453-H-005.17	Pinnacle Clad Casement Picture	101/I.S.2/A440-17	Class LC-PG65; Size Tested 1219 mm x 1829 mm * Type-FW; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=Fixed	1219 mm	1829 mm	ESP032438P	1/7/2020	3/10/2024
453-H-005.19	Pinnacle Clad Casement Picture	101/I.S.2/A440-17	Class CW-PG40; Size Tested 1829 mm x 2134 mm Type-FW; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=Fixed	1829 mm	2134 mm	ESP034597P.2	7/9/2021	5/19/2031
453-H-005.20	Pinnacle Clad Casement Picture	101/I.S.2/A440-17	Class CW-PG50; Size Tested 1524 mm x 1524 mm Type-FW; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	1524 mm	1524 mm	ESP035697P.6	8/5/2021	7/14/2031

Hallmark® Certificate of Conformance and License (CCL)




AMS, INC.
Administrative Management
Systems, Inc.

Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453
For more Information visit www.amscert.com
Website: www.windsorwindows.com
TEL: 515-223-6660

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
--------------------	---------------------	-----------------	---------------	-------------	-------------	----------------------	-----------------	----------------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  *John McFee, VP of Certification Programs, WDMA Hallmark*

By:  *Lucas L. Wenzel, Authorized Representative, AMS*

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com