



Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website: www.kolbewindows.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
413-H-1069.43	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	101/I.S.2/A440-22	Class LC-PG45; Size Tested 2438mm x 2500mm Type-SD; DP +45/-45 psf; Water Test Press 330Pa (6.89psf)	2438mm	2500mm	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035
413-H-1069.44	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	101/I.S.2/A440-17	Class LC-PG45; Size Tested 2438mm x 2500mm Type-SD; DP +45/-45 psf; Water Test Press 330Pa (6.89psf)	2438mm	2500mm	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035
413-H-1069.45	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	CSA A440 S1-19	Class LC-PG45; Size Tested 2438mm x 2500mm Type-SD; DP +2160/-2160 Pa; Water Test Press 330Pa (6.89psf); Can. Air Infil/Exfil. Level=A3	2438mm	2500mm	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035
413-H-1069.46	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	101/I.S.2/A440-22	Class LC-PG45; Size Tested 1283mm x 2500mm Type-SLT; DP +45/-45 psf; Water Test Press 330Pa (6.89psf)	1283mm	2500mm	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035
413-H-1069.47	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	101/I.S.2/A440-17	Class LC-PG45; Size Tested 1283mm x 2500mm Type-SLT; DP +45/-45 psf; Water Test Press 330Pa (6.89psf)	1283mm	2500mm	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035
413-H-1069.48	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	CSA A440 S1-19	Class LC-PG45; Size Tested 1283mm x 2500mm Type-SLT; DP +2160/-2160 Pa; Water Test Press 330Pa (6.89psf); Can. Air Infil/Exfil. Level=Fixed	1283mm	2500mm	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035
413-H-1069.49	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	101/I.S.2/A440-22	Class LC-PG45; Size Tested 1301mm Tributary Width x 2500mm Span Type-MA; DP +45/-45 psf; Water Test Press 330Pa (6.89psf)	1301mm Tributary Width	2500mm Span	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035
413-H-1069.50	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	101/I.S.2/A440-17	Class LC-PG45; Size Tested 1301mm Tributary Width x 2500mm Span Type-MA; DP +45/-45 psf; Water Test Press 330Pa (6.89psf)	1301mm Tributary Width	2500mm Span	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413


For more Information visit www.amscert.com


Website: www.kolbewindows.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
413-H-1069.51	Heritage Gardenaire Sliding Patio Door 8080 Mulled to 4380 Sidelight, SP, Narrow Stiles (R&D 24072 Recert 14036)	CSA A440 S1-19	Class LC-PG45; Size Tested 1301mm Tributary Width x 2500mm Span Type-MA; DP +2160/-2160 Pa; Water Test Press 330Pa (6.89psf); Can. Air Infil/Exfil. Level=A3	1301mm Tributary Width	2500mm Span	QCT24-7203.24	9/8/2025	9/11/2025	7/24/2035

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  *John McFee, VP of Certification Programs, WDMA Hallmark*

By:  *Lucas L. Wenzel, Authorized Representative, AMS*

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com