

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website: www.kolbewindows.com

TEL:

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>RptDate</i>	<i>CertDate</i>	<i>ExpDate</i>
413-H-1070.40	Ultra/VistaLuxe 1.75" & 2.25" Gardenaire Sliding Patio Door, Narrow Stile, EE, SP, mulled to Ultra/VistaLuxe 1.75" & 2.25" Gardenaire Sidelite, Narrow Stile, EE, SP (R&D #14037)	101/I.S.2/A440-11	Class LC-PG45; Size tested 2500mm Span/1251mm Tributary Width (98.44 in. span/49.25 in. tributary width) – MA (Combination Unit Vertical Mull); DP +45/-45 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	2500mm span	1251mm trib width	ESP017954P-1623.3	1/13/2015	2/2/2015	5/3/2026
413-H-1070.41	Ultra/VistaLuxe 1.75" & 2.25" Gardenaire Sliding Patio Door, Narrow Stile, EE, SP, mulled to Ultra/VistaLuxe 1.75" & 2.25" Gardenaire Sidelite, Narrow Stile, EE, SP (R&D #14037)	101/I.S.2/A440-08	Class LC-PG35; Size Tested 3721mm x 2500mm Type-SD (Mulled Combination Assembly); DP +45/-45 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A3	3721mm	2500mm	ESP017954P-1623.3	1/13/2015	2/2/2015	5/3/2026
413-H-1070.42	Ultra/VistaLuxe 1.75" & 2.25" Gardenaire Sliding Patio Door, Narrow Stile, EE, SP, mulled to Ultra/VistaLuxe 1.75" & 2.25" Gardenaire Sidelite, Narrow Stile, EE, SP (R&D #14037)	CSA A440 S1-09	Class LC-PG35; Size Tested 3721mm x 2500mm Type-SD (Mulled Combination Assembly); DP +45/-45 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A3	3721mm	2500mm	ESP017954P-1623.3	1/13/2015	2/2/2015	5/3/2026
413-H-1070.43	Ultra/VistaLuxe 1.75" & 2.25" Gardenaire Sliding Patio Door, Narrow Stile, EE, SP, mulled to Ultra/VistaLuxe 1.75" & 2.25" Gardenaire Sidelite, Narrow Stile, EE, SP (R&D #14037)	AAMA 450-10	Class LC-PG45; Size tested 2500mm Span/1251mm Tributary Width (98.44 in. span/49.25 in. tributary width) – MA (Combination Unit Vertical Mull); DP +45/-45 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	2500mm span	1251mm trib width	ESP017954P-1623.3	1/13/2015	2/2/2015	5/3/2026

Hallmark® Certificate of Conformance and License (CCL)




AMS, INC.
Administrative Management
Systems, Inc.

Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413
For more Information visit www.amscert.com
Website: www.kolbewindows.com
TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
-------------	--------------	----------	--------	------	------	---------------	---------	----------	---------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com