

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006255.02-R5
DATE: 06/23/2011
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 104-3
REVISION DATE: 02/11/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	"Contour Steel (S-2500) Wood Edge" Double Inswing/Outswing Steel Wood- Edge Entry Doors w/ODL Impact Allen Frame and Endura Ultimate Hurricane Astragal Configuration: XX Glazing: IG-1/8" Tempered Glass/ Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass Frame: W-1880mm(74") H-2083mm(82") Panel: W-927mm(36.5") H-2013mm(79.25") DLO: W-559mm(22") H-1626mm(64")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	In-Swing (I/S) Design Pressure: +60/-65 psf I/S Water Resistance Test Pressure: 137 Pa (2.86 psf) Out-Swing (O/S) Design Pressure: +65/-60 psf O/S Water Resistance Test Pressure: 467 Pa (9.75 psf) Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3195-1/SJW2011-050/W-1486/W-1556/W-1564
Expiration Date: June 30, 2027

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/ Email: nami@namiinc.com

NOPC-03/30/2023