

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010606-R2  
DATE: 05/09/2011  
CERTIFICATION PROGRAM: Structural  
COMPANY: Eastern  
CODE: 1783-1  
REVISION DATE: 06/11/2015

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>10030 Bavaria Road</b> <b>Ft. Myers, FL 33913</b>	<b>Series "1531/2551"</b> <b>Vinyl Double Hung Window</b> <b>w/Nailing Fin</b>  Configuration: X/X Glazing: Insulating Glass (Annealed)  Frame: W-1210mm(47.5") H-1820mm(71.5") Sash: W-1130mm(44.38") H-900mm(35.63")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>H-R50 1210 x 1820 (48 x 72)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: 71347.05-501-47  
Expiration Date: **February 28, 2020**

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122