

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI010629-R1  
**DATE:** 05/13/2011  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 04/26/2015

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>10030 Bavaria Road</b> <b>Ft. Myers, FL 33913</b>	<b>Series "2561" Impact Rated</b> <b>Vinyl Double Hung Window</b> <b>w/Flange</b>  Configuration: X/X Glazing: IG-1/8" Annealed Glass/ Laminate-1/8" Annealed Glass/0.090" PVB by Solutia/ 1/8" Annealed Glass  Frame: W-1219mm(48") H-1829mm(72") Sash: W-1130mm(44.5") H-914mm(36")

SPECIFICATION	PRODUCT RATING
<b>ASTM E1886-02/E1996-02</b>	<b>Design Pressure: +50/-50 psf</b> <b>Wind Zone 4-Missile Level D</b>

Product Tested By: Certified Testing Laboratories.  
Report No: CTLA-2062W-7  
Expiration Date: September 30, 2020

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122