

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010670.01-R4
DATE: 10/03/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1
REVISION DATE: 03/17/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33912	Series "FWI 1000SH" Aluminum Flange Frame Single Hung Window Configuration: O/X Glazing: IG-1/8" Annealed Glass/Laminate-3/16" Heat Strengthened Glass/0.090"Saflex Interlayer/ 3/16"" Heat Strengthened Frame: W-1349mm(53.13") H-1981mm(78") Sash: W-1283mm(50.5") H-1003mm(39.5")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-06 TAS 201/202/203-94 AAMA/WDMA/CSA 101/I.S.2/A440-05	Design Pressure: +80/-100 psf Wind Zone 4-Missile Level D Large Missile Impact Rated H-LC80 1349 x 1981 (53 x 78)

Product Tested By: Element Materials Technology
Report No: ESP009274P-10/ESP009274P-11/W-2184
Expiration Date: April 30, 2027

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023