

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI009020.01-R2  
**DATE:** 04/13/2011  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 08/05/2014

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS  | PRODUCT DESCRIPTION  |
|---|--|
| <b>Eastern Architectural Systems</b><br><b>10030 Bavaria Road</b><br><b>Ft. Myers, FL 33913</b> | <b>Series "FWI 1000" Aluminum</b><br><b>Impact Rated Single Hung Window</b><br><br>Configuration: O/X<br><br>Glazing: Laminate-3/16" Heat Strengthened<br>Glass/0.100" HP Solutia/<br>3/16" Heat Strengthened Glass<br><br>Frame: W-1359mm(53.5") H-1943mm(76.5")<br>Sash: W-1283mm(50.5") H-972mm(38.25") |

| SPECIFICATION             | PRODUCT RATING   |
|---------------------------|--|
| <b>TAS 201/202/203-94</b> | <b>Design Pressure: 5746 Pa (120 psf)</b><br><b>Negative Design Pressure: 7182 Pa (150 psf)</b><br><b>Large Missile Impact Rated</b> |

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3753-1  
Expiration Date: April 30, 2020

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122