

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI009044.03-R1  
**DATE:** 12/10/2012  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 01/13/2015

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>10030 Bavaria Road</b> <b>Ft. Myers, FL 33913</b>	<b>Series "90° FD8100-LMI" Impact Rated</b> <b>90 Degree Aluminum Sliding Glass Door</b>  Configuration: XXXXXXXX Four Track  Glazing: Laminate-3/16" Heat Strengthened Glass/0.100" Solutia Interlayer/3/16" Heat Strengthened Glass or IG-3/16" Heat Strengthened Glass/ Laminate-3/16" Heat Strengthened Glass/0.100" Solutia Interlayer/3/16" Heat Strengthened Glass  Frame: W-6096mm(240") W-6096mm(240") 2794mm(110")  Panel: W-1257mm(49.5") H-2699mm(106.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b> <b>TAS 201/202/203-94</b> <b>ASTM E1886-02/E1996-02</b>	<b>SD-C60 6096 x 6096 x 2794 (240 x 240 x 110)</b> <b>Design Pressure: +60/-60 psf</b> <b>Wind Zone 4-Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3755-1/NCTL-210-3755-1A/W-1533  
Expiration Date: May 31, 2020

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

**4794 George Washington Memorial Highway**  
**Hayes, VA 23072**  
**Tel: (804) 684-5124**  
**Fax: (804) 684-5122**