

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009416.02-R2
DATE: 04/14/2011
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1
REVISION DATE: 02/09/2016

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33912	Series "FD-8100" Aluminum Impact Rated Sliding Glass Door Configuration: OXXX Glazing: Laminate-3/16" Heat Strengthened Glass/0.100" Interlayer (Eastman PVB)/ 3/16" Heat Strengthened Glass Frame: W-4877mm(192") H-2743mm(108") Panel: W-1257mm(49.5") H-2699mm(106.25") DLO: W-1038mm(40.87") H-2483mm(97.75")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-02/E1996-02 TAS 201/202/203-94	SD-C100 4877 x 2743 (192 x 108) Design Pressure: +100/-110 psf Large Missile Impact Rated Wind Zone 4-Missile Level D

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3407-1/210-3407-1A
Expiration Date: June 30, 2021

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122