

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI009416.06-R3  
**DATE:** 04/14/2011  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 02/09/2016

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS  | PRODUCT DESCRIPTION   |
|---|---|
| <b>Eastern Architectural Systems</b><br><b>16341 Domestic Avenue</b><br><b>Fort Myers, FL 33912</b> | <b>Series "FD-8100" Aluminum</b><br><b>Impact Rated Sliding Glass Door</b><br><br>Configuration: OXXX<br><br>Glazing: Laminate-3/16" Heat Strengthened<br>Glass/0.100" Vanceva Interlayer/<br>3/16" Heat Strengthened Glass<br><br>Frame: W-6096mm(240") H-2794mm(110")<br><br>Panel: W-1527mm(60.12") H-2746mm(108.12")<br><br>DLO: W-1340mm(52.75") H-2546mm(100.25") |

| SPECIFICATION  | PRODUCT RATING  |
|--|---|
| <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b><br><b>ASTM E1886-02/05/E1996-02/05</b><br><b>TAS 201/202/203-94</b> | <b>SD-C60 6096 x 2794 (240 x 110)</b><br><b>Wind Zone 4-Missile Level D</b><br><b>Design Pressure: +60/-60 psf</b><br><b>Large Missile Impact Rated</b> |

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3519-1/210-3519-1A  
Expiration Date: May 31, 2021

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122