

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011134-R1  
**DATE:** 06/08/2012  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 02/09/2016

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>16341 Domestic Avenue</b> <b>Fort Myers, FL 33912</b>	<b>Series "623" Vinyl Fin Frame</b> <b>Impact Sliding Glass Door</b>  Configuration: OXO Glazing: IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Interlayer (Eastman PVB)/1/8" Annealed Glass or 5/32" Tempered Glass/Laminate-5/32" Annealed Glass/0.090" Interlayer (Eastman PVB)/ 5/32" Annealed Glass  Frame: W-3658mm(144") H-2438mm(96")  Panel: W-1232mm(48.5") H-2369mm(93.25")  DLO: W-1029mm(40.5") H-2165mm(85.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b> <b>ASTM E1886-05/E1996-05</b>	<b>SD-C50 3658 x 2438 (144 x 96)</b> <b>Design Pressure: +50/-50 psf</b> <b>Wind Zone 4-Missile Level D</b> <b>Qualifies Configurations: O/X/OX/XO/OXO</b>

Product Tested By: Certified Testing Laboratories  
Report No: CTLA 2050W/CTLA 2050W-1/ESP009160P-1/ESP009160P-2  
Expiration Date: May 31, 2021

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122